

New Diagnoses of HIV Infection Reported in Fairfield County

*Please note a decrease in new reported diagnoses of HIV in 2020 may not represent a true decline, and may be a reporting artifact as a result of COVID-19.

As of June 30, 2024

Reported new diagnoses of HIV infection in 2023 by disease status and selected characteristics, Fairfield County

Characteristic	2023 diagnosis of HIV infection			Disease Status						
	Rate ^a	No.	%	HIV (not AIDS)		HIV & later AIDS		AIDS		
				No.	%	No.	%	No.	%	
Sex at birth										
Males	6.0	5	71%	5	71%	-	-	-	-	
Females	*	2	29%	2	29%	-	-	-	-	
Age at diagnosis (years)										
0-9	*	-	-	-	-	-	-	-	-	
10-14	*	-	-	-	-	-	-	-	-	
15-19	*	-	-	-	-	-	-	-	-	
20-24	*	-	-	-	-	-	-	-	-	
25-29	*	1	14%	1	14%	-	-	-	-	
30-34	*	3	43%	3	43%	-	-	-	-	
35-39	*	1	14%	1	14%	-	-	-	-	
40-44	*	-	-	-	-	-	-	-	-	
45-49	*	1	14%	1	14%	-	-	-	-	
50-54	*	-	-	-	-	-	-	-	-	
55-64	*	1	14%	1	14%	-	-	-	-	
65+	*	-	-	-	-	-	-	-	-	
Race/Ethnicity ^b										
American Indian/Alaska Native	*	-	-	-	-	-	-	-	-	
Asian/Pacific Islander	*	1	14%	1	14%	-	-	-	-	
Black/African American	*	-	-	-	-	-	-	-	-	
Hispanic/Latino	*	-	-	-	-	-	-	-	-	
White	3.7	5	71%	5	71%	-	-	-	-	
Multi-Race	*	1	14%	1	14%	-	-	-	-	
Race/Ethnicity ^b and Sex at birth										
American Indian/Alaska Native Males	*	-	-	-	-	-	-	-	-	
American Indian/Alaska Native Females	*	-	-	-	-	-	-	-	-	
Asian/Pacific Islander Males	*	1	14%	1	14%	-	-	-	-	
Asian/Pacific Islander Females	*	-	-	-	-	-	-	-	-	
Black/African American Males	*	-	-	-	-	-	-	-	-	
Black/African American Females	*	-	-	-	-	-	-	-	-	
Hispanic/Latino Males	*	-	-	-	-	-	-	-	-	
Hispanic/Latina Females	*	-	-	-	-	-	-	-	-	
White Males	*	3	43%	3	43%	-	-	-	-	
White Females	*	2	29%	2	29%	-	-	-	-	
Multi-Race Males	*	1	14%	1	14%	-	-	-	-	
Multi-Race Females	*	-	-	-	-	-	-	-	-	
Total	4.2	7		7		-		-		

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^aThe rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

^b Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported new diagnoses of HIV infection in 2023 by disease status and transmission category, Fairfield County

Transmission Category ^a	2023 diagnosis of HIV infection		Disease Status					
			HIV (not AIDS)		HIV & later AIDS		AIDS	
	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent								
Male-to-male sexual contact	2	40%	2	40%	-	-	-	-
Injection drug use (IDU)	-	-	-	-	-	-	-	-
Male-to-male sexual contact and IDU	1	20%	1	20%	-	-	-	-
Heterosexual contact	1	20%	1	20%	-	-	-	-
Other/unknown	1	20%	1	20%	-	-	-	-
Subtotal	5	100%	5	100%	-	-	-	-
Female adult or adolescent								
Injection drug use	1	50%	1	50%	-	-	-	-
Heterosexual contact	1	50%	1	50%	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Subtotal	2	100%	2	100%	-	-	-	-
Child (<13 years at diagnosis)								
Perinatal	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-
Total	7		7		-		-	

Reported new diagnoses of HIV infection in 2023 by disease status and exposure category, Fairfield County

Exposure Category ^b	2023 diagnosis of HIV infection		Disease Status					
			HIV (not AIDS)		HIV & later AIDS		AIDS	
	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	1	14%	1	14%	-	-	-	-
Injection drug use (IDU) only	-	-	-	-	-	-	-	-
Heterosexual contact only	2	29%	2	29%	-	-	-	-
Male-to-male sexual contact & IDU	1	14%	1	14%	-	-	-	-
IDU & Heterosexual contact	1	14%	1	14%	-	-	-	-
Male-to-male sexual contact & Heterosexual contact	1	14%	1	14%	-	-	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-
Perinatal exposure	-	-	-	-	-	-	-	-
Other/unknown	1	14%	1	14%	-	-	-	-
Total	7		7		-		-	

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and age at diagnosis, Fairfield County

2023 diagnosis of HIV infection																		
Age at diagnosis (years)	American Indian/Alaska Native			Asian/Pacific Islander			Black/African American			Hispanic/ Latino ^a			White			Multi-Race		
	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
20-24	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
25-29	*	-	-	*	-	-	*	-	-	*	-	-	*	1	20%	*	-	-
30-34	*	-	-	*	-	-	*	-	-	*	-	-	*	3	60%	*	-	-
35-39	*	-	-	*	1	100%	*	-	-	*	-	-	*	-	-	*	-	-
40-44	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
45-49	*	-	-	*	-	-	*	-	-	*	-	-	*	1	20%	*	-	-
50-54	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
55-64	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	1	100%
65+	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	*	-	-	*	1	-	*	-	-	*	-	-	3.7	5	-	*	1	-

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and transmission category, Fairfield County

2023 diagnosis of HIV infection													
Transmission Category ^c	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino ^a		White		Multi-Race		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Male adult or adolescent													
Male-to-male sexual contact	-	-	-	-	-	-	-	-	2	67%	-	-	
Injection drug use (IDU)	-	-	-	-	-	-	-	-	-	-	-	-	
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-	1	33%	-	-	
Heterosexual contact	-	-	-	-	-	-	-	-	-	-	1	100%	
Other/unknown	-	-	1	100%	-	-	-	-	-	-	-	-	
Subtotal	-	-	1	100%	-	-	-	-	3	100%	1	100%	
Female adult or adolescent													
Injection drug use	-	-	-	-	-	-	-	-	1	50%	-	-	
Heterosexual contact	-	-	-	-	-	-	-	-	1	50%	-	-	
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-	
Subtotal	-	-	-	-	-	-	-	-	2	100%	-	-	
Child (<13 years at diagnosis)													
Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-	
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	
Total	-	-	1	-	-	-	-	-	5	-	1	-	

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and exposure category, Fairfield County

2023 diagnosis of HIV infection													
Exposure Category ^d	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino ^a		White		Multi-Race		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Male-to-male sexual contact only	-	-	-	-	-	-	-	-	1	20%	-	-	
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	-	-	-	-	
Heterosexual contact only	-	-	-	-	-	-	-	-	1	20%	1	100%	
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-	1	20%	-	-	
IDU & Heterosexual contact	-	-	-	-	-	-	-	-	1	20%	-	-	
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	-	-	-	-	1	20%	-	-	
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-	
Perinatal exposure	-	-	-	-	-	-	-	-	-	-	-	-	
Other/unknown	-	-	1	100%	-	-	-	-	-	-	-	-	
Total	-	-	1	-	-	-	-	-	5	-	1	-	

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

^b The rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

^c Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^d Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Persons Living with Diagnosed HIV Infection Reported in Fairfield County

As of June 30, 2024

Reported persons living with diagnosed HIV infection in 2023 by current disease status and selected characteristics, Fairfield County

Characteristic	Living with diagnosed HIV infection in			Current Disease Status			
	2023			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Sex at birth							
Males	171.6	142	70%	76	68%	66	73%
Females	72.6	60	30%	35	32%	25	27%
Age at end of year (years)							
0-9	*	-	-	-	-	-	-
10-14	*	-	-	-	-	-	-
15-19	*	-	-	-	-	-	-
20-24	61.6	6	3%	5	5%	1	1%
25-29	94.8	9	4%	8	7%	1	1%
30-34	251.4	26	13%	20	18%	6	7%
35-39	100.6	11	5%	5	5%	6	7%
40-44	195.0	22	11%	15	14%	7	8%
45-49	190.6	20	10%	10	9%	10	11%
50-54	262.0	29	14%	15	14%	14	15%
55-64	251.4	53	26%	25	23%	28	31%
65+	92.9	26	13%	8	7%	18	20%
Race/Ethnicity^b							
American Indian/Alaska Native	*	-	-	-	-	-	-
Asian/Pacific Islander	*	2	1%	1	1%	1	1%
Black/African American	362.1	63	31%	36	32%	27	30%
Hispanic/Latino	*	4	2%	3	3%	1	1%
White	89.9	120	59%	64	58%	56	62%
Multi-Race	322.9	13	6%	7	6%	6	7%
Unknown	*	-	-	-	-	-	-
Race/Ethnicity^b and Sex at birth							
American Indian/Alaska Native Males	*	-	-	-	-	-	-
American Indian/Alaska Native Females	*	-	-	-	-	-	-
Asian/Pacific Islander Males	*	2	1%	1	1%	1	1%
Asian/Pacific Islander Females	*	-	-	-	-	-	-
Black/African American Males	372.3	34	17%	21	19%	13	14%
Black/African American Females	350.8	29	14%	15	14%	14	15%
Hispanic/Latino Males	*	4	2%	3	3%	1	1%
Hispanic/Latina Females	*	-	-	-	-	-	-
White Males	141.3	94	47%	46	41%	48	53%
White Females	38.8	26	13%	18	16%	8	9%
Multi-Race Males	404.2	8	4%	5	5%	3	3%
Multi-Race Females	244.3	5	2%	2	2%	3	3%
Unknown	*	-	-	-	-	-	-
Total	122.2	202		111		91	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^aThe rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

^b Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported persons living with diagnosed HIV infection in 2023 by current disease status and transmission category, Fairfield County

Transmission Category ^a	Living with diagnosed HIV infection in		Current Disease Status			
	2023		HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	84	60%	44	59%	40	61%
Injection drug use (IDU)	3	2%	2	3%	1	2%
Male-to-male sexual contact and IDU	7	5%	5	7%	2	3%
Heterosexual contact	18	13%	5	7%	13	20%
Other/unknown	29	21%	19	25%	10	15%
Subtotal	141	100%	75	100%	66	100%
Female adult or adolescent						
Injection drug use	8	14%	4	12%	4	17%
Heterosexual contact	41	72%	23	70%	18	75%
Other/unknown	8	14%	6	18%	2	8%
Subtotal	57	100%	33	100%	24	100%
Child (<13 years at diagnosis)						
Perinatal	4	100%	3	100%	1	100%
Other/unknown	-	-	-	-	-	-
Subtotal	4	100%	3	100%	1	100%
Total	202		111		91	

Reported persons living with diagnosed HIV infection in 2023 by current disease status and exposure category, Fairfield County

Exposure Category ^b	Living with diagnosed HIV infection in		Current Disease Status			
	2023		HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male-to-male sexual contact only	63	31%	35	32%	28	31%
Injection drug use (IDU) only	2	1%	1	1%	1	1%
Heterosexual contact only	74	37%	37	33%	37	41%
Male-to-male sexual contact & IDU	4	2%	3	3%	1	1%
IDU & Heterosexual contact	9	4%	5	5%	4	4%
Male-to-male sexual contact & Heterosexual contact	21	10%	9	8%	12	13%
Male-to-male sexual contact & IDU & Heterosexual contact	3	1%	2	2%	1	1%
Perinatal exposure	4	2%	3	3%	1	1%
Other/unknown	22	11%	16	14%	6	7%
Total	202		111		91	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and age, Fairfield County

Living with diagnosed HIV infection in 2023																		
Age at end of year (years)	American Indian/Alaska Native			Asian/Pacific Islander			Black/African American			Hispanic/ Latino ^a			White			Multi-Race		
	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
20-24	*	-	-	*	-	-	367.1	5	8%	*	-	-	*	1	1%	*	-	-
25-29	*	-	-	*	1	50%	*	1	2%	*	1	25%	67.5	5	4%	*	1	8%
30-34	*	-	-	*	-	-	766.0	9	14%	*	1	25%	174.0	14	12%	*	2	15%
35-39	*	-	-	*	-	-	366.8	5	8%	*	-	-	*	4	3%	*	2	15%
40-44	*	-	-	*	1	50%	*	4	6%	*	-	-	168.3	15	13%	*	2	15%
45-49	*	-	-	*	-	-	755.9	10	16%	*	-	-	107.6	9	8%	*	1	8%
50-54	*	-	-	*	-	-	753.1	9	14%	*	1	25%	196.7	18	15%	*	1	8%
55-64	*	-	-	*	-	-	731.3	12	19%	*	1	25%	212.1	39	33%	*	1	8%
65+	*	-	-	*	-	-	649.9	8	13%	*	-	-	58.0	15	13%	*	3	23%
Total	*	-	-	*	2	-	362.1	63	-	*	4	-	89.9	120	-	322.9	13	-

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and transmission category, Fairfield County

Living with diagnosed HIV infection in 2023														
Transmission Category ^c	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/Latino ^a		White		Multi-Race		Unknown	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent														
Male-to-male sexual contact	-	-	1	50%	13	39%	2	50%	62	66%	6	75%	-	-
Injection drug use (IDU)	-	-	-	-	-	-	-	-	3	3%	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-	7	7%	-	-	-	-
Heterosexual contact	-	-	-	-	8	24%	1	25%	9	10%	-	-	-	-
Other/unknown	-	-	1	50%	12	36%	1	25%	13	14%	2	25%	-	-
Subtotal	-	-	2	100%	33	100%	4	100%	94	100%	8	100%	-	-
Female adult or adolescent														
Injection drug use	-	-	-	-	2	7%	-	-	5	20%	1	20%	-	-
Heterosexual contact	-	-	-	-	25	93%	-	-	14	56%	2	40%	-	-
Other/unknown	-	-	-	-	-	-	-	-	6	24%	2	40%	-	-
Subtotal	-	-	-	-	27	100%	-	-	25	100%	5	100%	-	-
Child (<13 years at diagnosis)														
Perinatal	-	-	-	-	3	100%	-	-	1	100%	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	3	100%	-	-	1	100%	-	-	-	-
Total	-	-	2	-	63	-	4	-	120	-	13	-	-	-

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and exposure category, Fairfield County

Living with diagnosed HIV infection in 2023														
	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino ^a		White		Multi-Race		Unknown	
Exposure Category ^d	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	-	-	1	50%	11	17%	2	50%	44	37%	5	38%	-	-
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	2	2%	-	-	-	-
Heterosexual contact only	-	-	-	-	42	67%	1	25%	28	23%	3	23%	-	-
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-	4	3%	-	-	-	-
IDU & Heterosexual contact	-	-	-	-	2	3%	-	-	6	5%	1	8%	-	-
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	2	3%	-	-	18	15%	1	8%	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	3	3%	-	-	-	-
Perinatal exposure	-	-	-	-	3	5%	-	-	1	1%	-	-	-	-
Other/unknown	-	-	1	50%	3	5%	1	25%	14	12%	3	23%	-	-
Total	-	-	2	-	63	-	4	-	120	-	13	-	-	-

Notes:
Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.
Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.
^a Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.
^b The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.
^c Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.
^d Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.
Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and selected characteristics, Fairfield County, 2019-2023

Characteristic	Living with Diagnosed HIV Infection														
	2019			2020			2021			2022			2023		
	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%
Sex at birth															
Males	182.5	143	76%	180.6	143	76%	170.0	137	73%	174.1	142	72%	171.6	142	70%
Females	58.1	46	24%	55.9	45	24%	62.1	50	27%	67.6	55	28%	72.6	60	30%
Age at end of year (years)															
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	3	2%	*	2	1%	*	-	-	*	-	-	*	-	-
20-24	107.2	10	5%	85.0	8	4%	85.9	8	4%	50.1	5	3%	61.6	6	3%
25-29	139.6	13	7%	169.1	16	9%	131.0	12	6%	107.2	10	5%	94.8	9	4%
30-34	93.8	9	5%	121.2	12	6%	179.2	18	10%	208.2	21	11%	251.4	26	13%
35-39	135.5	14	7%	143.2	15	8%	84.0	9	5%	92.9	10	5%	100.6	11	5%
40-44	189.3	19	10%	175.9	18	10%	224.4	24	13%	236.5	26	13%	195.0	22	11%
45-49	224.3	24	13%	199.2	21	11%	191.5	20	11%	164.7	17	9%	190.6	20	10%
50-54	346.2	37	20%	345.5	37	20%	297.4	33	18%	251.2	28	14%	262.0	29	14%
55-64	219.6	46	24%	214.0	45	24%	225.8	48	26%	270.7	57	29%	251.4	53	26%
65+	55.2	14	7%	53.2	14	7%	57.8	15	8%	84.8	23	12%	92.9	26	13%
Race/Ethnicity^b															
American Indian/Alaska Native	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander	*	1	1%	*	1	1%	*	1	1%	*	1	1%	*	2	1%
Black/African American	381.6	51	27%	349.8	50	27%	377.0	57	30%	352.2	57	29%	362.1	63	31%
Hispanic/Latino	213.8	8	4%	173.1	7	4%	117.9	5	3%	159.9	7	4%	*	4	2%
White	86.7	116	61%	84.2	113	60%	80.6	108	58%	87.6	117	59%	89.9	120	59%
Multi-Race	399.1	13	7%	493.6	17	9%	452.5	16	9%	393.9	15	8%	322.9	13	6%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Race/Ethnicity^b and Sex at birth															
American Indian/Alaska Native Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
American Indian/Alaska Native Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander Males	*	1	1%	*	1	1%	*	1	1%	*	1	1%	*	2	1%
Asian/Pacific Islander Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Black/African American Males	450.6	31	16%	425.6	31	16%	458.1	36	19%	389.1	33	17%	372.3	34	17%
Black/African American Females	308.4	20	11%	271.1	19	10%	289.1	21	11%	311.6	24	12%	350.8	29	14%
Hispanic/Latino Males	369.2	7	4%	292.0	6	3%	228.9	5	3%	314.7	7	4%	*	4	2%
Hispanic/Latina Females	*	1	1%	*	1	1%	*	-	-	*	-	-	*	-	-
White Males	141.6	94	50%	138.7	92	49%	125.8	84	45%	138.2	92	47%	141.3	94	47%
White Females	32.6	22	12%	31.0	21	11%	35.7	24	13%	37.3	25	13%	38.8	26	13%
Multi-Race Males	623.8	10	5%	769.2	13	7%	630.4	11	6%	480.3	9	5%	404.2	8	4%
Multi-Race Females	*	3	2%	*	4	2%	279.2	5	3%	310.2	6	3%	244.3	5	2%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	119.9	189		117.7	188		116.1	187		120.9	197		122.2	202	

Notes:

Living with diagnosed HIV infection by year (2019-2023) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^b Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and transmission category, Fairfield County, 2019-2023

Living with Diagnosed HIV Infection										
Transmission Category ^a	2019		2020		2021		2022		2023	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent										
Male-to-male sexual contact	103	72%	100	70%	90	66%	91	64%	84	60%
Injection drug use (IDU)	2	1%	1	1%	2	1%	4	3%	3	2%
Male-to-male sexual contact and IDU	6	4%	5	3%	5	4%	5	4%	7	5%
Heterosexual contact	13	9%	15	10%	17	12%	19	13%	18	13%
Other/unknown	19	13%	22	15%	23	17%	23	16%	29	21%
Subtotal	143	100%	143	100%	137	100%	142	100%	141	100%
Female adult or adolescent										
Injection drug use	3	7%	4	10%	5	11%	7	13%	8	14%
Heterosexual contact	33	77%	31	74%	35	74%	37	71%	41	72%
Other/unknown	7	16%	7	17%	7	15%	8	15%	8	14%
Subtotal	43	100%	42	100%	47	100%	52	100%	57	100%
Child (<13 years at diagnosis)										
Perinatal	3	100%	3	100%	3	100%	3	100%	4	100%
Other/unknown	-	-	-	-	-	-	-	-	-	-
Subtotal	3	100%	3	100%	3	100%	3	100%	4	100%
Total	189		188		187		197		202	

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and exposure category, Fairfield County, 2019-2023

Living with Diagnosed HIV Infection										
Exposure Category ^b	2019		2020		2021		2022		2023	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	78	41%	75	40%	68	36%	68	35%	63	31%
Injection drug use (IDU) only	-	-	-	-	1	1%	2	1%	2	1%
Heterosexual contact only	55	29%	56	30%	63	34%	67	34%	74	37%
Male-to-male sexual contact & IDU	1	1%	1	1%	1	1%	1	1%	4	2%
IDU & Heterosexual contact	5	3%	5	3%	6	3%	9	5%	9	4%
Male-to-male sexual contact & Heterosexual contact	25	13%	25	13%	22	12%	23	12%	21	10%
Male-to-male sexual contact & IDU & Heterosexual contact	5	3%	4	2%	4	2%	4	2%	3	1%
Perinatal exposure	3	2%	3	2%	3	2%	3	2%	4	2%
Other/unknown	17	9%	19	10%	19	10%	20	10%	22	11%
Total	189		188		187		197		202	

Notes:

Living with diagnosed HIV infection by year (2019-2023) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.