

Persons Living with Diagnosed HIV Infection Reported in Portage County

Reported persons living with diagnosed HIV infection in 2023 by current disease status and selected characteristics, Portage County

Characteristic	Living with diagnosed HIV infection in			Current Disease Status			
	2023			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Sex at birth							
Males	114.8	92	83%	54	84%	38	81%
Females	23.0	19	17%	10	16%	9	19%
Age at end of year (years)							
0-9	*	-	-	-	-	-	-
10-14	*	-	-	-	-	-	-
15-19	*	-	-	-	-	-	-
20-24	*	2	2%	2	3%	-	-
25-29	80.5	8	7%	8	13%	-	-
30-34	118.3	11	10%	9	14%	2	4%
35-39	110.9	10	9%	8	13%	2	4%
40-44	97.1	9	8%	5	8%	4	9%
45-49	127.1	11	10%	8	13%	3	6%
50-54	148.0	15	14%	7	11%	8	17%
55-64	109.0	24	22%	8	13%	16	34%
65+	68.9	21	19%	9	14%	12	26%
Race/Ethnicity^b							
American Indian/Alaska Native	*	-	-	-	-	-	-
Asian/Pacific Islander	*	4	4%	3	5%	1	2%
Black/African American	259.3	22	20%	12	19%	10	21%
Hispanic/Latino	*	3	3%	3	5%	-	-
White	52.0	74	67%	40	63%	34	72%
Multi-Race	211.9	8	7%	6	9%	2	4%
Unknown	*	-	-	-	-	-	-
Race/Ethnicity^b and Sex at birth							
American Indian/Alaska Native Males	*	-	-	-	-	-	-
American Indian/Alaska Native Females	*	-	-	-	-	-	-
Asian/Pacific Islander Males	*	4	4%	3	5%	1	2%
Asian/Pacific Islander Females	*	-	-	-	-	-	-
Black/African American Males	296.2	12	11%	7	11%	5	11%
Black/African American Females	225.6	10	9%	5	8%	5	11%
Hispanic/Latino Males	*	3	3%	3	5%	-	-
Hispanic/Latina Females	*	-	-	-	-	-	-
White Males	95.3	67	60%	37	58%	30	64%
White Females	9.7	7	6%	3	5%	4	9%
Multi-Race Males	335.0	6	5%	4	6%	2	4%
Multi-Race Females	*	2	2%	2	3%	-	-
Unknown	*	-	-	-	-	-	-
Total	68.2	111		64		47	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^aThe rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

^b Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported persons living with diagnosed HIV infection in 2023 by current disease status and transmission category, Portage County

Transmission Category ^a	Living with diagnosed HIV infection in		Current Disease Status			
	2023		HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	62	67%	36	67%	26	68%
Injection drug use (IDU)	4	4%	1	2%	3	8%
Male-to-male sexual contact and IDU	4	4%	2	4%	2	5%
Heterosexual contact	4	4%	3	6%	1	3%
Other/unknown	18	20%	12	22%	6	16%
Subtotal	92	100%	54	100%	38	100%
Female adult or adolescent						
Injection drug use	1	5%	1	10%	-	-
Heterosexual contact	15	79%	7	70%	8	89%
Other/unknown	3	16%	2	20%	1	11%
Subtotal	19	100%	10	100%	9	100%
Child (<13 years at diagnosis)						
Perinatal	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-
Total	111		64		47	

Reported persons living with diagnosed HIV infection in 2023 by current disease status and exposure category, Portage County

Exposure Category ^b	Living with diagnosed HIV infection in		Current Disease Status			
	2023		HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male-to-male sexual contact only	48	43%	28	44%	20	43%
Injection drug use (IDU) only	-	-	-	-	-	-
Heterosexual contact only	25	23%	12	19%	13	28%
Male-to-male sexual contact & IDU	3	3%	2	3%	1	2%
IDU & Heterosexual contact	5	5%	2	3%	3	6%
Male-to-male sexual contact & Heterosexual contact	14	13%	8	13%	6	13%
Male-to-male sexual contact & IDU & Heterosexual contact	1	1%	-	-	1	2%
Perinatal exposure	-	-	-	-	-	-
Other/unknown	15	14%	12	19%	3	6%
Total	111		64		47	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and age, Portage County

Living with diagnosed HIV infection in 2023																		
Age at end of year (years)	American Indian/Alaska Native			Asian/Pacific Islander			Black/African American			Hispanic/ Latino ^a			White			Multi-Race		
	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
20-24	*	-	-	*	-	-	*	-	-	*	-	-	*	1	1%	*	1	13%
25-29	*	-	-	*	3	75%	*	1	5%	*	-	-	*	4	5%	*	-	-
30-34	*	-	-	*	-	-	*	3	14%	*	-	-	88.4	7	9%	*	1	13%
35-39	*	-	-	*	-	-	*	4	18%	*	-	-	77.8	6	8%	*	-	-
40-44	*	-	-	*	-	-	*	2	9%	*	1	33%	*	3	4%	*	3	38%
45-49	*	-	-	*	-	-	*	-	-	*	-	-	117.8	9	12%	*	<5	-
50-54	*	-	-	*	-	-	*	4	18%	*	1	33%	110.0	10	14%	*	<5	-
55-64	*	-	-	*	1	25%	*	4	18%	*	-	-	88.2	18	24%	*	1	13%
65+	*	-	-	*	-	-	*	4	18%	*	1	33%	55.4	16	22%	*	-	-
Total	*	-	-	*	4	-	259.3	22	-	*	3	-	52.0	74	-	211.9	8	-

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and transmission category, Portage County

Living with diagnosed HIV infection in 2023												
Transmission Category ^c	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent												
Male-to-male sexual contact	-	-	4	100%	5	42%	3	100%	46	69%	4	67%
Injection drug use (IDU)	-	-	-	-	1	8%	-	-	2	3%	1	17%
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-	4	6%	-	-
Heterosexual contact	-	-	-	-	2	17%	-	-	2	3%	-	-
Other/unknown	-	-	-	-	4	33%	-	-	13	19%	1	17%
Subtotal	-	-	4	100%	12	100%	3	100%	67	100%	6	100%
Female adult or adolescent												
Injection drug use	-	-	-	-	-	-	-	-	1	14%	-	-
Heterosexual contact	-	-	-	-	9	90%	-	-	5	71%	1	50%
Other/unknown	-	-	-	-	1	10%	-	-	1	14%	1	50%
Subtotal	-	-	-	-	10	100%	-	-	7	100%	2	100%
Child (<13 years at diagnosis)												
Perinatal	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	4	-	22	-	3	-	74	-	8	-

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and exposure category, Portage County

Living with diagnosed HIV infection in 2023												
Exposure Category ^d	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	-	-	4	100%	4	18%	2	67%	35	47%	3	38%
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	-	-	-	-
Heterosexual contact only	-	-	-	-	13	59%	-	-	11	15%	1	13%
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-	3	4%	-	-
IDU & Heterosexual contact	-	-	-	-	1	5%	-	-	3	4%	1	13%
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	1	5%	1	33%	11	15%	1	13%
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	1	1%	-	-
Perinatal exposure	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	3	14%	-	-	10	14%	2	25%
Total	-	-	4	-	22	-	3	-	74	-	8	-

Notes:
Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.
Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.
^a Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.
^b The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.
^c Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.
^d Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.
Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and selected characteristics, Portage County, 2019-2023

Characteristic	Living with Diagnosed HIV Infection														
	2019			2020			2021			2022			2023		
	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%
Sex at birth															
Males	115.6	92	83%	119.4	95	83%	117.6	94	82%	115.0	92	81%	114.8	92	83%
Females	22.9	19	17%	24.1	20	17%	24.3	20	18%	26.9	22	19%	23.0	19	17%
Age at end of year (years)															
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	1	1%	*	-	-	*	-	-	*	-	-
20-24	38.0	7	6%	32.9	6	5%	27.8	5	4%	*	1	1%	*	2	2%
25-29	108.8	11	10%	97.1	10	9%	69.6	7	6%	70.0	7	6%	80.5	8	7%
30-34	82.1	7	6%	114.1	10	9%	101.9	9	8%	156.0	14	12%	118.3	11	10%
35-39	145.8	13	12%	112.5	10	9%	78.0	7	6%	111.9	10	9%	110.9	10	9%
40-44	106.3	9	8%	139.1	12	10%	212.7	19	17%	143.5	13	11%	97.1	9	8%
45-49	83.3	8	7%	65.9	6	5%	*	2	2%	82.1	7	6%	127.1	11	10%
50-54	146.5	15	14%	146.3	15	13%	202.2	21	18%	156.6	16	14%	148.0	15	14%
55-64	129.9	30	27%	152.1	35	30%	99.9	23	20%	116.4	26	23%	109.0	24	22%
65+	39.8	11	10%	34.8	10	9%	73.2	21	18%	67.7	20	18%	68.9	21	19%
Race/Ethnicity^b															
American Indian/Alaska Native	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander	*	-	-	*	-	-	*	-	-	*	-	-	*	4	4%
Black/African American	303.2	23	21%	271.4	21	18%	214.1	17	15%	251.9	21	18%	259.3	22	20%
Hispanic/Latino	*	4	4%	*	3	3%	*	4	4%	137.2	5	4%	*	3	3%
White	53.1	77	69%	58.1	84	73%	59.8	86	75%	57.0	81	71%	52.0	74	67%
Multi-Race	223.6	7	6%	213.9	7	6%	205.3	7	6%	192.7	7	6%	211.9	8	7%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Race/Ethnicity^b and Sex at birth															
American Indian/Alaska Native Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
American Indian/Alaska Native Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander Males	*	-	-	*	-	-	*	-	-	*	-	-	*	4	4%
Asian/Pacific Islander Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Black/African American Males	363.9	13	12%	359.6	13	11%	242.8	9	8%	251.2	10	9%	296.2	12	11%
Black/African American Females	249.2	10	9%	194.1	8	7%	188.9	8	7%	252.6	11	10%	225.6	10	9%
Hispanic/Latino Males	*	3	3%	*	2	2%	*	4	4%	*	4	4%	*	3	3%
Hispanic/Latina Females	*	1	1%	*	1	1%	*	-	-	*	1	1%	*	-	-
White Males	98.4	70	63%	105.7	75	65%	105.6	75	66%	102.2	72	63%	95.3	67	60%
White Females	9.5	7	6%	12.2	9	8%	15.1	11	10%	12.6	9	8%	9.7	7	6%
Multi-Race Males	389.1	6	5%	314.1	5	4%	364.7	6	5%	341.5	6	5%	335.0	6	5%
Multi-Race Females	*	1	1%	*	2	2%	*	1	1%	*	1	1%	*	2	2%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	68.3	111		70.7	115		70.2	114		70.5	114		68.2	111	

Notes:

Living with diagnosed HIV infection by year (2019-2023) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^b Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and transmission category, Portage County, 2019-2023

Living with Diagnosed HIV Infection										
Transmission Category ^a	2019		2020		2021		2022		2023	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent										
Male-to-male sexual contact	65	71%	70	74%	66	70%	66	72%	62	67%
Injection drug use (IDU)	5	5%	4	4%	5	5%	4	4%	4	4%
Male-to-male sexual contact and IDU	4	4%	4	4%	4	4%	3	3%	4	4%
Heterosexual contact	3	3%	2	2%	4	4%	4	4%	4	4%
Other/unknown	15	16%	15	16%	15	16%	15	16%	18	20%
Subtotal	92	100%	95	100%	94	100%	92	100%	92	100%
Female adult or adolescent										
Injection drug use	2	11%	2	11%	1	5%	1	5%	1	5%
Heterosexual contact	13	72%	14	74%	16	80%	17	77%	15	79%
Other/unknown	3	17%	3	16%	3	15%	4	18%	3	16%
Subtotal	18	100%	19	100%	20	100%	22	100%	19	100%
Child (<13 years at diagnosis)										
Perinatal	1	100%	1	100%	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-
Subtotal	1	100%	1	100%	-	-	-	-	-	-
Total	111		115		114		114		111	

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and exposure category, Portage County, 2019-2023

Living with Diagnosed HIV Infection										
Exposure Category ^b	2019		2020		2021		2022		2023	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	51	46%	52	45%	49	43%	50	44%	48	43%
Injection drug use (IDU) only	-	-	-	-	-	-	1	1%	-	-
Heterosexual contact only	21	19%	20	17%	24	21%	24	21%	25	23%
Male-to-male sexual contact & IDU	3	3%	3	3%	2	2%	2	2%	3	3%
IDU & Heterosexual contact	7	6%	6	5%	6	5%	4	4%	5	5%
Male-to-male sexual contact & Heterosexual contact	14	13%	18	16%	17	15%	16	14%	14	13%
Male-to-male sexual contact & IDU & Heterosexual contact	1	1%	1	1%	2	2%	1	1%	1	1%
Perinatal exposure	1	1%	1	1%	-	-	-	-	-	-
Other/unknown	13	12%	14	12%	14	12%	16	14%	15	14%
Total	111		115		114		114		111	

Notes:

Living with diagnosed HIV infection by year (2019-2023) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.