

New Diagnoses of HIV Infection Reported in Medina County

*Please note a decrease in new reported diagnoses of HIV in 2020 may not represent a true decline, and may be a reporting artifact as a result of COVID-19.

As of June 30, 2024

Reported new diagnoses of HIV infection in 2023 by disease status and selected characteristics, Medina County

Characteristic	2023 diagnosis of HIV infection			Disease Status						
	Rate ^a	No.	%	HIV (not AIDS)		HIV & later AIDS		AIDS		
				No.	%	No.	%	No.	%	
Sex at birth										
Males	5.5	5	100%	3	100%	2	100%	-	-	
Females	*	-	-	-	-	-	-	-	-	
Age at diagnosis (years)										
0-9	*	-	-	-	-	-	-	-	-	
10-14	*	-	-	-	-	-	-	-	-	
15-19	*	-	-	-	-	-	-	-	-	
20-24	*	-	-	-	-	-	-	-	-	
25-29	*	1	20%	-	-	1	50%	-	-	
30-34	*	1	20%	1	33%	-	-	-	-	
35-39	*	1	20%	1	33%	-	-	-	-	
40-44	*	-	-	-	-	-	-	-	-	
45-49	*	-	-	-	-	-	-	-	-	
50-54	*	1	20%	-	-	1	50%	-	-	
55-64	*	1	20%	1	33%	-	-	-	-	
65+	*	-	-	-	-	-	-	-	-	
Race/Ethnicity ^b										
American Indian/Alaska Native	*	-	-	-	-	-	-	-	-	
Asian/Pacific Islander	*	-	-	-	-	-	-	-	-	
Black/African American	*	-	-	-	-	-	-	-	-	
Hispanic/Latino	*	-	-	-	-	-	-	-	-	
White	2.9	5	100%	3	100%	2	100%	-	-	
Multi-Race	*	-	-	-	-	-	-	-	-	
Race/Ethnicity ^b and Sex at birth										
American Indian/Alaska Native Males	*	-	-	-	-	-	-	-	-	
American Indian/Alaska Native Females	*	-	-	-	-	-	-	-	-	
Asian/Pacific Islander Males	*	-	-	-	-	-	-	-	-	
Asian/Pacific Islander Females	*	-	-	-	-	-	-	-	-	
Black/African American Males	*	-	-	-	-	-	-	-	-	
Black/African American Females	*	-	-	-	-	-	-	-	-	
Hispanic/Latino Males	*	-	-	-	-	-	-	-	-	
Hispanic/Latina Females	*	-	-	-	-	-	-	-	-	
White Males	5.9	5	100%	3	100%	2	100%	-	-	
White Females	*	-	-	-	-	-	-	-	-	
Multi-Race Males	*	-	-	-	-	-	-	-	-	
Multi-Race Females	*	-	-	-	-	-	-	-	-	
Total	2.7	5		3		2		-		

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^aThe rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

^bHispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported new diagnoses of HIV infection in 2023 by disease status and transmission category, Medina County

Transmission Category ^a	2023 diagnosis of HIV infection		Disease Status					
			HIV (not AIDS)		HIV & later AIDS		AIDS	
	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent								
Male-to-male sexual contact	2	40%	1	33%	1	50%	-	-
Injection drug use (IDU)	-	-	-	-	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-
Heterosexual contact	1	20%	-	-	1	50%	-	-
Other/unknown	2	40%	2	67%	-	-	-	-
Subtotal	5	100%	3	100%	2	100%	-	-
Female adult or adolescent								
Injection drug use	-	-	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-
Child (<13 years at diagnosis)								
Perinatal	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-
Total	5		3		2		-	

Reported new diagnoses of HIV infection in 2023 by disease status and exposure category, Medina County

Exposure Category ^b	2023 diagnosis of HIV infection		Disease Status					
			HIV (not AIDS)		HIV & later AIDS		AIDS	
	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	2	40%	1	33%	1	50%	-	-
Injection drug use (IDU) only	-	-	-	-	-	-	-	-
Heterosexual contact only	3	60%	2	67%	1	50%	-	-
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-
IDU & Heterosexual contact	-	-	-	-	-	-	-	-
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	-	-	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-
Perinatal exposure	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Total	5		3		2		-	

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and age at diagnosis, Medina County

2023 diagnosis of HIV infection																		
Age at diagnosis (years)	American Indian/Alaska Native			Asian/Pacific Islander			Black/African American			Hispanic/ Latino ^a			White			Multi-Race		
	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
20-24	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
25-29	*	-	-	*	-	-	*	-	-	*	-	-	*	1	20%	*	-	-
30-34	*	-	-	*	-	-	*	-	-	*	-	-	*	1	20%	*	-	-
35-39	*	-	-	*	-	-	*	-	-	*	-	-	*	1	20%	*	-	-
40-44	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
45-49	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
50-54	*	-	-	*	-	-	*	-	-	*	-	-	*	1	20%	*	-	-
55-64	*	-	-	*	-	-	*	-	-	*	-	-	*	1	20%	*	-	-
65+	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	*	-	-	*	-	-	*	-	-	*	-	-	2.9	5	-	*	-	-

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and transmission category, Medina County

Transmission Category ^c	2023 diagnosis of HIV infection											
	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/Latino ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent												
Male-to-male sexual contact	-	-	-	-	-	-	-	-	2	40%	-	-
Injection drug use (IDU)	-	-	-	-	-	-	-	-	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-	-	-	1	20%	-	-
Other/unknown	-	-	-	-	-	-	-	-	2	40%	-	-
Subtotal	-	-	-	-	-	-	-	-	5	100%	-	-
Female adult or adolescent												
Injection drug use	-	-	-	-	-	-	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-
Child (<13 years at diagnosis)												
Perinatal	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	-	-	-	5	-	-	-

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and exposure category, Medina County

Exposure Category ^d	2023 diagnosis of HIV infection											
	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/Latino ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	-	-	-	-	-	-	-	-	2	40%	-	-
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	-	-	-	-
Heterosexual contact only	-	-	-	-	-	-	-	-	3	60%	-	-
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-	-	-	-	-
IDU & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-
Perinatal exposure	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	-	-	-	5	-	-	-

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

^b The rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

^c Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^d Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Persons Living with Diagnosed HIV Infection Reported in Medina County

As of June 30, 2024

Reported persons living with diagnosed HIV infection in 2023 by current disease status and selected characteristics, Medina County

Characteristic	Living with diagnosed HIV infection in			Current Disease Status			
	2023			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Sex at birth							
Males	98.2	90	79%	50	77%	40	82%
Females	26.0	24	21%	15	23%	9	18%
Age at end of year (years)							
0-9	*	-	-	-	-	-	-
10-14	*	-	-	-	-	-	-
15-19	*	1	1%	1	2%	-	-
20-24	*	4	4%	3	5%	1	2%
25-29	55.0	5	4%	4	6%	1	2%
30-34	96.0	10	9%	8	12%	2	4%
35-39	52.6	6	5%	5	8%	1	2%
40-44	82.8	10	9%	4	6%	6	12%
45-49	70.5	8	7%	6	9%	2	4%
50-54	78.6	10	9%	5	8%	5	10%
55-64	127.1	34	30%	15	23%	19	39%
65+	69.1	26	23%	14	22%	12	24%
Race/Ethnicity^b							
American Indian/Alaska Native	*	-	-	-	-	-	-
Asian/Pacific Islander	*	1	1%	1	2%	-	-
Black/African American	295.7	9	8%	3	5%	6	12%
Hispanic/Latino	174.2	9	8%	7	11%	2	4%
White	54.6	93	82%	54	83%	39	80%
Multi-Race	*	2	2%	-	-	2	4%
Unknown	*	-	-	-	-	-	-
Race/Ethnicity^b and Sex at birth							
American Indian/Alaska Native Males	*	-	-	-	-	-	-
American Indian/Alaska Native Females	*	-	-	-	-	-	-
Asian/Pacific Islander Males	*	1	1%	1	2%	-	-
Asian/Pacific Islander Females	*	-	-	-	-	-	-
Black/African American Males	365.2	6	5%	2	3%	4	8%
Black/African American Females	*	3	3%	1	2%	2	4%
Hispanic/Latino Males	266.9	7	6%	6	9%	1	2%
Hispanic/Latina Females	*	2	2%	1	2%	1	2%
White Males	87.4	74	65%	41	63%	33	67%
White Females	22.2	19	17%	13	20%	6	12%
Multi-Race Males	*	2	2%	-	-	2	4%
Multi-Race Females	*	-	-	-	-	-	-
Unknown	*	-	-	-	-	-	-
Total	61.9	114		65		49	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^aThe rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

^b Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported persons living with diagnosed HIV infection in 2023 by current disease status and transmission category, Medina County

Transmission Category ^a	Living with diagnosed HIV infection in		Current Disease Status			
	2023		HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	67	74%	37	74%	30	75%
Injection drug use (IDU)	4	4%	2	4%	2	5%
Male-to-male sexual contact and IDU	2	2%	2	4%	-	-
Heterosexual contact	8	9%	3	6%	5	13%
Other/unknown	9	10%	6	12%	3	8%
Subtotal	90	100%	50	100%	40	100%
Female adult or adolescent						
Injection drug use	1	4%	1	7%	-	-
Heterosexual contact	21	88%	12	80%	9	100%
Other/unknown	2	8%	2	13%	-	-
Subtotal	24	100%	15	100%	9	100%
Child (<13 years at diagnosis)						
Perinatal	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-
Total	114		65		49	

Reported persons living with diagnosed HIV infection in 2023 by current disease status and exposure category, Medina County

Exposure Category ^b	Living with diagnosed HIV infection in		Current Disease Status			
	2023		HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male-to-male sexual contact only	52	46%	32	49%	20	41%
Injection drug use (IDU) only	-	-	-	-	-	-
Heterosexual contact only	35	31%	19	29%	16	33%
Male-to-male sexual contact & IDU	1	1%	1	2%	-	-
IDU & Heterosexual contact	5	4%	3	5%	2	4%
Male-to-male sexual contact & Heterosexual contact	15	13%	5	8%	10	20%
Male-to-male sexual contact & IDU & Heterosexual contact	1	1%	1	2%	-	-
Perinatal exposure	-	-	-	-	-	-
Other/unknown	5	4%	4	6%	1	2%
Total	114		65		49	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and age, Medina County

Living with diagnosed HIV infection in 2023																		
Age at end of year (years)	American Indian/Alaska Native			Asian/Pacific Islander			Black/African American			Hispanic/ Latino ^a			White			Multi-Race		
	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	1	1%	*	-	-
20-24	*	-	-	*	-	-	*	1	11%	*	-	-	*	3	3%	*	-	-
25-29	*	-	-	*	-	-	*	-	-	*	1	11%	*	4	4%	*	-	-
30-34	*	-	-	*	1	100%	*	2	22%	*	-	-	75.0	7	8%	*	-	-
35-39	*	-	-	*	-	-	*	-	-	*	1	11%	48.0	5	5%	*	-	-
40-44	*	-	-	*	-	-	*	1	11%	*	-	-	80.9	9	10%	*	-	-
45-49	*	-	-	*	-	-	*	-	-	*	1	11%	66.3	7	8%	*	-	-
50-54	*	-	-	*	-	-	*	1	11%	*	1	11%	67.0	8	9%	*	-	-
55-64	*	-	-	*	-	-	*	4	44%	*	2	22%	105.7	27	29%	*	1	50%
65+	*	-	-	*	-	-	*	-	-	*	3	33%	60.4	22	24%	*	1	50%
Total	*	-	-	*	1	-	295.7	9	-	174.2	9	-	54.6	93	-	*	2	-

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and transmission category, Medina County

Living with diagnosed HIV infection in 2023												
Transmission Category ^c	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent												
Male-to-male sexual contact	-	-	1	100%	3	50%	3	43%	60	81%	-	-
Injection drug use (IDU)	-	-	-	-	-	-	2	29%	2	3%	-	-
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-	2	3%	-	-
Heterosexual contact	-	-	-	-	1	17%	2	29%	4	5%	1	50%
Other/unknown	-	-	-	-	2	33%	-	-	6	8%	1	50%
Subtotal	-	-	1	100%	6	100%	7	100%	74	100%	2	100%
Female adult or adolescent												
Injection drug use	-	-	-	-	-	-	-	-	1	5%	-	-
Heterosexual contact	-	-	-	-	3	100%	2	100%	16	84%	-	-
Other/unknown	-	-	-	-	-	-	-	-	2	11%	-	-
Subtotal	-	-	-	-	3	100%	2	100%	19	100%	-	-
Child (<13 years at diagnosis)												
Perinatal	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	1	-	9	-	9	-	93	-	2	-

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and exposure category, Medina County

Living with diagnosed HIV infection in 2023												
Exposure Category ^d	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	-	-	1	100%	2	22%	3	33%	46	49%	-	-
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	-	-	-	-
Heterosexual contact only	-	-	-	-	6	67%	4	44%	23	25%	2	100%
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-	1	1%	-	-
IDU & Heterosexual contact	-	-	-	-	-	-	2	22%	3	3%	-	-
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	1	11%	-	-	14	15%	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	1	1%	-	-
Perinatal exposure	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	5	5%	-	-
Total	-	-	1	-	9	-	9	-	93	-	2	-

Notes:
Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.
Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.
^a Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.
^b The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.
^c Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.
^d Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.
Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and selected characteristics, Medina County, 2019-2023

Characteristic	Living with Diagnosed HIV Infection														
	2019			2020			2021			2022			2023		
	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%
Sex at birth															
Males	86.5	77	79%	92.9	83	79%	96.6	88	80%	97.4	89	79%	98.2	90	79%
Females	22.0	20	21%	24.0	22	21%	23.9	22	20%	25.0	23	21%	26.0	24	21%
Age at end of year (years)															
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	-	-	*	1	1%	*	1	1%
20-24	*	4	4%	51.5	5	5%	*	3	3%	*	4	4%	*	4	4%
25-29	126.6	12	12%	83.9	8	8%	53.0	5	5%	76.1	7	6%	55.0	5	4%
30-34	80.1	8	8%	89.1	9	9%	107.8	11	10%	106.8	11	10%	96.0	10	9%
35-39	44.3	5	5%	44.8	5	5%	43.6	5	5%	*	4	4%	52.6	6	5%
40-44	54.2	6	6%	70.1	8	8%	93.2	11	10%	67.0	8	7%	82.8	10	9%
45-49	122.7	15	15%	101.3	12	11%	103.7	12	11%	96.9	11	10%	70.5	8	7%
50-54	53.7	7	7%	93.2	12	11%	90.8	12	11%	76.7	10	9%	78.6	10	9%
55-64	117.4	31	32%	117.0	31	30%	129.3	35	32%	127.0	34	30%	127.1	34	30%
65+	27.1	9	9%	43.4	15	14%	45.9	16	15%	60.3	22	20%	69.1	26	23%
Race/Ethnicity^b															
American Indian/Alaska Native	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander	*	-	-	*	-	-	*	-	-	*	-	-	*	1	1%
Black/African American	433.1	11	11%	456.1	12	11%	359.1	10	9%	380.2	11	10%	295.7	9	8%
Hispanic/Latino	*	4	4%	109.8	5	5%	167.1	8	7%	121.9	6	5%	174.2	9	8%
White	47.6	80	82%	50.4	85	81%	52.3	89	81%	54.1	92	82%	54.6	93	82%
Multi-Race	*	2	2%	*	3	3%	*	3	3%	*	3	3%	*	2	2%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Race/Ethnicity^b and Sex at birth															
American Indian/Alaska Native Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
American Indian/Alaska Native Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander Males	*	-	-	*	-	-	*	-	-	*	-	-	*	1	1%
Asian/Pacific Islander Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Black/African American Males	516.6	7	7%	648.9	9	9%	470.7	7	6%	507.9	8	7%	365.2	6	5%
Black/African American Females	*	4	4%	*	3	3%	*	3	3%	*	3	3%	*	3	3%
Hispanic/Latino Males	*	4	4%	*	4	4%	286.5	7	6%	198.2	5	4%	266.9	7	6%
Hispanic/Latina Females	*	-	-	*	1	1%	*	1	1%	*	1	1%	*	2	2%
White Males	77.0	64	66%	80.6	67	64%	83.9	71	65%	86.3	73	65%	87.4	74	65%
White Females	18.8	16	16%	21.1	18	17%	21.0	18	16%	22.2	19	17%	22.2	19	17%
Multi-Race Males	*	2	2%	*	3	3%	*	3	3%	*	3	3%	*	2	2%
Multi-Race Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	54.0	97		58.0	105		60.1	110		61.0	112		61.9	114	

Notes:

Living with diagnosed HIV infection by year (2019-2023) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^b Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and transmission category, Medina County, 2019-2023

Living with Diagnosed HIV Infection										
Transmission Category ^a	2019		2020		2021		2022		2023	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent										
Male-to-male sexual contact	59	77%	63	76%	66	76%	68	77%	67	74%
Injection drug use (IDU)	2	3%	2	2%	3	3%	3	3%	4	4%
Male-to-male sexual contact and IDU	3	4%	2	2%	1	1%	1	1%	2	2%
Heterosexual contact	5	6%	7	8%	9	10%	7	8%	8	9%
Other/unknown	8	10%	9	11%	8	9%	9	10%	9	10%
Subtotal	77	100%	83	100%	87	100%	88	100%	90	100%
Female adult or adolescent										
Injection drug use	1	5%	1	5%	2	9%	1	4%	1	4%
Heterosexual contact	17	85%	19	86%	18	82%	20	87%	21	88%
Other/unknown	2	10%	2	9%	2	9%	2	9%	2	8%
Subtotal	20	100%	22	100%	22	100%	23	100%	24	100%
Child (<13 years at diagnosis)										
Perinatal	-	-	-	-	1	100%	1	100%	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	1	100%	1	100%	-	-
Total	97		105		110		112		114	

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and exposure category, Medina County, 2019-2023

Living with Diagnosed HIV Infection										
Exposure Category ^b	2019		2020		2021		2022		2023	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	44	45%	46	44%	50	45%	52	46%	52	46%
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	-	-
Heterosexual contact only	29	30%	33	31%	34	31%	34	30%	35	31%
Male-to-male sexual contact & IDU	2	2%	1	1%	-	-	-	-	1	1%
IDU & Heterosexual contact	3	3%	3	3%	5	5%	4	4%	5	4%
Male-to-male sexual contact & Heterosexual contact	15	15%	17	16%	16	15%	16	14%	15	13%
Male-to-male sexual contact & IDU & Heterosexual contact	1	1%	1	1%	1	1%	1	1%	1	1%
Perinatal exposure	-	-	-	-	1	1%	1	1%	-	-
Other/unknown	3	3%	4	4%	3	3%	4	4%	5	4%
Total	97		105		110		112		114	

Notes:

Living with diagnosed HIV infection by year (2019-2023) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.