

New Diagnoses of HIV Infection Reported in Delaware County

*Please note a decrease in new reported diagnoses of HIV in 2020 may not represent a true decline, and may be a reporting artifact as a result of COVID-19.

As of June 30, 2024

Reported new diagnoses of HIV infection in 2023 by disease status and selected characteristics, Delaware County

Characteristic	2023 diagnosis of HIV infection			Disease Status						
	Rate ^a	No.	%	HIV (not AIDS)		HIV & later AIDS		AIDS		
				No.	%	No.	%	No.	%	
Sex at birth										
Males	5.2	6	86%	5	83%	1	100%	-	-	
Females	*	1	14%	1	17%	-	-	-	-	
Age at diagnosis (years)										
0-9	*	-	-	-	-	-	-	-	-	
10-14	*	-	-	-	-	-	-	-	-	
15-19	*	-	-	-	-	-	-	-	-	
20-24	*	1	14%	-	-	1	100%	-	-	
25-29	*	4	57%	4	67%	-	-	-	-	
30-34	*	-	-	-	-	-	-	-	-	
35-39	*	1	14%	1	17%	-	-	-	-	
40-44	*	-	-	-	-	-	-	-	-	
45-49	*	-	-	-	-	-	-	-	-	
50-54	*	-	-	-	-	-	-	-	-	
55-64	*	1	14%	1	17%	-	-	-	-	
65+	*	-	-	-	-	-	-	-	-	
Race/Ethnicity ^b										
American Indian/Alaska Native	*	-	-	-	-	-	-	-	-	
Asian/Pacific Islander	*	1	14%	1	17%	-	-	-	-	
Black/African American	*	3	43%	3	50%	-	-	-	-	
Hispanic/Latino	*	2	29%	1	17%	1	100%	-	-	
White	*	1	14%	1	17%	-	-	-	-	
Multi-Race	*	-	-	-	-	-	-	-	-	
Race/Ethnicity ^b and Sex at birth										
American Indian/Alaska Native Males	*	-	-	-	-	-	-	-	-	
American Indian/Alaska Native Females	*	-	-	-	-	-	-	-	-	
Asian/Pacific Islander Males	*	1	14%	1	17%	-	-	-	-	
Asian/Pacific Islander Females	*	-	-	-	-	-	-	-	-	
Black/African American Males	*	2	29%	2	33%	-	-	-	-	
Black/African American Females	*	1	14%	1	17%	-	-	-	-	
Hispanic/Latino Males	*	2	29%	1	17%	1	100%	-	-	
Hispanic/Latina Females	*	-	-	-	-	-	-	-	-	
White Males	*	1	14%	1	17%	-	-	-	-	
White Females	*	-	-	-	-	-	-	-	-	
Multi-Race Males	*	-	-	-	-	-	-	-	-	
Multi-Race Females	*	-	-	-	-	-	-	-	-	
Total	3.0	7		6		1		-		

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^aThe rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

^b Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported new diagnoses of HIV infection in 2023 by disease status and transmission category, Delaware County

Transmission Category ^a	2023 diagnosis of HIV infection		Disease Status					
			HIV (not AIDS)		HIV & later AIDS		AIDS	
	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent								
Male-to-male sexual contact	3	50%	2	40%	1	100%	-	-
Injection drug use (IDU)	-	-	-	-	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-	-	-
Other/unknown	3	50%	3	60%	-	-	-	-
Subtotal	6	100%	5	100%	1	100%	-	-
Female adult or adolescent								
Injection drug use	-	-	-	-	-	-	-	-
Heterosexual contact	1	100%	1	100%	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Subtotal	1	100%	1	100%	-	-	-	-
Child (<13 years at diagnosis)								
Perinatal	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-
Total	7		6		1		-	

Reported new diagnoses of HIV infection in 2023 by disease status and exposure category, Delaware County

Exposure Category ^b	2023 diagnosis of HIV infection		Disease Status					
			HIV (not AIDS)		HIV & later AIDS		AIDS	
	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	3	43%	2	33%	1	100%	-	-
Injection drug use (IDU) only	-	-	-	-	-	-	-	-
Heterosexual contact only	1	14%	1	17%	-	-	-	-
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-
IDU & Heterosexual contact	-	-	-	-	-	-	-	-
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	-	-	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-
Perinatal exposure	-	-	-	-	-	-	-	-
Other/unknown	3	43%	3	50%	-	-	-	-
Total	7		6		1		-	

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and age at diagnosis, Delaware County

2023 diagnosis of HIV infection																		
Age at diagnosis (years)	American Indian/Alaska Native			Asian/Pacific Islander			Black/African American			Hispanic/ Latino*			White			Multi-Race		
	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
20-24	*	-	-	*	-	-	*	-	-	*	1	50%	*	-	-	*	-	-
25-29	*	-	-	*	-	-	*	2	67%	*	1	50%	*	1	100%	*	-	-
30-34	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
35-39	*	-	-	*	-	-	*	1	33%	*	-	-	*	-	-	*	-	-
40-44	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
45-49	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
50-54	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
55-64	*	-	-	*	1	100%	*	-	-	*	-	-	*	-	-	*	-	-
65+	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	*	-	-	*	1	-	*	3	-	*	2	-	*	1	-	*	-	-

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and transmission category, Delaware County

Transmission Category ^c	2023 diagnosis of HIV infection											
	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/Latino ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent												
Male-to-male sexual contact	-	-	-	-	1	50%	2	100%	-	-	-	-
Injection drug use (IDU)	-	-	-	-	-	-	-	-	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	1	100%	1	50%	-	-	1	100%	-	-
Subtotal	-	-	1	100%	2	100%	2	100%	1	100%	-	-
Female adult or adolescent												
Injection drug use	-	-	-	-	-	-	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	1	100%	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	1	100%	-	-	-	-	-	-
Child (<13 years at diagnosis)												
Perinatal	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-
Total	-		1		3		2		1		-	

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and exposure category, Delaware County

Exposure Category ^d	2023 diagnosis of HIV infection											
	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/Latino ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	-	-	-	-	1	33%	2	100%	-	-	-	-
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	-	-	-	-
Heterosexual contact only	-	-	-	-	1	33%	-	-	-	-	-	-
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-	-	-	-	-
IDU & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-
Perinatal exposure	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	1	100%	1	33%	-	-	1	100%	-	-
Total	-	-	1	-	3	-	2	-	1	-	-	-

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

^b The rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

^c Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^d Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Persons Living with Diagnosed HIV Infection Reported in Delaware County

As of June 30, 2024

Reported persons living with diagnosed HIV infection in 2023 by current disease status and selected characteristics, Delaware County

Characteristic	Living with diagnosed HIV infection in			Current Disease Status			
	2023			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Sex at birth							
Males	118.1	137	80%	83	84%	54	75%
Females	29.4	34	20%	16	16%	18	25%
Age at end of year (years)							
0-9	*	-	-	-	-	-	-
10-14	*	-	-	-	-	-	-
15-19	*	2	1%	1	1%	1	1%
20-24	*	4	2%	3	3%	1	1%
25-29	89.8	9	5%	6	6%	3	4%
30-34	180.0	23	13%	16	16%	7	10%
35-39	101.9	17	10%	12	12%	5	7%
40-44	37.7	7	4%	5	5%	2	3%
45-49	123.3	21	12%	8	8%	13	18%
50-54	116.0	20	12%	10	10%	10	14%
55-64	165.9	46	27%	26	26%	20	28%
65+	61.4	22	13%	12	12%	10	14%
Race/Ethnicity^b							
American Indian/Alaska Native	*	-	-	-	-	-	-
Asian/Pacific Islander	*	1	1%	1	1%	-	-
Black/African American	415.9	45	26%	22	22%	23	32%
Hispanic/Latino	172.6	14	8%	9	9%	5	7%
White	54.0	100	58%	60	61%	40	56%
Multi-Race	216.9	11	6%	7	7%	4	6%
Unknown	*	-	-	-	-	-	-
Race/Ethnicity^b and Sex at birth							
American Indian/Alaska Native Males	*	-	-	-	-	-	-
American Indian/Alaska Native Females	*	-	-	-	-	-	-
Asian/Pacific Islander Males	*	1	1%	1	1%	-	-
Asian/Pacific Islander Females	*	-	-	-	-	-	-
Black/African American Males	401.6	23	13%	12	12%	11	15%
Black/African American Females	432.1	22	13%	10	10%	12	17%
Hispanic/Latino Males	330.7	14	8%	9	9%	5	7%
Hispanic/Latina Females	*	-	-	-	-	-	-
White Males	95.5	88	51%	54	55%	34	47%
White Females	12.9	12	7%	6	6%	6	8%
Multi-Race Males	443.0	11	6%	7	7%	4	6%
Multi-Race Females	*	-	-	-	-	-	-
Unknown	*	-	-	-	-	-	-
Total	73.8	171		99		72	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^aThe rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

^b Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported persons living with diagnosed HIV infection in 2023 by current disease status and transmission category, Delaware County

Transmission Category ^a	Living with diagnosed HIV infection in		Current Disease Status			
	2023		HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	93	69%	54	66%	39	74%
Injection drug use (IDU)	-	-	-	-	-	-
Male-to-male sexual contact and IDU	7	5%	5	6%	2	4%
Heterosexual contact	1	1%	1	1%	-	-
Other/unknown	34	25%	22	27%	12	23%
Subtotal	135	100%	82	100%	53	100%
Female adult or adolescent						
Injection drug use	2	6%	1	6%	1	6%
Heterosexual contact	28	82%	12	75%	16	89%
Other/unknown	4	12%	3	19%	1	6%
Subtotal	34	100%	16	100%	18	100%
Child (<13 years at diagnosis)						
Perinatal	2	100%	1	100%	1	100%
Other/unknown	-	-	-	-	-	-
Subtotal	2	100%	1	100%	1	100%
Total	171		99		72	

Reported persons living with diagnosed HIV infection in 2023 by current disease status and exposure category, Delaware County

Exposure Category ^b	Living with diagnosed HIV infection in		Current Disease Status			
	2023		HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male-to-male sexual contact only	69	40%	40	40%	29	40%
Injection drug use (IDU) only	-	-	-	-	-	-
Heterosexual contact only	46	27%	20	20%	26	36%
Male-to-male sexual contact & IDU	4	2%	4	4%	-	-
IDU & Heterosexual contact	2	1%	1	1%	1	1%
Male-to-male sexual contact & Heterosexual contact	24	14%	14	14%	10	14%
Male-to-male sexual contact & IDU & Heterosexual contact	3	2%	1	1%	2	3%
Perinatal exposure	3	2%	2	2%	1	1%
Other/unknown	20	12%	17	17%	3	4%
Total	171		99		72	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and age, Delaware County

Living with diagnosed HIV infection in 2023																		
Age at end of year (years)	American Indian/Alaska Native			Asian/Pacific Islander			Black/African American			Hispanic/ Latino ^a			White			Multi-Race		
	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	2	4%	*	-	-	*	-	-	*	-	-
20-24	*	-	-	*	-	-	*	2	4%	*	1	7%	*	1	1%	*	-	-
25-29	*	-	-	*	-	-	*	2	4%	*	-	-	65.5	5	5%	*	2	18%
30-34	*	-	-	*	-	-	995.0	8	18%	1,011.8	6	43%	86.0	8	8%	*	1	9%
35-39	*	-	-	*	-	-	834.5	6	13%	*	2	14%	65.3	8	8%	*	1	9%
40-44	*	-	-	*	-	-	*	1	2%	*	1	7%	*	4	4%	*	1	9%
45-49	*	-	-	*	-	-	1,049.0	9	20%	*	1	7%	75.0	10	10%	*	1	9%
50-54	*	-	-	*	-	-	912.2	8	18%	*	1	7%	70.1	10	10%	*	1	9%
55-64	*	-	-	*	1	100%	390.6	5	11%	*	2	14%	148.2	36	36%	*	2	18%
65+	*	-	-	*	-	-	*	2	4%	*	-	-	55.0	18	18%	*	2	18%
Total	*	-	-	*	1	-	415.9	45	-	172.6	14	-	54.0	100	-	216.9	11	-

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and transmission category, Delaware County

Living with diagnosed HIV infection in 2023												
Transmission Category ^c	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent												
Male-to-male sexual contact	-	-	-	-	13	62%	13	93%	58	66%	9	82%
Injection drug use (IDU)	-	-	-	-	-	-	-	-	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-	1	5%	-	-	5	6%	1	9%
Heterosexual contact	-	-	-	-	-	-	1	7%	-	-	-	-
Other/unknown	-	-	1	100%	7	33%	-	-	25	28%	1	9%
Subtotal	-	-	1	100%	21	100%	14	100%	88	100%	11	100%
Female adult or adolescent												
Injection drug use	-	-	-	-	-	-	-	-	2	17%	-	-
Heterosexual contact	-	-	-	-	19	86%	-	-	9	75%	-	-
Other/unknown	-	-	-	-	3	14%	-	-	1	8%	-	-
Subtotal	-	-	-	-	22	100%	-	-	12	100%	-	-
Child (<13 years at diagnosis)												
Perinatal	-	-	-	-	2	100%	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	2	100%	-	-	-	-	-	-
Total	-	-	1	-	45	-	14	-	100	-	11	-

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and exposure category, Delaware County

Living with diagnosed HIV infection in 2023												
Exposure Category ^d	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	-	-	-	-	7	16%	12	86%	44	44%	6	55%
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	-	-	-	-
Heterosexual contact only	-	-	-	-	24	53%	1	7%	20	20%	1	9%
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-	3	3%	-	-
IDU & Heterosexual contact	-	-	-	-	-	-	-	-	2	2%	-	-
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	6	13%	1	7%	14	14%	3	27%
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	1	2%	-	-	2	2%	-	-
Perinatal exposure	-	-	-	-	3	7%	-	-	-	-	-	-
Other/unknown	-	-	1	100%	4	9%	-	-	15	15%	-	-
Total	-	-	1	-	45	-	14	-	100	-	11	-

Notes:
Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.
Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.
^a Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.
^b The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.
^c Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.
^d Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.
Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and selected characteristics, Delaware County, 2019-2023

Characteristic	Living with Diagnosed HIV Infection														
	2019			2020			2021			2022			2023		
	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%
Sex at birth															
Males	115.4	120	86%	106.5	113	82%	109.6	121	82%	112.9	128	84%	118.1	137	80%
Females	18.1	19	14%	22.3	24	18%	24.5	27	18%	22.1	25	16%	29.4	34	20%
Age at end of year (years)															
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	1	1%	*	1	1%	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	1	1%	*	2	1%	*	2	1%
20-24	*	3	2%	*	2	1%	*	2	1%	*	4	3%	*	4	2%
25-29	57.0	5	4%	76.6	7	5%	107.0	10	7%	112.8	11	7%	89.8	9	5%
30-34	43.0	5	4%	68.7	8	6%	133.5	16	11%	137.2	17	11%	180.0	23	13%
35-39	51.4	8	6%	50.9	8	6%	49.2	8	5%	67.3	11	7%	101.9	17	10%
40-44	81.1	13	9%	85.1	14	10%	85.8	15	10%	55.4	10	7%	37.7	7	4%
45-49	125.1	21	15%	89.6	15	11%	96.0	16	11%	107.8	18	12%	123.3	21	12%
50-54	178.0	26	19%	169.4	26	19%	146.3	24	16%	141.6	24	16%	116.0	20	12%
55-64	157.2	40	29%	138.8	36	26%	134.6	36	24%	136.2	37	24%	165.9	46	27%
65+	57.5	17	12%	63.6	20	15%	62.1	20	14%	55.2	19	12%	61.4	22	13%
Race/Ethnicity^b															
American Indian/Alaska Native	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander	*	-	-	*	2	1%	*	4	3%	*	2	1%	*	1	1%
Black/African American	267.3	21	15%	224.1	19	14%	292.2	27	18%	337.2	34	22%	415.9	45	26%
Hispanic/Latino	*	2	1%	*	4	3%	106.5	7	5%	153.9	11	7%	172.6	14	8%
White	61.6	108	78%	58.2	103	75%	57.9	105	71%	53.9	99	65%	54.0	100	58%
Multi-Race	202.0	8	6%	214.0	9	7%	110.3	5	3%	147.5	7	5%	216.9	11	6%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Race/Ethnicity^b and Sex at birth															
American Indian/Alaska Native Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
American Indian/Alaska Native Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander Males	*	-	-	*	2	1%	*	3	2%	*	1	1%	*	1	1%
Asian/Pacific Islander Females	*	-	-	*	-	-	*	1	1%	*	1	1%	*	-	-
Black/African American Males	288.9	12	9%	223.5	10	7%	286.1	14	9%	396.5	21	14%	401.6	23	13%
Black/African American Females	243.0	9	6%	224.8	9	7%	299.0	13	9%	271.6	13	8%	432.1	22	13%
Hispanic/Latino Males	*	1	1%	*	3	2%	173.5	6	4%	267.5	10	7%	330.7	14	8%
Hispanic/Latina Females	*	1	1%	*	1	1%	*	1	1%	*	1	1%	*	-	-
White Males	115.4	100	72%	104.1	91	66%	103.1	93	63%	97.3	89	58%	95.5	88	51%
White Females	9.0	8	6%	13.4	12	9%	13.2	12	8%	10.8	10	7%	12.9	12	7%
Multi-Race Males	357.7	7	5%	339.1	7	5%	221.3	5	3%	296.1	7	5%	443.0	11	6%
Multi-Race Females	*	1	1%	*	2	1%	*	-	-	*	-	-	*	-	-
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	66.5	139		64.2	137		67.0	148		67.6	153		73.8	171	

Notes:

Living with diagnosed HIV infection by year (2019-2023) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^b Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and transmission category, Delaware County, 2019-2023

Living with Diagnosed HIV Infection										
Transmission Category ^a	2019		2020		2021		2022		2023	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent										
Male-to-male sexual contact	86	72%	76	68%	82	68%	86	68%	93	69%
Injection drug use (IDU)	-	-	1	1%	1	1%	-	-	-	-
Male-to-male sexual contact and IDU	7	6%	6	5%	6	5%	7	6%	7	5%
Heterosexual contact	2	2%	2	2%	3	3%	2	2%	1	1%
Other/unknown	24	20%	27	24%	28	23%	32	25%	34	25%
Subtotal	119	100%	112	100%	120	100%	127	100%	135	100%
Female adult or adolescent										
Injection drug use	2	11%	4	17%	3	12%	1	4%	2	6%
Heterosexual contact	17	89%	20	83%	22	85%	23	92%	28	82%
Other/unknown	-	-	-	-	1	4%	1	4%	4	12%
Subtotal	19	100%	24	100%	26	100%	25	100%	34	100%
Child (<13 years at diagnosis)										
Perinatal	1	100%	1	100%	2	100%	1	100%	2	100%
Other/unknown	-	-	-	-	-	-	-	-	-	-
Subtotal	1	100%	1	100%	2	100%	1	100%	2	100%
Total	139		137		148		153		171	

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and exposure category, Delaware County, 2019-2023

Living with Diagnosed HIV Infection										
Exposure Category ^b	2019		2020		2021		2022		2023	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	67	48%	61	45%	68	46%	68	44%	69	40%
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	-	-
Heterosexual contact only	32	23%	37	27%	39	26%	41	27%	46	27%
Male-to-male sexual contact & IDU	2	1%	2	1%	3	2%	4	3%	4	2%
IDU & Heterosexual contact	2	1%	5	4%	4	3%	1	1%	2	1%
Male-to-male sexual contact & Heterosexual contact	19	14%	15	11%	14	9%	18	12%	24	14%
Male-to-male sexual contact & IDU & Heterosexual contact	5	4%	4	3%	3	2%	3	2%	3	2%
Perinatal exposure	1	1%	1	1%	2	1%	1	1%	3	2%
Other/unknown	11	8%	12	9%	15	10%	17	11%	20	12%
Total	139		137		148		153		171	

Notes:

Living with diagnosed HIV infection by year (2019-2023) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.