

**Ohio Gonorrhea Cases
2014-2018
Demographic Breakdown of Ohio
Presented by Date of Diagnosis¹**

AGE	Cases reported to the Ohio Department of Health									
	Rates ²					Number of Cases				
	2014	2015	2016	2017	2018	2014	2015	2016	2017	2018
0 - 9	0.8	0.5	1.1	1.4	1.3	12	7	15	20	19
10 - 14	22.2	18.3	19.2	23.7	22.9	168	137	142	175	169
15 - 19	502.1	485.3	564.4	606.3	605.5	3,881	3,747	4,335	4,653	4,647
20 - 24	679.4	689.8	803.3	910.7	935.6	5,374	5,380	6,195	6,970	7,161
25 - 29	384.1	419.9	532.8	646.9	682.9	2,881	3,211	4,166	5,152	5,439
30 - 34	216.7	236.2	316.4	370.3	413.7	1,564	1,706	2,294	2,693	3,009
35 - 39	122.1	140.7	182.6	228.4	259.3	830	973	1,284	1,633	1,854
40 - 44	67.8	72.0	103.0	135.1	155.8	494	508	697	900	1,038
45 - 54	33.6	38.5	58.0	76.3	79.0	539	607	897	1,160	1,200
55 - 64	15.0	16.9	26.0	31.9	33.6	236	269	418	515	542
65+	3.1	3.6	4.5	5.5	6.6	56	67	84	106	129
Not Specified	--	--	--	--	--	8	10	10	12	12
RACE										
Am. Indian/Alaskan Native	38.8	23.9	51.8	39.4	51.0	16	10	22	17	22
Asian/Pacific Islander	20.0	15.9	21.6	21.4	33.4	52	43	61	64	100
Black/African American	547.1	554.7	684.6	774.2	806.0	8,560	8,757	10,901	12,488	13,002
White	40.1	39.6	52.1	62.7	69.1	3,901	3,852	5,055	6,082	6,701
Other ³	--	--	--	--	--	879	920	1,158	1,455	1,614
Not Specified	--	--	--	--	--	2,635	3,040	3,340	3,883	3,780
ETHNICITY										
Hispanic	60.2	64.2	76.8	103.2	126.1	243	266	326	455	556
Non-Hispanic	96.7	99.4	126.5	144.3	156.0	10,823	11,127	14,151	16,191	17,495
Not Specified	--	--	--	--	--	4,977	5,229	6,060	7,343	7,168
SEX										
Male	124.9	137.2	182.7	214.3	228.2	7,396	8,129	10,397	12,241	13,039
Female	152.3	149.4	171.2	197.6	204.9	8,647	8,493	10,140	11,748	12,180
Not Specified	--	--	--	--	--	0	0	0	0	0
TOTAL	138.3	143.1	176.8	205.8	216.3	16,043	16,622	20,537	23,989	25,219

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2018 which utilizes 2017.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

**Ohio Gonorrhea Cases
2014-2018**

Presented by Date of Diagnosis¹

COUNTY	Rates ²					Number of Cases				
	2014	2015	2016	2017	2018	2014	2015	2016	2017	2018
ADAMS	7.1	17.8	21.5	25.2	79.3	2	5	6	7	22
ALLEN	145.6	168.5	103.1	166.7	288.8	153	176	107	172	298
ASHLAND	33.9	30.1	20.5	55.9	35.4	18	16	11	30	19
ASHTABULA	72.6	53.7	102.8	82.8	95.1	72	53	101	81	93
ATHENS	37.1	33.4	63.5	67.6	82.6	24	22	42	45	55
AUGLAIZE	19.6	19.6	37.0	41.5	28.4	9	9	17	19	13
BELMONT	34.6	33.3	43.7	79.4	39.7	24	23	30	54	27
BROWN	27.2	16.0	68.6	41.3	82.6	12	7	30	18	36
BUTLER	107.5	108.4	126.9	145.8	157.4	402	408	479	555	599
CARROLL	46.1	28.8	10.8	36.5	32.9	13	8	3	10	9
CHAMPAIGN	30.7	35.9	38.7	72.1	72.1	12	14	15	28	28
CLARK	104.8	104.4	207.0	240.8	270.5	143	142	279	324	364
CLERMONT	32.3	36.6	61.1	55.8	70.5	65	74	124	114	144
CLINTON	23.9	26.2	47.7	59.5	116.6	10	11	20	25	49
COLUMBIANA	42.6	38.2	31.8	41.7	45.6	45	40	33	43	47
COSHOCTON	38.3	19.1	46.4	30.1	93.0	14	7	17	11	34
CRAWFORD	51.8	44.9	40.4	43.1	88.6	22	19	17	18	37
CUYAHOGA	252.3	241.5	300.1	408.9	365.5	3,181	3,033	3,749	5,105	4,563
DARKE	47.9	28.8	61.8	67.9	56.3	25	15	32	35	29
DEFIANCE	23.3	54.8	21.0	34.1	91.7	9	21	8	13	35
DELAWARE	26.4	38.9	42.2	44.4	47.4	50	75	83	89	95
ERIE	193.8	206.5	245.0	332.8	240.6	147	156	184	249	180
FAIRFIELD	47.2	55.5	63.6	72.4	101.5	71	84	97	112	157
FAYETTE	24.4	52.3	73.2	62.6	83.5	7	15	21	18	24
FRANKLIN	231.1	257.8	336.4	344.4	382.0	2,852	3,227	4,254	4,449	4,935
FULTON	18.8	21.2	37.6	33.1	42.6	8	9	16	14	18
GALLIA	13.2	29.9	23.3	40.0	20.0	4	9	7	12	6
GEAUGA	12.8	5.3	20.2	24.5	28.7	12	5	19	23	27
GREENE	51.6	71.8	96.5	107.3	128.9	85	118	159	179	215
GUERNSEY	65.7	58.6	43.5	58.8	127.9	26	23	17	23	50
HAMILTON	283.0	336.6	354.8	415.9	441.5	2,282	2,718	2,871	3,385	3,593
HANCOCK	38.5	34.4	30.3	71.3	51.5	29	26	23	54	39
HARDIN	34.6	50.5	19.1	114.8	60.6	11	16	6	36	19
HARRISON	25.7	38.8	26.1	39.4	39.4	4	6	4	6	6
HENRY	21.5	25.2	25.3	58.9	40.5	6	7	7	16	11
HIGHLAND	37.1	20.9	27.9	30.3	51.2	16	9	12	13	22
HOCKING	7.0	35.1	74.1	28.1	42.1	2	10	21	8	12
HOLMES	6.8	13.7	4.6	4.5	20.5	3	6	2	2	9
HURON	40.9	49.6	39.4	68.4	46.2	24	29	23	40	27
JACKSON	3.1	15.3	21.5	21.6	3.1	1	5	7	7	1
JEFFERSON	116.7	60.9	33.0	73.8	123.6	79	41	22	49	82
KNOX	19.7	14.7	21.4	63.7	52.2	12	9	13	39	32
LAKE	73.3	34.9	52.5	56.9	79.5	168	80	120	131	183
LAWRENCE	47.1	67.1	60.8	74.7	53.1	29	41	37	45	32
LICKING	84.4	106.7	130.7	198.3	153.9	143	182	225	344	267

Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
 - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2018 which utilizes 2017. Small numbers are unstable and should be interpreted with caution.
- Provisional data. Numbers subject to change when additional information is gained.

cont.

**Ohio Gonorrhea Cases
2014-2018**

Presented by Date of Diagnosis¹


COUNTY	Rates ²					Number of Cases				
	2014	2015	2016	2017	2018	2014	2015	2016	2017	2018
LOGAN	61.5	48.5	37.6	50.7	77.2	28	22	17	23	35
LORAIN	118.0	87.8	89.8	170.2	193.2	359	268	275	524	595
LUCAS	180.2	169.7	255.0	393.8	418.4	783	736	1,103	1,697	1,803
MADISON	34.1	47.6	66.8	97.6	88.6	15	21	29	43	39
MAHONING	168.5	191.9	221.3	185.8	181.0	393	445	509	427	416
MARION	159.9	182.1	107.5	127.8	110.8	105	119	70	83	72
MEDINA	25.0	28.3	27.1	38.1	25.8	44	50	48	68	46
MEIGS	25.7	8.6	4.3	8.7	34.7	6	2	1	2	8
MERCER	19.5	12.2	34.2	53.8	29.4	8	5	14	22	12
MIAMI	70.2	35.5	36.3	50.4	60.9	73	37	38	53	64
MONROE	6.9	13.9	7.0	7.2	0.0	1	2	1	1	0
MONTGOMERY	181.8	202.9	267.1	253.2	304.8	968	1,080	1,419	1,346	1,620
MORGAN	13.5	6.8	27.0	27.2	102.0	2	1	4	4	15
MORROW	11.4	28.5	37.1	42.9	37.1	4	10	13	15	13
MUSKINGUM	59.3	68.4	148.7	242.6	232.2	51	59	128	209	200
NOBLE	27.8	14.0	7.0	0.0	83.3	4	2	1	0	12
OTTAWA	26.8	31.8	32.0	46.7	24.6	11	13	13	19	10
PAULDING	15.8	15.8	21.2	26.5	74.3	3	3	4	5	14
PERRY	19.5	27.8	69.6	83.3	61.1	7	10	25	30	22
PICKAWAY	54.6	36.8	69.5	93.4	128.0	31	21	40	54	74
PIKE	28.3	35.4	28.4	42.4	77.8	8	10	8	12	22
PORTAGE	36.4	43.1	42.6	64.1	64.1	59	70	69	104	104
PREBLE	33.7	21.8	50.9	63.2	73.0	14	9	21	26	30
PUTNAM	8.8	5.9	23.5	20.7	26.6	3	2	8	7	9
RICHLAND	146.0	116.7	123.9	183.3	180.0	178	142	150	221	217
ROSS	64.8	51.8	106.5	102.2	126.8	50	40	82	79	98
SANDUSKY	53.3	38.5	59.0	89.5	103.0	32	23	35	53	61
SCIOTO	25.9	33.8	47.3	56.6	151.5	20	26	36	43	115
SENECA	43.0	48.6	56.0	119.5	85.1	24	27	31	66	47
SHELBY	57.2	45.0	53.5	63.6	80.0	28	22	26	31	39
STARK	134.2	133.0	179.1	141.2	174.5	504	499	669	526	650
SUMMIT	175.6	188.6	227.8	209.3	206.8	953	1,022	1,231	1,133	1,119
TRUMBULL	125.2	93.3	165.5	115.8	114.8	257	190	334	232	230
TUSCARAWAS	42.0	29.1	28.1	30.3	47.7	39	27	26	28	44
UNION	67.0	84.8	82.9	104.0	102.2	36	46	46	59	58
VAN WERT	21.1	24.5	38.8	28.4	46.1	6	7	11	8	13
VINTON	22.7	30.7	23.2	7.6	38.2	3	4	3	1	5
WARREN	27.0	35.2	40.5	52.0	52.4	60	79	92	119	120
WASHINGTON	24.5	24.5	31.3	24.8	62.9	15	15	19	15	38
WAYNE	42.3	20.7	34.3	31.0	70.7	49	24	40	36	82
WILLIAMS	13.4	18.9	16.2	38.1	62.5	5	7	6	14	23
WOOD	34.7	30.8	38.4	77.4	72.0	45	40	50	101	94
WYANDOT	22.4	13.5	18.1	22.7	36.3	5	3	4	5	8
UNKNOWN COUNTY ³	--	--	--	--	--	428	373	418	395	380
TOTAL	138.3	143.1	176.8	205.8	216.3	16,043	16,622	20,537	23,989	25,219

Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
 - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2018 which utilizes 2017.
 - (3) Cases reported without patient's county are classified as "Unknown County".
- Small numbers are unstable and should be interpreted with caution.
Provisional data. Numbers subject to change when additional information is gained.

**Ohio Gonorrhea Cases
2014-2018**
Presented by Date of Diagnosis¹

City	Rates ²					Number of Cases				
	2014	2015	2016	2017	2018	2014	2015	2016	2017	2018
Akron	413.9	438.4	528.4	487.2	465.0	820	866	1,049	964	920
Canton	523.0	534.2	717.8	545.8	671.3	378	384	518	387	476
Cincinnati	755.3	898.3	950.6	1,105.5	1,169.3	2,251	2,682	2,833	3,331	3,523
Cleveland	621.0	596.8	739.5	987.7	878.0	2,421	2,316	2,878	3,808	3,385
Columbus	297.8	329.8	441.8	444.5	492.9	2,495	2,804	3,698	3,825	4,241
Dayton	631.2	702.7	895.5	839.2	1,020.2	889	988	1,264	1,178	1,432
Lima	366.4	435.7	253.7	444.2	767.2	140	165	96	165	285
Toledo	263.7	251.3	373.1	581.9	618.8	740	703	1,048	1,609	1,711
Youngstown	547.1	629.8	704.4	582.1	562.0	356	407	459	376	363



Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
 - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2018 which utilizes 2017.
- Small numbers are unstable and should be interpreted with caution.
Provisional data. Numbers subject to change when additional information is gained.