

**Ohio Gonorrhea Cases
2015-2019
Demographic Breakdown of Ohio
Presented by Date of Diagnosis¹**

AGE	Cases reported to the Ohio Department of Health									
	Rates ²					Number of Cases				
	2015	2016	2017	2018	2019	2015	2016	2017	2018	2019
0 - 9	0.5	1.1	1.4	1.4	0.7	7	15	20	19	10
10 - 14	18.3	19.2	23.7	23.0	22.6	137	142	175	170	167
15 - 19	485.3	564.5	606.5	612.0	614.9	3,747	4,336	4,655	4,653	4,675
20 - 24	689.8	803.0	910.8	947.1	950.8	5,380	6,193	6,971	7,170	7,198
25 - 29	419.7	532.9	646.5	676.2	693.4	3,210	4,167	5,149	5,443	5,581
30 - 34	236.2	316.6	370.1	408.4	458.2	1,706	2,295	2,692	3,008	3,375
35 - 39	140.7	182.6	228.4	256.6	276.5	973	1,284	1,633	1,856	2,000
40 - 44	72.0	102.8	135.1	156.0	164.4	508	696	900	1,039	1,095
45 - 54	38.5	57.9	76.4	80.9	86.1	607	896	1,161	1,201	1,279
55 - 64	16.9	26.0	31.9	33.7	39.0	269	418	514	542	628
65+	3.6	4.5	5.5	6.5	7.5	67	84	106	129	149
Not Specified	--	--	--	--	--	10	9	12	11	3
RACE										
Am. Indian/Alaskan Native	26.3	49.5	39.4	52.2	54.5	11	21	17	23	24
Asian/Pacific Islander	17.4	23.0	20.7	32.3	31.0	47	65	62	101	97
Black/African American	560.6	688.5	778.9	798.4	791.6	8,850	10,962	12,565	13,001	12,890
White	40.4	53.3	63.6	70.7	76.6	3,925	5,164	6,172	6,855	7,424
Other ³	--	--	--	--	--	1,145	1,463	1,835	2,093	2,340
Not Specified	--	--	--	--	--	2,643	2,860	3,337	3,168	3,385
ETHNICITY										
Hispanic	68.7	83.1	113.0	129.4	143.3	285	353	498	594	658
Non-Hispanic	104.3	133.0	152.1	164.6	162.7	11,683	14,877	17,058	18,469	18,250
Not Specified	--	--	--	--	--	4,653	5,305	6,432	6,178	7,252
SEX										
Male	143.0	182.7	214.2	228.0	239.9	8,129	10,397	12,240	13,048	13,727
Female	143.3	171.2	197.6	204.8	208.8	8,492	10,138	11,748	12,193	12,433
Not Specified	--	--	--	--	--	0	0	0	0	0
TOTAL	143.1	176.8	205.8	216.2	224.0	16,621	20,535	23,988	25,241	26,160

Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2019 which utilizes 2018.
(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.
Small numbers are unstable and should be interpreted with caution.
Provisional data. Numbers subject to change when additional information is gained.

**Ohio Gonorrhea Cases
2015-2019**

Presented by Date of Diagnosis¹

COUNTY	Rates ²					Number of Cases				
	2015	2016	2017	2018	2019	2015	2016	2017	2018	2019
ADAMS	17.8	21.5	25.2	79.4	72.2	5	6	7	22	20
ALLEN	168.5	103.1	166.7	290.1	275.5	176	107	172	298	283
ASHLAND	30.1	20.5	55.9	35.4	42.8	16	11	30	19	23
ASHTABULA	53.7	102.8	82.8	95.3	128.1	53	101	81	93	125
ATHENS	33.4	63.5	67.6	83.9	132.8	22	42	45	55	87
AUGLAIZE	19.6	37.0	41.5	28.4	39.4	9	17	19	13	18
BELMONT	33.3	43.7	79.4	40.0	22.2	23	30	54	27	15
BROWN	16.0	68.6	41.3	82.6	78.0	7	30	18	36	34
BUTLER	108.4	126.9	145.8	156.8	174.3	408	479	555	599	666
CARROLL	28.8	10.8	36.5	33.2	18.5	8	3	10	9	5
CHAMPAIGN	35.9	38.7	72.1	72.2	79.9	14	15	28	28	31
CLARK	104.4	207.0	240.8	270.6	281.7	142	279	324	364	379
CLERMONT	36.6	61.1	55.8	70.1	62.3	74	124	114	144	128
CLINTON	26.2	47.7	59.5	116.4	73.7	11	20	25	49	31
COLUMBIANA	38.2	31.8	41.7	47.8	95.6	40	33	43	49	98
COSHOCTON	19.1	46.4	30.1	92.9	95.6	7	17	11	34	35
CRAWFORD	44.9	40.4	43.1	89.2	74.7	19	17	18	37	31
CUYAHOGA	241.6	300.1	408.8	367.4	432.9	3,034	3,749	5,104	4,562	5,375
DARKE	28.8	61.8	67.9	56.5	42.9	15	32	35	29	22
DEFIANCE	54.8	21.0	34.1	91.9	84.0	21	8	13	35	32
DELAWARE	38.9	42.2	44.4	46.3	48.3	75	83	89	95	99
ERIE	206.5	245.0	332.8	241.6	153.0	156	184	249	180	114
FAIRFIELD	55.5	63.6	72.4	100.7	130.1	84	97	112	157	203
FAYETTE	52.3	73.2	62.6	83.8	48.9	15	21	18	24	14
FRANKLIN	257.8	336.3	344.4	377.4	380.2	3,227	4,253	4,449	4,935	4,972
FULTON	21.2	37.6	33.1	42.6	47.3	9	16	14	18	20
GALLIA	29.9	23.3	40.0	20.0	60.1	9	7	12	6	18
GEAUGA	5.3	20.2	24.5	28.7	30.9	5	19	23	27	29
GREENE	71.8	96.5	107.3	128.4	154.1	118	159	179	215	258
GUERNSEY	58.6	43.5	58.8	128.2	66.6	23	17	23	50	26
HAMILTON	336.4	354.7	415.9	440.6	339.9	2,717	2,870	3,385	3,593	2,772
HANCOCK	34.4	30.3	71.3	51.4	102.7	26	23	54	39	78
HARDIN	50.5	19.1	114.8	60.5	25.5	16	6	36	19	8
HARRISON	38.8	26.1	39.4	39.6	6.6	6	4	6	6	1
HENRY	25.2	25.3	58.9	40.6	22.1	7	7	16	11	6
HIGHLAND	20.9	27.9	30.3	51.1	48.8	9	12	13	22	21
HOCKING	35.1	74.1	28.1	42.3	127.0	10	21	8	12	36
HOLMES	13.7	4.6	4.5	20.5	13.7	6	2	2	9	6
HURON	49.6	39.4	68.4	46.3	44.5	29	23	40	27	26
JACKSON	15.3	21.5	21.6	3.1	15.4	5	7	7	1	5
JEFFERSON	60.9	33.0	73.8	123.1	80.6	41	22	49	81	53
KNOX	14.7	21.4	63.7	51.7	46.8	9	13	39	32	29
LAKE	34.9	52.5	56.9	80.0	83.9	80	120	131	184	193
LAWRENCE	67.1	60.8	74.7	53.5	123.8	41	37	45	32	74
LICKING	106.7	130.7	198.3	152.0	165.1	182	225	344	267	290

Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
 - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2019 which utilizes 2018. Small numbers are unstable and should be interpreted with caution.
- Provisional data. Numbers subject to change when additional information is gained.

cont.

**Ohio Gonorrhea Cases
2015-2019**

Presented by Date of Diagnosis¹


COUNTY	Rates ²					Number of Cases				
	2015	2016	2017	2018	2019	2015	2016	2017	2018	2019
LOGAN	48.5	37.6	50.7	77.2	39.7	22	17	23	35	18
LORAIN	87.8	89.8	170.2	192.5	227.1	268	275	524	595	702
LUCAS	169.7	255.0	393.8	419.7	420.4	736	1,103	1,697	1,803	1,806
MADISON	47.6	66.8	97.6	87.9	110.4	21	29	43	39	49
MAHONING	191.9	221.3	185.8	191.5	193.3	445	509	427	439	443
MARION	182.1	107.5	127.8	110.0	131.4	119	70	83	72	86
MEDINA	28.3	27.1	38.1	25.7	43.0	50	48	68	46	77
MEIGS	8.6	4.3	8.7	34.7	56.4	2	1	2	8	13
MERCER	12.2	34.2	53.8	29.3	29.3	5	14	22	12	12
MIAMI	35.5	36.3	50.4	60.4	88.6	37	38	53	64	94
MONROE	13.9	7.0	7.2	0.0	50.8	2	1	1	0	7
MONTGOMERY	202.9	267.1	253.2	304.7	379.0	1,080	1,419	1,346	1,620	2,015
MORGAN	6.8	27.0	27.2	102.9	89.2	1	4	4	15	13
MORROW	28.5	37.1	42.9	37.0	54.1	10	13	15	13	19
MUSKINGUM	68.4	148.7	242.6	232.2	160.2	59	128	209	200	138
NOBLE	14.0	7.0	0.0	83.6	48.8	2	1	0	12	7
OTTAWA	31.8	32.0	46.7	24.5	19.6	13	13	19	10	8
PAULDING	15.8	21.2	26.5	74.7	42.7	3	4	5	14	8
PERRY	27.8	69.6	83.3	61.0	102.7	10	25	30	22	37
PICKAWAY	36.8	69.5	93.4	127.4	103.3	21	40	54	74	60
PIKE	35.4	28.4	42.4	78.8	57.3	10	8	12	22	16
PORTAGE	43.1	42.6	64.1	64.0	80.6	70	69	104	104	131
PREBLE	21.8	50.9	63.2	73.2	61.0	9	21	26	30	25
PUTNAM	5.9	23.5	20.7	26.6	38.5	2	8	7	9	13
RICHLAND	116.7	123.9	183.3	179.4	153.7	142	150	221	217	186
ROSS	51.8	106.5	102.2	127.5	105.4	40	82	79	98	81
SANDUSKY	38.5	59.0	89.5	103.8	83.4	23	35	53	61	49
SCIOTO	33.8	47.3	56.6	152.4	201.4	26	36	43	115	152
SENECA	48.6	56.0	119.5	85.2	135.9	27	31	66	47	75
SHELBY	45.0	53.5	63.6	80.2	86.4	22	26	31	39	42
STARK	132.7	179.1	141.2	175.1	144.9	498	669	526	650	538
SUMMIT	188.6	227.8	209.3	206.7	241.2	1,022	1,231	1,133	1,119	1,306
TRUMBULL	93.3	165.5	115.8	115.8	155.1	190	334	232	230	308
TUSCARAWAS	29.1	28.1	30.3	47.8	40.2	27	26	28	44	37
UNION	84.8	82.9	104.0	100.4	86.5	46	46	59	58	50
VAN WERT	24.5	38.8	28.4	46.0	35.4	7	11	8	13	10
VINTON	30.7	23.2	7.6	38.0	38.0	4	3	1	5	5
WARREN	35.2	40.5	52.0	51.7	44.8	79	92	119	120	104
WASHINGTON	24.5	31.3	24.8	63.2	111.5	15	19	15	38	67
WAYNE	20.7	34.3	31.0	70.8	64.8	24	40	36	82	75
WILLIAMS	18.9	16.2	38.1	62.6	76.2	7	6	14	23	28
WOOD	30.8	38.4	77.4	72.1	72.1	40	50	101	94	94
WYANDOT	13.5	18.1	22.7	36.5	31.9	3	4	5	8	7
UNKNOWN COUNTY ³	--	--	--	--	--	373	418	395	378	360
TOTAL	143.1	176.8	205.8	216.2	224.0	16,621	20,535	23,988	25,241	26,160

Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
 - (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2019 which utilizes 2018.
 - (3) Cases reported without patient's county are classified as "Unknown County".
- Small numbers are unstable and should be interpreted with caution.
Provisional data. Numbers subject to change when additional information is gained.

**Ohio Gonorrhea Cases
2015-2019**
Presented by Date of Diagnosis¹

City	Rates ²					Number of Cases				
	2015	2016	2017	2018	2019	2015	2016	2017	2018	2019
Akron	438.4	528.4	487.2	465.6	526.8	866	1,049	964	920	1,041
Canton	532.8	717.8	545.8	675.7	543.7	383	518	387	476	383
Cincinnati	898.0	950.3	1,105.5	1,159.1	892.6	2,681	2,832	3,331	3,523	2,713
Cleveland	597.1	739.5	987.5	888.4	1,020.2	2,317	2,878	3,807	3,385	3,887
Columbus	329.8	441.6	444.5	472.0	471.1	2,804	3,696	3,825	4,241	4,233
Dayton	702.7	895.5	839.2	1,020.6	1,269.2	988	1,264	1,178	1,433	1,782
Lima	435.7	253.7	444.2	777.4	747.4	165	96	165	285	274
Toledo	251.3	373.1	581.9	626.9	629.8	703	1,048	1,609	1,710	1,718
Youngstown	629.8	704.4	582.1	585.0	568.2	407	459	376	383	372



Notes:

- (1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
- (2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2019 which utilizes 2018. Small numbers are unstable and should be interpreted with caution. Provisional data. Numbers subject to change when additional information is gained.