

OHIO 2013

# Induced Abortions in Ohio

## Ohio Department of Health

John Kasich, Governor  
Richard Hodges, Director of Health



An equal opportunity employer/provider



## Induced Abortions in Ohio, 2013

Prepared by:

**Statistical Analysis Unit  
Office of Vital Statistics**

**John Paulson**  
Health Services Policy Supervisor

**Donna L. Smith**  
Researcher

**September, 2014**

Induced Abortion Program Contact Persons

**Statistical Analysis Unit**  
Data Analysis

John Paulson  
614-644-8507

Donna L. Smith  
614-466-7545

**Quality Assurance**  
Fetal Development  
Resources Directory on Request  
Hahn Lee 614-644-7726

**Office of General Counsel**  
Legislation

Rachel Belenker  
614-466-4882

## Table of Contents

Induced Abortion Summary	1
Figure 1 Resident Induced Abortions, Ohio, 1976-2013	2
Figure 2 Selected Characteristics of Resident Induced Abortions in Ohio, 2013	3
Figure 3 Induced Abortions Reported in Ohio, By County of Occurrence, 2013	4
Figure 4 Abortion Ratio and Abortion Rate, By year, Ohio Residents, 1997-2014	5
Figure 5 Induced Abortion Rates per 1,000 Women By Age, Ohio Residents, 2001–2013	6
Figure 6 Induced Abortion Ratio, By Age Group, Ohio Residents, 2002-2013	7
Figure 7 Total Induced Abortions By Weeks of Gestation, By Year, 1997-2013	8
Table 1 Induced Abortion Summary Table, Ohio, 2013	9
Table 2 Selected Characteristics of induced Abortions Reported in Ohio, 2004-2013	10
Table 3 Resident Induced Abortions Reported in Ohio, By County of Residence, 2004-2013	11
Table 4 Resident Induced Abortions Reported in Ohio, By County of Residence and Age, 2013	14
Table 5a Resident induced Abortions Reported in Ohio, By Selected Counties, Race, and Broad Age Groups, 2013	16
Table 5b Resident Induced Abortions Reported in Ohio, By Selected Counties, Race, and Age, 2013	20
Table 6 Induced Abortions Reported in Ohio, By County of Occurrence, 2001-2013	22
Table 7 Induced Abortions Reported in Ohio, By Method of Termination and County of Occurrence, 2013	23
Table 8a Total Induced Abortions Reported in Ohio, By Gestational age, 2013	24
Table 8b Method Used to Determine Gestational Age of Fetus, Ohio, 2013	24
Table 9 Resident Induced Abortions Reported in Ohio, By Age of Women Obtaining Abortion and By Number of Prior Induced Abortions, 2013	25

Table 10a	Total Induced Abortions in Ohio With Post- Abortion Complications, By Type of Complication, 2013 (Data Source is 'Confidential Abortion Reporting Form')	26
Table 10b	Total Induced Abortions in Ohio With Post-Abortion Complications, By Type of Complication, 2013 (Data Source is 'Post-Abortion Care Report for Complications')	27
Table 11	Total Induced Abortions in Ohio With Post-Abortion Complications, By Type of Complication and Gestation Period, 2013 (Data Source is 'Post-Abortion Care Report for Complications')	28
Table 12	Resident Induced Abortions by Zip Code of Patient, Ohio, 2013	29
Table 13	Contraceptive History at The Time of Conception and Contraception Recommendations Provided at Discharge	36
Table 14	Pregnancy History of Woman Who Obtained Induced Termination in Ohio, 2013	37
Table 15	Selected Medical Information From the Confidential Abortion Report, Ohio, 2013	38
Table 16	Type of Counseling Provided to Women Obtaining Terminations, Ohio, 2013	38
Table 17	Timing of Medical Exam for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2013	39
Table 18	Viability Determination and Type of Testing Used to Determine Viability for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2013	39
Appendix I	Confidential Abortion Report Form	40
Appendix II	Post-Abortion Care Report for Complications Form	42



# Induced Abortion Summary

## Background

The 2013 Annual Abortion Report presents information derived from both the “Confidential Abortion Reports” and “Post-Abortion Care Reports for Complications” for 2013 in Ohio (reporting forms are included as Appendices I and II). The Confidential Abortion Report form was revised effective January 1, 2012. The revised form allows for more detailed reporting for race (from single race to multi-race), education, termination method, as well as additional information for terminations performed after 19 weeks of completed gestation (see tables 17 and 18).

## Characteristics of Induced Abortions Reported in Ohio, 2013

Induced abortion statistics are available for Ohio dating back to 1976. Many trend comparisons in the 2013 Annual Abortion Report date back to 2001. A total of 23,216 induced pregnancy terminations were reported in Ohio for 2013, including 22,011 obtained by Ohio resident women (94.8%). Overall, since 2001 we’ve noted a steady decline in terminations. When examined over the time period 2001 to 2013, the annual decline averaged approximately 1,150 per year.

Approximately one in eight women who obtained abortions in 2013 were under 20 years of age, with another third between the ages of 20-24 years of age (figure 2). While the age distribution of women obtaining abortions has remained relatively unchanged since 2001, the age-specific abortion rates for women under age 25 have steadily decreased (Figure 5). Approximately 89% of women who obtained an abortion were never married, divorced, or widowed. Eleven percent of procedures were obtained by married or separated women. Fifty-three percent of resident women who obtained abortions and for whom race was

reported were White, 41% were African American, 3% were Asian/Pacific Islander, and 3% reported more than one race. Four percent of abortions were obtained by women of Hispanic origin.

The 2013 Ohio abortion rate was 9.9 per 1,000 resident women ages 15-44 years (figure 4). The most recent comparable rate for the US was higher at 14.6 per 1,000 women (year 2010). The 2013 Ohio abortion ratio was 161 abortions per 1,000 live births, down from 174 in 2012. Ohio’s abortion ratio is also lower than the 2010 US abortion ratio of 228 abortions per 1,000 live births. Readers should note that resident abortion statistics in this report are limited to terminations occurring in Ohio; they do not include Ohio residents who obtained abortions outside Ohio.

Over half of all induced abortions involved pregnancies of less than 9 weeks (57%), with approximately 28% involving pregnancies of 9-12 weeks (figure 2). The proportion involving abortions of less than 9 weeks increased from 42% in 1995, while the proportion between 9 and 12 weeks declined from 40% to 28% (figure 7). There were 319 abortions in 2013 involving pregnancies of 20 or more weeks. That represents a decrease from the 367 reported in 2012 and the 915 reported in 1997. The revised abortion reporting form requests method used to determine gestational age: ultrasound was used in 99% of cases. The vast majority of reported abortions were obtained in six major metropolitan areas of Ohio.

Curettage was the most used method of termination (83% in 2013). That method has decreased since 2001, when 87% of terminations were by curettage. The revised form now asks for type of medication for non-surgical terminations. Mifepristone was reported for 855 abortions, followed by 581 terminations using misoprostol, and 163 terminations using methotrexate.

Figure 1. Resident Induced Abortions, Ohio, 1976 – 2013

Figure 1. Resident Induced Abortions, Ohio, 1976 – 2013





Figure 2. Selected Characteristics of Resident Induced Abortions in Ohio, 2013



Excludes unknown unless otherwise stated

Figure 3. Induced Abortions Reported in Ohio, By County of Occurrence, 2013







Figure 4. Abortion Ratio and Abortion Rate, By Year, Ohio Residents, 1990 - 2013



Abortion ratio is number of abortions per 1,000 live births.

Abortion rate is number of abortions per 1,000 women ages 15-44.

Figure 5. Abortion Ratio and Abortion Rate, By Year, Ohio Residents, 2001 - 2013

Figure 5 . Abortion Ratio and Abortion Rate, By Year, Ohio Residents, 2001 - 2013




Figure 6. Induced Abortion Ratio, By Age Group, Ohio Residents, 2002 - 2013






Figure 7. Total Induced Abortions By Weeks of Gestation, By Year, 1997 - 2013




Table 1. Induced Abortion Summary Table, Ohio, 2013

Characteristics	2013	Percent
<b>Total Induced Abortions</b>	<b>23,216</b>	<b>100.0</b>
<b>Residence:</b>		
Ohio Resident	22,011	94.8
Out-of-State Resident	1,202	5.2
Not Reported	3	0.1
<b>Age:</b>		
Under 18	974	4.2
18-19	1,936	8.3
20-24 Years	8,004	34.5
25 - 55	12,130	52.2
Age is Outside of Fertility Range	27	0.1
Not Reported	145	0.6
<b>Race group:</b>		
White	11,796	50.8
Black	9,075	39.1
American Indian	43	0.2
Asian/Pacific Islander	636	2.7
More than One Race	648	2.8
Unknown	643	2.8
Not Reported	375	1.6
<b>Hispanic:</b>		
Non-Hispanic	20,803	89.6
Hispanic	842	3.6
Unknown	1,539	6.6
Not Reported	2	0.0
<b>Level of Education:</b>		
8th Grade or Less	272	1.2
9 to 12th Grade, No Diploma	3,522	15.2
High School Graduate or GED	8,799	37.9
Some College Credit, No Degree	5,409	23.3
Associate Degree	1,423	6.1
Bachelor Degree	2,161	9.3
Masters Degree	483	2.1
Doctorate or Professional Degree	90	0.4
Unknown	1,057	4.6
Not Reported	0	0.0

<b>Marital Status:</b>		
Never Married	17,738	76.4
Married	2,295	9.9
Separated	591	2.5
Divorced	1,282	5.5
Widowed	49	0.2
Unknown	1,261	5.4
Not Reported	0	0.0
<b>Number of Living Children:</b>		
None	7,871	33.9
One	6,168	26.6
Two or More	8,168	35.2
Not Reported	1009	4.3
<b>Weeks of Gestation:</b>		
Less than 9 Weeks	13,128	56.5
9-12 Weeks	6,624	28.5
13-18 Weeks	2,925	12.6
19-20 Weeks	359	1.5
21 Weeks and Over	173	0.7
Not Reported	7	0.0

Table 2. Selected Characteristics of Induced Abortions Reported in Ohio, 2004-2013

	Characteristic	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004
Number of Abortions											
	Total Induced Abortions	23,216	25,473	24,764	28,123	28,721	29,613	30,859	32,936	34,128	34,242
Residence	Ohio Resident	22,011	24,080	23,250	26,322	26,959	27,672	28,921	30,809	31,210	31,391
	Out-of-State Resident	1205	1,393	1,511	1,801	1,762	1,941	1,938	2,127	2,918	2,851
Age	Under 15 Years	111	130	125	182	190	188	207	292	240	253
	15-17	863	1,074	1,132	1,500	1,629	1,781	2,059	2,088	2,124	2,115
	18-19	1,936	2,255	2,367	3,009	3,114	3,363	3,317	3,515	3,743	3,796
	20-24 Years	8,004	8,623	8,545	9,562	9,739	9,945	10,182	11,123	11,502	11,772
	25-29 Years	5,806	6,204	6,014	6,636	6,547	7,192	7,355	7,720	7,968	7,655
	30-34 Years	3,693	3,993	3,640	3,937	4,021	3,835	4,081	4,333	4,687	4,875
	35-39 Years	1,919	2,163	1,949	2,244	2,389	2,245	2,535	2,741	2,708	2,589
	40-44 Years	675	759	730	752	716	723	755	845	874	910
	45 Years & Older	37	46	48	43	50	53	53	53	73	68
	Age is Outside of Fertility Range	27									
	Not Reported	145	226	214	258	326	288	315	226	259	209
Education	Less than Grade 9	272	334	342	445	533	479	579	662	653	675
	Grade 9-12	12,321	13,932	15,155	17,276	17,830	18,389	18,880	20,515	20,911	21,222
	One or More College Years	9,566	10,177	8,789	9,857	8,956	10,105	10,719	11,064	11,810	11,763
	None/Unknown	1,057	1,030	478	545	685	640	681	695	754	582
Race	White	11,796	13,109	13,340	15,127	15,683	16,019	17,221	18,724	19,673	19,952
	Black	9,075	9,694	9,178	10,528	10,647	11,064	11,073	11,683	12,070	12,028
	Asian/Pacific Islander	636	697	610	654	610	600	693	695	723	731
	Other/Unknown/Not Reported	1,709	1,973	1,636	1,814	1,781	1,930	1,872	1,834	1,662	1,531
Marital Status	Never Married	17,738	19,618	19,224	21,876	22,078	22,630	23,157	24,571	25,595	25,489
	Married	2,295	2,514	2,632	2,813	2,990	3,172	3,621	3,936	4,199	4,366
	Separated	591	626	681	716	781	749	881	990	1,080	1,146
	Divorced	1,282	1,405	1,334	1,558	1,630	1,712	1,826	2,174	2,296	2,462
	Widowed	49	60	67	59	71	66	88	72	72	88
	Unknown	1,261	1,250	826	1,101	1,171	1,284	1,286	1,193	886	691
Number of Living Children	No Children	7,871	8,323	7,657	9,598	9,890	10,211	10,974	11,488	9,415	9,007
	One Child	6,168	6,841	6,658	7,578	7,932	8,210	8,499	9,040	9,505	9,535
	Two or More Children	8,168	9,027	8,577	9,709	9,888	10,093	10,233	10,899	11,263	11,515
	Not Reported	1,009	1,282	1,872	1,238	1,011	1,099	1,153	1,519	3,945	4,185
Weeks of Gestation	Less than 9 Weeks	13,128	14,364	14,105	16,283	16,264	16,663	17,023	17,955	19,549	19,933
	9-12 Weeks	6,624	7,220	6,909	7,672	7,971	8,257	8,855	9,862	9,547	9,489
	13 - 18 Weeks	2,925	3,176	2,897	3,223	3,390	3,629	3,589	3,699	3,755	3,629
	19-20 Weeks	359	445	318	345	340	339	410	448	467	511
	21 Weeks and Over	173	180	378	458	480	480	502	510	577	535
	Not Reported	7	88	157	142	276	245	480	462	233	145



Table 2. Selected Characteristics of Induced Abortions Reported in Ohio, 2004-2013 (Part 2)

	Characteristic	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004
Percentage Distribution											
	Total Induced Abortions	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Residence	Ohio Resident	94.8	94.5	93.9	93.6	93.9	93.4	93.7	93.5	91.4	91.7
	Out-of-State Resident	5.2	5.5	6.1	6.4	6.1	6.6	6.3	6.5	8.6	8.3
Age:	Under 15 Years	0.5	0.5	0.5	0.6	0.7	0.6	0.7	0.9	0.7	0.7
	15-17	3.7	4.2	4.6	5.3	5.7	6.0	6.7	6.3	6.2	6.2
	18-19	8.3	8.9	9.6	10.7	10.8	11.4	10.7	10.7	11.0	11.1
	20-24 Years	34.5	33.9	34.5	34.0	33.9	33.6	33.0	33.8	33.7	34.4
	25-29 Years	25.0	24.4	24.3	23.6	22.8	24.3	23.8	23.4	23.3	22.4
	30-34 Years	15.9	15.7	14.7	14.0	14.0	13.0	13.2	13.2	13.7	14.2
	35-39 Years	8.3	8.5	7.9	8.0	8.3	7.6	8.2	8.3	7.9	7.6
	40-44 Years	2.9	3.0	2.9	2.7	2.5	2.4	2.4	2.6	2.6	2.7
	45 Years & Older	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	Age is Outside of Fertility Range	0.1									
	Not Reported	0.6	0.9	0.9	0.9	1.1	1.0	1.0	0.7	0.8	0.6
Education	Less than Grade 9	1.2	1.3	1.4	1.6	1.9	1.6	1.9	2.0	1.9	2.0
	Grade 9-12	53.1	54.7	61.2	61.4	62.1	62.1	61.2	62.3	61.3	62.0
	1 Or More College Years	41.2	40.0	35.5	35.0	31.2	34.1	34.7	33.6	34.6	34.4
	None/Unknown	4.6	4.0	1.9	1.9	2.4	2.2	2.2	2.1	2.2	1.7
Race	White	50.8	51.5	53.9	53.8	54.6	54.1	55.8	56.8	57.6	58.3
	Black	39.1	38.1	37.1	37.4	37.1	37.4	35.9	35.5	35.4	35.1
	Asian/Pacific Islander	2.7	2.7	2.5	2.3	2.1	2.0	2.2	2.1	2.1	2.1
	Other/Unknown/Not Reported	7.4	7.7	6.6	6.5	6.2	6.5	6.1	5.6	4.9	4.5
Marital Status	Never Married	76.4	77.0	77.6	77.8	76.9	76.4	75.0	74.6	75.0	74.4
	Married	9.9	9.9	10.6	10.0	10.4	10.7	11.7	12.0	12.3	12.8
	Separated	2.5	2.5	2.7	2.5	2.7	2.5	2.9	3.0	3.2	3.3
	Divorced	5.5	5.5	5.4	5.5	5.7	5.8	5.9	6.6	6.7	7.2
	Widowed	0.2	0.2	0.3	0.2	0.2	0.2	0.3	0.2	0.2	0.3
	Unknown	5.4	4.9	3.3	3.9	4.1	4.3	4.2	3.6	2.6	2.0
Number of Living Children	No Children	33.9	32.7	30.9	34.1	34.4	34.5	35.6	34.9	27.6	26.3
	One Child	26.6	26.9	26.9	26.9	27.6	27.7	27.5	27.4	27.9	27.8
	Two or More Children	35.2	35.4	34.6	34.5	34.4	34.1	33.2	33.1	33.0	33.6
	Not Reported	4.3	5.0	7.6	4.4	3.5	3.7	3.7	4.6	11.6	12.2
Weeks of Gestation	Less than 9 Weeks	56.5	56.4	57.0	57.9	56.6	56.3	55.2	54.5	57.3	58.2
	9 - 12 Weeks	28.5	28.3	27.9	27.3	27.8	27.9	28.7	29.9	28.0	27.7
	13 - 18 Weeks	12.6	12.5	11.7	11.5	11.8	12.3	11.6	11.2	11.0	10.6
	19-20 Weeks	1.5	1.7	0.9	1.2	1.2	1.1	1.3	1.4	1.4	1.5
	21 Weeks & Over	0.7	0.7	1.5	1.6	1.7	1.6	1.6	1.5	1.7	1.6
	Not Reported	0.0	0.3	0.6	0.5	1.0	0.8	1.6	1.4	0.7	0.4
	Not Reported	0.1	0.3	0.6	0.5	1.0	0.8	1.6	1.4	0.7	0.4

Table 3. Resident Induced Abortions Reported in Ohio, By County of Residence, 2004-2013

Table Restricted to Abortions Obtained By Ohio Residents

Residence	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004
<b>OHIO</b>	<b>22,011</b>	<b>24,080</b>	<b>23,250</b>	<b>26,322</b>	<b>26,955</b>	<b>27,672</b>	<b>28,921</b>	<b>30,809</b>	<b>31,210</b>	<b>31,391</b>
Adams	18	11	17	22	20	16	14	28	22	15
Allen	90	142	146	191	173	129	121	153	206	190
Ashland	34	42	42	47	53	45	52	48	61	57
Ashtabula	147	149	157	175	200	149	185	208	187	216
Athens	79	89	83	109	112	101	112	100	111	123
Auglaize	32	22	28	28	28	36	32	42	34	37
Belmont	14	18	7	18	13	12	27	28	40	29
Brown	38	28	32	37	36	42	48	41	55	44
Butler	580	624	559	690	707	754	720	775	816	843
Carroll	21	24	28	23	34	32	35	25	23	34
Champaign	34	29	33	44	45	49	48	57	55	63
Clark	182	191	202	232	198	245	219	263	282	279
Clermont	233	269	233	258	293	321	289	293	317	326
Clinton	31	30	40	40	63	62	48	46	49	45
Columbiana	83	73	86	100	124	125	157	135	188	179
Coshocton	25	17	20	19	31	20	35	28	37	32
Crawford	32	30	33	32	46	41	33	42	48	55
Cuyahoga	5,499	5,663	5,828	6,598	6,794	7,056	6,986	7,252	7,412	7,565
Darke	21	36	27	32	28	36	44	48	32	47
Defiance	16	29	33	34	38	28	26	48	23	37
Delaware	145	155	164	144	140	135	174	188	207	171
Erie	161	151	101	161	157	139	160	147	209	170
Fairfield	144	163	149	163	157	155	205	184	208	204
Fayette	33	34	26	37	32	29	32	33	48	41
Franklin	3,448	3,771	3,529	3,448	3,604	3,526	4,381	4,683	4,601	4,678
Fulton	23	35	42	35	28	41	39	42	49	41
Gallia	7	5	10	6	16	5	17	18	9	17
Geauga	92	89	89	94	104	106	113	131	128	139
Greene	200	242	218	267	290	274	306	320	282	314
Guernsey	33	22	22	45	23	42	58	46	27	49
Hamilton	2,232	2,500	2,374	2,785	2,728	3,125	2,990	3,112	2,999	3,172
Hancock	72	74	51	76	90	105	86	125	129	120
Hardin	26	26	22	20	32	23	29	28	32	47
Harrison	5	7	6	10	10	7	14	6	9	6
Henry	22	13	17	28	32	27	24	42	31	34
Highland	27	27	24	38	45	38	51	44	41	50
Hocking	23	19	26	26	18	28	33	33	44	26
Holmes	10	8	16	22	25	9	19	15	22	18
Huron	71	67	59	64	81	60	79	94	77	79
Jackson	21	17	23	24	24	13	30	27	35	28
Jefferson	12	14	9	9	15	13	15	26	38	17
Knox	42	65	43	59	54	45	72	77	55	66
Lake	395	443	460	492	479	516	525	544	596	571
Lawrence	15	13	6	16	11	15	8	16	20	15

Table 3. Resident Induced Abortions Reported in Ohio, By County of Residence, 2004-2013

Table Restricted to Abortions Obtained By Ohio Residents

Residence	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004
Licking	177	188	205	203	201	186	252	238	250	259
Logan	34	32	23	38	51	45	42	64	48	50
Lorain	554	653	570	695	679	699	726	692	760	812
Lucas	949	1,189	1,239	1,565	1,565	1,434	1,356	1,803	1,633	1,603
Madison	21	40	35	53	46	34	54	48	75	49
Mahoning	413	460	422	528	572	630	713	702	791	759
Marion	67	85	69	69	68	71	93	84	101	75
Medina	219	240	210	223	293	266	270	278	292	306
Meigs	9	10	7	13	5	19	12	7	8	12
Mercer	32	19	20	27	24	19	18	31	31	36
Miami	94	103	107	120	113	122	119	146	139	163
Monroe	26	31	22	46	41	20	11	35	44	15
Montgomery	1,158	1,101	1,096	1,367	1,394	1,439	1,420	1,616	1,531	1,632
Morgan	9	6	4	10	10	5	7	6	7	4
Morrow	21	26	32	28	27	29	34	34	45	33
Muskingum	82	91	81	85	102	75	100	99	112	127
Noble	6	3	9	8	6	2	11	9	2	5
Ottawa	36	37	37	47	32	39	48	69	63	56
Paulding	7	5	3	7	8	7	12	9	10	7
Perry	22	29	41	33	21	22	32	44	40	34
Pickaway	39	54	39	50	67	52	76	72	46	71
Pike	12	25	19	26	15	15	27	27	20	27
Portage	269	316	325	354	367	379	360	374	414	429
Preble	37	36	29	33	32	53	46	56	45	38
Putnam	12	17	17	20	27	19	14	21	14	25
Richland	122	157	161	156	170	194	177	188	217	184
Ross	69	68	57	83	79	86	94	87	98	107
Sandusky	59	72	72	96	110	106	79	94	91	101
Scioto	30	42	53	47	61	57	60	65	68	74
Seneca	42	61	53	55	73	56	50	76	73	65
Shelby	40	35	34	45	45	27	53	54	59	54
Stark	573	636	634	745	771	752	840	831	859	795
Summit	1,229	1,301	1,352	1,428	1,469	1,601	1,660	1,742	1,798	1,677
Trumbull	293	333	339	370	382	445	501	504	536	493
Tuscarawas	110	116	97	109	97	132	121	115	156	135
Union	47	45	45	58	49	52	59	55	52	59
Van Wert	8	11	0	0	0	7	9	14	17	13
Vinton	6	5	9	5	12	8	8	11	13	11
Warren	186	277	216	265	244	270	272	251	253	246
Washington	18	16	18	28	23	22	27	33	28	25
Wayne	92	119	121	115	125	142	115	162	153	128
Williams	20	31	22	35	31	33	32	34	40	34
Wood	146	166	172	222	203	204	207	267	255	254
Wyandot	12	23	14	14	18	22	13	21	29	20
Not Reported	136	294	0	0	0	0	0	0	0	0



Table 4. Resident Induced Abortions Reported in Ohio, By County and Age, 2013

Table Restricted to Abortions Obtained By Ohio Residents

Residence	Age Group												
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45+
<b>OHIO TOTAL</b>	<b>22011</b>	<b>104</b>	<b>162</b>	<b>255</b>	<b>402</b>	<b>770</b>	<b>1052</b>	<b>7616</b>	<b>5510</b>	<b>3500</b>	<b>1810</b>	<b>635</b>	<b>36</b>
Adams	18	0	0	0	0	1	2	5	4	3	2	0	1
Allen	90	0	3	1	3	4	5	31	13	17	8	2	2
Ashland	34	0	0	0	0	4	1	18	7	3	0	1	0
Ashtabula	147	0	4	6	4	6	6	48	35	22	12	4	0
Athens	79	0	0	0	0	2	6	46	14	7	3	1	0
Auglaize	32	0	0	0	0	0	2	9	9	6	3	3	0
Belmont	14	0	0	1	0	0	0	2	5	4	0	2	0
Brown	38	0	2	1	0	1		9	12	5	7	1	0
Butler	580	3	0	4	8	15	33	201	146	96	54	16	1
Carroll	21	0	1	0	0	1	1	7	3	4	2	2	0
Champaign	34	0	0	1	1	1	2	14	7	3	3	2	0
Clark	182	4	0	6	3	4	7	67	45	23	16	6	0
Clermont	233	1	1	2	9	9	11	77	48	42	20	12	0
Clinton	31	0	0	0	1	0	1	14	12	3	0	0	0
Columbiana	83	0	0	1	0	2	10	28	21	12	6	3	0
Coshocton	25	0	0	1	0	0	2	10	7	3	2	0	0
Crawford	32	0	0	0	0	2	0	10	13	4	1	0	0
Cuyahoga	5,499	34	45	55	96	184	263	1,917	1,351	943	410	159	9
Darke	21	0	1	0	1	0	0	6	3	4	4	2	0
Defiance	16	0	0	0	0	0	1	7	4	2	2	0	0
Delaware	145	0	2	4	4	5	7	39	22	29	15	16	1
Erie	161	2	1	4	1	7	7	57	44	18	12	8	0
Fairfield	144	0	0	4	6	3	4	48	31	25	18	5	0
Fayette	33	0	0	0	2	1	2	16	7	1	3	1	0
Franklin	3,448	8	11	24	48	94	137	1,166	923	628	294	89	6
Fulton	23	0	0	1	2	0	2	9	5	2	1	0	0
Gallia	7	0	0	0	0	1	0	3	1	1	1	0	0
Geauga	92	0	1	1	2	4	4	31	16	16	9	6	2
Greene	200	1	1	0	4	8	17	79	40	22	16	10	0
Guernsey	33	0	1	0	1	2	2	12	4	7	0	4	0
Hamilton	2,232	11	21	25	31	61	94	727	620	357	204	55	3
Hancock	72	0	2	0	2	1	3	20	24	11	5	4	0
Hardin	26	0	0	2	1	2	5	7	2	2	5	0	0
Harrison	5	0	0	0	0	0	1	2	1	1	0	0	0
Henry	22	0	0	1	2	0	0	6	8	2	2	1	0
Highland	27	0	1	0	0	0	0	8	6	8	2	2	0
Hocking	23	0	0	1	0	0	1	12	6	1	1	1	0
Holmes	10	0	0	0	0	0	1	4	4	1	0	0	0
Huron	71	0	1	2	1	1	1	25	16	7	10	5	0
Jackson	21	0	0	0	1	2	2	5	4	3	1	3	0
Jefferson	12	0	0	1	0	1	0	4	3	3	0	0	0
Knox	42	0	1	1	1	2	2	13	13	2	4	2	0
Lake	395	1	2	5	6	18	16	140	109	48	29	20	0
Lawrence	15	2	0	0	0	0	0	4	5	1	3	0	0

Table 4. Resident Induced Abortions Reported in Ohio, By County and Age, 2013 (Part 2)

Table Restricted to Abortions Obtained By Ohio Residents

Residence	Total	Age Group												*Not Rep/Unclassifiable
		<15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45+	
Licking	177	0	4	2	1	8	9	69	38	25	19	2	0	0
Logan	34	0	0	0	0	4	3	12	9	4	1	1	0	0
Lorain	554	2	3	8	11	23	27	191	135	81	51	18	1	3
Lucas	949	1	6	18	19	36	45	350	243	134	59	19	1	18
Madison	21	0	1	1	0	1	0	9	1	5	2	1	0	0
Mahoning	413	1	3	8	9	24	25	120	117	47	47	8	1	3
Marion	67	1	2	0	1	1	5	24	19	7	5	1	0	1
Medina	219	4	1	2	2	10	15	81	41	29	21	11	1	1
Meigs	9	0	0	0	0	0	2	6	1	0	0	0	0	0
Mercer	32	0	0	0	0	1	1	10	7	8	2	2	0	1
Miami	94	1	0	1	2	3	4	34	24	18	7	0	0	0
Monroe	26	0	0	1	2	0	2	9	7	2	3	0	0	0
Montgomery	1,158	6	5	11	29	53	60	381	323	178	85	20	0	7
Morgan	9	0	0	0	0	3	1	1	2	1	1	0	0	0
Morrow	21	0	1	0	1	0	2	7	2	5	3	0	0	0
Muskingum	82	2	1	1	2	5	3	24	20	13	7	4	0	0
Noble	6	0	0	0	0	0	2	2	0	1	1	0	0	0
Ottawa	36	1	0	1	2	0	4	15	2	2	5	4	0	0
Paulding	7	0	0	0	0	0	1	3	0	1	1	1	0	0
Perry	22	0	1	0	0	2	0	7	5	1	6	0	0	0
Pickaway	39	0	0	1	0	1	1	12	10	7	5	2	0	0
Pike	12	0	0	1	0	1	0	3	1	5	1	0	0	0
Portage	269	1	5	2	5	15	19	117	52	29	12	8	0	4
Preble	37	0	0	0	1	4	2	16	5	4	2	3	0	0
Putnam	12	0	0	0	0	0	1	6	2	2	0	1	0	0
Richland	122	0	1	3	1	4	5	44	33	16	13	2	0	0
Ross	69	0	0	2	2	2	4	20	14	10	10	3	1	1
Sandusky	59	1	0	1	0	1	2	22	16	7	8	0	0	1
Scioto	30	0	2	2	1	3	4	12	3	2	1	0	0	0
Seneca	42	0	0	2	0	1	2	21	10	5	1	0	0	0
Shelby	40	0	0	1	0	1	3	17	6	4	6	1	0	1
Stark	573	4	5	5	20	32	31	192	134	97	35	10	2	6
Summit	1,229	5	14	12	28	41	52	438	286	186	117	36	3	11
Trumbull	293	3	1	5	4	13	12	98	73	53	20	10	0	1
Tuscarawas	110	2	0	4	3	6	7	40	23	18	6	1	0	0
Union	47	0	3	0	0	1	4	17	9	9	3	1	0	0
Van Wert	8	0	0	0	0	0	0	3	0	4	0	0	0	1
Vinton	6	1	0	0	0	1	1	1	2	0	0	0	0	0
Warren	186	0	1	2	5	6	7	54	49	30	24	6	0	2
Washington	18	0	0	0	0	1	2	8	5	1	0	0	0	1
Wayne	92	0	0	1	0	2	3	39	25	12	6	3	1	0
Williams	20	0	0	0	2	1	1	7	7	1	1	0	0	0
Wood	146	1	0	0	3	4	11	62	35	17	10	2	0	1
Wyandot	12	0	0	0	0	0	0	3	5	2	2	0	0	0
Not Reported	136	0	0	2	5	6	6	46	36	15	11	6	0	3

Table 5a. Resident Induced Abortions Reported in Ohio, by Selected Counties, Race and Broad Age Groups, 2013

Table Restricted to Abortions Obtained By Ohio Residents

County of Residence	Race	Age Group							
		Total	Under 18	18-19	20-29	30-39	40-49	50 +	Not Rep/Unclassifiable
OHIO	TOTAL	22,011	923	1,822	13,126	5,310	671	0	159
	White	10,863	464	865	6,367	2,702	392	0	73
	Black	8,918	372	771	5,495	2,023	189	0	68
	Oth/Unk	2,230	87	186	1,264	585	90	0	18
Allen	TOTAL	90	7	9	44	25	4	0	1
	White	65	5	5	31	19	4	0	1
	Black	19	2	1	11	5	0	0	0
	Oth/Unk	6	0	3	2	1	0	0	0
Ashtabula	TOTAL	147	14	12	83	34	4	0	0
	White	122	11	9	70	28	4	0	0
	Black	13	1	2	5	5	0	0	0
	Oth/Unk	12	2	1	8	1	0	0	0
Athens	TOTAL	79	0	8	60	10	1	0	0
	White	57	0	6	44	6	1	0	0
	Black	5	0	2	3	0	0	0	0
	Oth/Unk	17	0	0	13	4	0	0	0
Butler	TOTAL	580	15	48	347	150	17	0	3
	White	380	10	28	234	95	11	0	2
	Black	128	5	15	71	32	5	0	0
	Oth/Unk	72	0	5	42	23	1	0	1
Clark	TOTAL	182	13	11	112	39	6	0	1
	White	135	7	8	81	33	5	0	1
	Black	35	4	3	22	5	1	0	0
	Oth/Unk	12	2	0	9	1	0	0	0
Clermont	TOTAL	233	13	20	125	62	12	0	1
	White	213	13	18	117	54	10	0	1
	Black	5	0	1	3	1	0	0	0
	Oth/Unk	15	0	1	5	7	2	0	0
Columbiana	TOTAL	83	1	12	49	18	3	0	0
	White	75	1	8	46	17	3	0	0
	Black	0	0	0	0	0	0	0	0
	Oth/Unk	8	0	4	3	1	0	0	0
Cuyahoga	TOTAL	5,499	230	447	3,268	1,353	168	0	33
	White	1,498	54	111	853	402	70	0	8
	Black	3,483	150	288	2,129	816	77	0	23
	Oth/Unk	518	26	48	286	135	21	0	2
Delaware	TOTAL	145	10	12	61	44	17	0	1
	White	111	5	9	47	34	15	0	1
	Black	16	3	1	9	3	0	0	0
	Oth/Unk	18	2	2	5	7	2	0	0



Table 5a. Resident Induced Abortions Reported in Ohio, by Selected Counties, Race and Broad Age Groups, 2013 (Part 2)

Table Restricted to Abortions Obtained By Ohio Residents

County of Residence	Race*	Age Group							Not Rep/Unclassifiable
		Total	Under 18	18-19	20-29	30-39	40-49	50 +	
Erie	<b>TOTAL</b>	<b>161</b>	<b>8</b>	<b>14</b>	<b>101</b>	<b>30</b>	<b>8</b>	<b>0</b>	<b>0</b>
	White	97	7	5	60	20	5	0	0
	Black	42	0	6	28	7	1	0	0
	Oth/Unk	22	1	3	13	3	2	0	0
Fairfield	<b>TOTAL</b>	<b>144</b>	<b>10</b>	<b>7</b>	<b>79</b>	<b>43</b>	<b>5</b>	<b>0</b>	<b>0</b>
	White	110	9	4	61	33	3	0	0
	Black	28	1	2	16	7	2	0	0
	Oth/Unk	6	0	1	2	3	0	0	0
Franklin	<b>TOTAL</b>	<b>3,448</b>	<b>91</b>	<b>231</b>	<b>2,089</b>	<b>922</b>	<b>95</b>	<b>0</b>	<b>20</b>
	White	1,430	37	87	859	403	38	0	6
	Black	1,580	46	112	995	383	36	0	8
	Oth/Unk	438	8	32	235	136	21	0	6
Greene	<b>TOTAL</b>	<b>200</b>	<b>6</b>	<b>25</b>	<b>119</b>	<b>38</b>	<b>10</b>	<b>0</b>	<b>2</b>
	White	131	4	19	71	26	10	0	1
	Black	43	2	4	31	6	0	0	0
	Oth/Unk	26	0	2	17	6	0	0	1
Hamilton	<b>TOTAL</b>	<b>2,232</b>	<b>88</b>	<b>155</b>	<b>1,347</b>	<b>561</b>	<b>58</b>	<b>0</b>	<b>23</b>
	White	755	31	52	444	195	26	0	7
	Black	1,268	52	86	779	309	27	0	15
	Oth/Unk	209	5	17	124	57	5	0	1
Hancock	<b>TOTAL</b>	<b>72</b>	<b>4</b>	<b>4</b>	<b>44</b>	<b>16</b>	<b>4</b>	<b>0</b>	<b>0</b>
	White	56	4	3	33	13	3	0	0
	Black	3	0	0	2	1	0	0	0
	Oth/Unk	13	0	1	9	2	1	0	0
Jefferson	<b>TOTAL</b>	<b>12</b>	<b>1</b>	<b>1</b>	<b>7</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>
	White	6	1	0	3	2	0	0	0
	Black	5	0	1	3	1	0	0	0
	Oth/Unk	1	0	0	1	0	0	0	0
Knox	<b>TOTAL</b>	<b>42</b>	<b>3</b>	<b>4</b>	<b>26</b>	<b>6</b>	<b>2</b>	<b>0</b>	<b>1</b>
	White	38	3	4	22	6	2	0	1
	Black	0	0	0	0	0	0	0	0
	Oth/Unk	4	0	0	4	0	0	0	0
Lake	<b>TOTAL</b>	<b>395</b>	<b>14</b>	<b>34</b>	<b>249</b>	<b>77</b>	<b>20</b>	<b>0</b>	<b>1</b>
	White	291	10	26	186	55	13	0	1
	Black	70	2	6	44	14	4	0	0
	Oth/Unk	34	2	2	19	8	3	0	0

Table 5a. Resident Induced Abortions Reported in Ohio, by Selected Counties, Race and Broad Age Groups, 2013 (Part 3)

Table Restricted to Abortions Obtained By Ohio Residents

County of Residence	Race*	Age Group							Not Rep/Unclassifiable
		Total	Under 18	18-19	20-29	30-39	40-49	50 +	
Licking	Total	177	7	17	107	44	2	0	0
	White	147	5	15	88	38	1	0	0
	Black	22	1	2	14	5	0	0	0
	Oth/Unk	8	1	0	5	1	1	0	0
Lorain	TOTAL	554	24	50	326	132	19	0	3
	White	377	16	29	217	99	14	0	2
	Black	109	4	13	67	21	4	0	0
	Oth/Unk	68	4	8	42	12	1	0	1
Lucas	TOTAL	949	44	81	593	193	20	0	18
	White	403	20	30	249	88	11	0	5
	Black	421	16	46	259	86	4	0	10
	Oth/Unk	125	8	5	85	19	5	0	3
Mahoning	TOTAL	413	21	49	237	94	9	0	3
	White	209	7	23	120	53	6	0	0
	Black	168	12	25	94	32	3	0	2
	Oth/Unk	36	2	1	23	9	0	0	1
Marion	TOTAL	67	4	6	43	12	1	0	1
	White	56	3	3	38	11	0	0	1
	Black	4	0	0	2	1	1	0	0
	Oth/Unk	7	1	3	3	0	0	0	0
Medina	TOTAL	219	9	25	122	50	12	0	1
	White	196	9	24	109	41	12	0	1
	Black	9	0	0	5	4	0	0	0
	Oth/Unk	14	0	1	8	5	0	0	0
Miami	TOTAL	94	4	7	58	25	0	0	0
	White	77	3	6	46	22	0	0	0
	Black	4	0	0	3	1	0	0	0
	Oth/Unk	13	1	1	9	2	0	0	0
Montgomery	TOTAL	1,158	51	113	704	263	20	0	7
	White	484	22	48	287	116	8	0	3
	Black	556	25	56	351	113	8	0	3
	Oth/Unk	118	4	9	66	34	4	0	1
Portage	TOTAL	269	13	34	169	41	8	0	4
	White	189	8	23	115	32	7	0	4
	Black	49	3	8	35	3	0	0	0
	Oth/Unk	31	2	3	19	6	1	0	0

Table 5a. Resident Induced Abortions Reported in Ohio, by Selected Counties, Race and Broad Age Groups, 2013 (Part 4)

Table Restricted to Abortions Obtained By Ohio Residents

County of Residence	Race*	Age Group							Not Rep/Unclassifiable
		Total	Under 18	18-19	20-29	30-39	40-49	50 +	
Richland	TOTAL	122	5	9	77	29	2	0	0
	White	91	5	6	58	22	0	0	0
	Black	24	0	3	14	5	2	0	0
	Oth/Unk	7	0	0	5	2	0	0	0
Sandusky	TOTAL	59	2	3	38	15	0	0	1
	White	44	1	1	32	9	0	0	1
	Black	6	0	1	3	2	0	0	0
	Oth/Unk	9	1	1	3	4	0	0	0
Scioto	TOTAL	30	5	7	15	3	0	0	0
	White	24	4	7	10	3	0	0	0
	Black	3	0	0	3	0	0	0	0
	Oth/Unk	3	1	0	2	0	0	0	0
Seneca	TOTAL	42	2	3	31	6	0	0	0
	White	36	2	2	27	5	0	0	0
	Black	3	0	0	2	1	0	0	0
	Oth/Unk	3	0	1	2	0	0	0	0
Stark	TOTAL	573	34	63	326	132	12	0	6
	White	400	27	43	215	100	9	0	6
	Black	126	4	14	87	19	2	0	0
	Oth/Unk	47	3	6	24	13	1	0	0
Summit	TOTAL	1,229	59	93	724	303	39	0	11
	White	650	29	37	374	180	25	0	5
	Black	470	27	48	291	91	8	0	5
	Oth/Unk	109	3	8	59	32	6	0	1
Trumbull	TOTAL	293	13	25	171	73	10	0	1
	White	202	5	14	120	55	7	0	1
	Black	70	7	10	38	13	2	0	0
	Oth/Unk	21	1	1	13	5	1	0	0
Warren	TOTAL	186	8	13	103	54	6	0	2
	White	140	8	11	84	32	3	0	2
	Black	15	0	1	9	5	0	0	0
	Oth/Unk	31	0	1	10	17	3	0	0
Wayne	TOTAL	92	1	5	64	18	4	0	0
	White	82	0	4	60	15	3	0	0
	Black	0	0	0	0	0	0	0	0
	Oth/Unk	10	1	1	4	3	1	0	0
Wood	TOTAL	146	4	15	97	27	2	0	1
	White	112	4	8	76	22	2	0	0
	Black	22	0	6	15	0	0	0	1
	Oth/Unk	12	0	1	6	5	0	0	0

\* "Oth/Unk" includes "Not Reported"

Not all counties are displayed in this table in order to prevent disclosure of confidential information.

Table 5b. Resident Induced Abortions Reported in Ohio, by Selected Counties, Race and Age, 2013

Table Restricted to Abortions Obtained By Ohio Residents

County	Race*	Total	Age Group																Not Rep/ Unclassi- fiable
			<15	15	16	17	(15-17)	18	19	(18-19)	20	21	20-24	25-29	30-34	35-39	40-44	45+	
OHIO	Total	22,011	104	162	255	402	819	770	1,052	1,822	1,330	1,568	7,616	5,510	3,500	1,810	635	36	159
	White	10,863	41	74	132	217	423	351	514	865	644	736	3,710	2,657	1,727	975	367	25	73
	Black	8,918	56	70	94	152	316	337	434	771	546	677	3,175	2,320	1,394	629	184	5	68
	Oth/Unk	2,230	7	18	29	33	80	82	104	186	140	155	731	533	379	206	84	6	18
Butler	Total	580	3	0	4	8	12	15	33	48	43	50	201	146	96	54	16	1	3
	White	380	1	0	3	6	9	7	21	28	23	33	137	97	62	33	10	1	2
	Black	128	2	0	1	2	3	7	8	15	11	11	41	30	21	11	5	0	0
	Oth/Unk	72	0	0	0	0	0	1	4	5	9	6	23	19	13	10	1	0	1
Cuyahoga	Total	5,499	34	45	55	96	196	184	263	447	319	395	1,917	1,351	943	410	159	9	33
	White	1,498	4	11	12	27	50	39	72	111	83	103	497	356	282	120	66	4	8
	Black	3,483	27	28	33	62	123	125	163	288	209	267	1,266	863	572	244	74	3	23
	Oth/Unk	518	3	6	10	7	23	20	28	48	27	25	154	132	89	46	19	2	2
Franklin	Total	3,448	8	11	24	48	83	94	137	231	198	222	1,166	923	628	294	89	6	20
	White	1,430	4	3	13	17	33	30	57	87	80	86	491	368	271	132	36	2	6
	Black	1,580	4	5	10	27	42	55	57	112	94	114	556	439	262	121	35	1	8
	Oth/Unk	438	0	3	1	4	8	9	23	32	24	22	119	116	95	41	18	3	6
Greene	Total	200	1	1	0	4	5	8	17	25	19	20	79	40	22	16	10	0	2
	White	131	0	1	0	3	4	5	14	19	15	13	47	24	17	9	10	0	1
	Black	43	1	0	0	1	1	1	3	4	4	7	25	6	2	4	0	0	0
	Oth/Unk	26	0	0	0	0	0	2	0	2	0	0	7	10	3	3	0	0	1



Table 5b. Resident Induced Abortions Reported in Ohio, by Selected Counties, Race and Age, 2013 (Part 2)

## Table Restricted to Abortions Obtained By Ohio Residents

Age Group																			
County	Race*	Total	<15	15	16	17	(15-17)	18	19	(18-19)	20	21	20-24	25-29	30-34	35-39	40-44	45+	Not Rep/ Unclassifiable
Hamilton	Total	2,232	11	21	25	31	77	61	94	155	98	141	727	620	357	204	55	3	23
	White	755	1	4	12	14	30	20	32	52	34	44	235	209	113	82	24	2	7
	Black	1,268	9	16	13	14	43	35	51	86	54	80	422	357	211	98	26	1	15
	Oth/Unk	209	1	1	0	3	4	6	11	17	10	17	70	54	33	24	5	0	1
Lorain	Total	554	2	3	8	11	22	23	27	50	38	42	191	135	81	51	18	1	3
	White	377	1	2	5	8	15	16	13	29	19	29	121	96	61	38	13	1	2
	Black	109	1	1	2	0	3	5	8	13	11	9	43	24	16	5	4	0	0
	Oth/Unk	68	0	0	1	3	4	2	6	8	8	4	27	15	4	8	1	0	1
Lucas	Total	949	1	6	18	19	43	36	45	81	76	63	350	243	134	59	19	1	18
	White	403	1	1	6	12	19	14	16	30	19	23	133	116	58	30	10	1	5
	Black	421	0	2	10	4	16	19	27	46	41	30	163	96	63	23	4	0	10
	Oth/Unk	125	0	3	2	3	8	3	2	5	16	10	54	31	13	6	5	0	3
Montgomery	Total	1,158	6	5	11	29	45	53	60	113	64	85	381	323	178	85	20	0	7
	White	484	1	1	5	15	21	24	24	48	22	32	151	136	73	43	8	0	3
	Black	556	5	4	4	12	20	24	32	56	37	42	189	162	78	35	8	0	3
	Oth/Unk	118	0	0	2	2	4	5	4	9	5	11	41	25	27	7	4	0	1
Summit	Total	1,229	5	14	12	28	54	41	52	93	67	109	438	286	186	117	36	3	11
	White	650	3	8	5	13	26	16	21	37	32	48	222	152	109	71	22	3	5
	Black	470	2	6	6	13	25	19	29	48	30	45	169	122	63	28	8	0	5
	Oth/Unk	109	0	0	1	2	3	6	2	8	5	16	47	12	14	18	6	0	1

\* "Oth/Unk" includes "Not Reported"

Not all counties are displayed in this table in order to prevent disclosure of confidential information.

Table 6. Induced Abortions Reported in Ohio, by County of Occurrence, 2001 - 2013

County of Occurrence	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
<b>TOTAL</b>	<b>23,216</b>	<b>25,473</b>	<b>24,764</b>	<b>28,123</b>	<b>28,721</b>	<b>29,613</b>	<b>30,859</b>	<b>32,936</b>	<b>34,128</b>	<b>34,242</b>	<b>35,319</b>	<b>35,830</b>	<b>37,464</b>
Allen County	1	0	6	33	0	0	0	0	0	0	0	0	0
Brown County	0	5	0	0	0	0	0	0	0	0	0	0	0
Clark County	0	0	0	0	0	0	1	0	0	0	0	0	0
Cuyahoga County	9,037	9,201	8,908	10,352	10,317	10,038	9,700	10,161	10,797	10,989	11,486	11,801	12,534
Erie County	0	0	0	1	0	1	0	0	0	0	0	0	0
Franklin County	4,966	5,698	5,640	5,391	5,581	5,222	6,594	6,778	6,728	6,856	6,869	6,253	6,556
Greene County	1	0	19	335	432	140	312	424	218	270	0	0	0
Hamilton County	4,171	4,601	4,363	4,995	4,825	5,663	5,114	5,583	6,051	6,431	6,392	6,961	7,216
Licking County	0	0	0	0	0	0	0	0	0	0	1	0	0
Lucas County	1,511	1,960	2,318	2,563	2,548	2,338	2,212	2,851	2,691	2,425	2,383	2,366	2,445
Mahoning County	0	0	0	20	572	690	817	820	835	912	955	1,049	1,132
Montgomery County	1,798	1,931	1,701	2,078	2,088	2,411	2,403	2,618	2,752	2,688	2,976	3,011	3,398
Shelby County	1	2	0	0	0	0	0	0	0	0	0	0	0
Stark County	0	0	1	0	0	1	0	0	0	0	0	0	0
Summit County	1,730	2,075	1,808	2,355	2,358	3,109	3,667	3,701	4,056	3,671	4,257	4,389	4,183
Ohio County Unknown	0	0	0	0	0	0	39	0	0	0	0	0	0

Total 2013 abortions reported in Ohio by source:

Ambulatory Surgical Facility = 23,127

Hospital = 89

Table 7. Induced Abortions Reported in Ohio, by Method of Termination and County of Occurrence, 2013

County of Occurrence	Total	SURGICAL						NON-SURGICAL					Not Reported
		Curretage Suction	D & Ext	D & Evac	Hysterotomy	Hysterectomy	Other Surg	Total Non-Surgical	Mife-Pristone	Metho-Trexate	Miso-Prostol	Other Non-Surg	
OHIO TOTAL	23,216	19,316	2	2,663	6	15	51	1,102	855	163	581	6	252
Allen	1	1	0	0	0	0	0	0	0	0	0	0	0
Cuyahoga	9,037	6,871	2	1,443	1	3	43	704	519	135	370	4	86
Franklin	4,966	4,483	0	227	0	7	6	205	183	1	200	0	67
Greene	1	0	0	0	0	0	0	1	1	0	0	0	0
Hamilton	4,171	3,703	0	450	0	0	0	19	19	0	0	0	27
Lucas	1,511	1,298	0	170	0	0	0	22	20	0	2	0	29
Montgomery	1,798	1,550	0	226	4	2	1	2	0	0	1	1	19
Shelby	1	0	0	0	0	0	0	1	0	0	1	0	0
Summit	1,730	1,410	0	147	1	3	1	148	113	27	7	1	24

Note: More than one method can be reported for a procedure. The majority of other surgical methods reported were illegible. The remaining other surgical methods appeared to be comments and were not actual methods. The following non-surgical methods were reported: KCL injection, laminaria, prostaglandin, ELLA, and Cyotec.

Table 8a. Total Induced Abortions Reported in Ohio, by Gestational Age, 2013

Gestational Age	Number	Percent
Total Abortions Reported	23,216	100.0
Less than 9 Weeks	13,128	56.5
9 - 12 Weeks	6,624	28.5
13 - 18 Weeks	2,925	13.5
19 - 20 Weeks	359	0.6
21 - 24 Weeks	172	0.7
25 - 36 Weeks	1	0.0
Not Reported	7	0.1

Table 8b. Method Used to Determine Gestational Age of Fetus, Ohio, 2013

Method	Number	Percent
Clinical Exam	512	2.2
Last Menstrual Period	1,294	5.6
Ultrasound	23,076	99.4
Other Reported Method	7	0.0
Not Reported	107	0.5

Note: More than one method of estimation can be reported.  
The term 'twin' was reported for 6 of the 'Other Reported Method' cases.



Table 9: Resident Induced Abortions in Ohio, by Age of Women Obtaining Abortion  
And by Number of Prior Induced Abortions, 2013

Table Restricted to Abortions Obtained By Ohio Residents

Age Group	Prior Induced Abortion							
	Total	0	1	2	3	4	5+	Not Reported
Total Abortions	22,011	10,972	5,861	2,249	835	303	243	1,548
Under 18	923	791	44	0	0	0	0	88
18-19	1,822	1,355	234	37	3	0	0	193
20-24	7,616	4,250	1,992	535	158	53	23	605
25-29	5,510	2,306	1,634	760	293	105	87	325
30-34	3,500	1,281	1,103	552	225	88	71	180
35-39	1,810	642	605	261	112	47	48	95
40-44	635	260	192	83	38	8	12	42
45-59	36	16	7	8	1	1	0	3
Age is Outside of Fertility Range	24	8	9	2	1	0	0	4
Not Reported	135	63	41	11	4	1	2	13

Table 10a. Total Induced Abortions in Ohio with Post-Abortion Complications,  
By Type of Complication, 2013

(Data source: Confidential Abortion Reporting Form, Box 23)

Complication Type	Number of Complications	Percent of Abortions with Complications
Perforation of Uterus	0	0.00%
Cervical Laceration	4	40.00%
Hemorrhage	2	20.00%
Incomplete Abortion	0	0.00%
Hematometra	1	10.00%
Anesthetic	0	0.00%
Failed Abortion	1	10.00%
Infection	1	1.00%
Death	0	0.00%
Other	4	40.00%
Total Number of Complications*	13	Not Applicable
Total Abortions with One or More Complications	10	100.0%

Note: One termination may have more than one reported complication.

Table 10b. Total Induced Abortions in Ohio With Post-Abortion Complications,  
By Type of Complication, 2013

(Data Source: Post-Abortion Care Report For Complications, Box 8)

Complication Type	Number of Complications	Percent of Abortions with Complications
Perforation of Uterus	2	2.10%
Cervical Laceration	0	0.00%
Hemorrhage	10	10.87%
Incomplete Abortion	26	28.26%
Hematometra	23	25.00%
Anesthetic	0	0.00%
Failed Abortion	7	7.61%
Infection	20	21.74%
Death	0	0.00%
Other	11	11.96%
Total Number of Complications*	99	Not Applicable
Total Abortions with One or More Complications	92	100.0%

Note: An abortion may have more than one reported complication.

Table 11. Total Induced Abortions in Ohio With Post-Abortion Complications,  
By Type of Complication and Gestation Period, 2013

(Data Source: Post-Abortion Care Report For Complications, Box 4 and Box 8)

		Gestation Period				
Complication Type	Total	< 9 Wks	9-12 Wks	13-19 Wks	20+ Wks	Not Reported
		(Number of Complications)				
Perforation of Uterus	2	0	0	2	0	0
Cervical Laceration	0	0	0	0	0	0
Hemorrhage	10	5	3	2	0	0
Incomplete Abortion	26	22	2	1	1	0
Hematometra	23	10	12	0	0	1
Anesthetic	0	0	0	0	0	0
Failed Abortion	7	5	1	0	0	1
Infection	20	8	7	2	1	2
Death	0	0	0	0	0	0
Other/Unreported	11	2	6	2	1	0
Total Number of Complications*	99	52	31	9	3	4
Total Abortions with One or More Complications	92	50	29	7	2	4

Note: An abortion may have more than one reported complication.



Table 12. Resident Induced Abortions by Zip Code of Patient, Ohio, 2013

Zip Code	Total	Zip Code	Total	Zip Code	Total	Zip Code	Total
43001	3	43071	3	43149	4	43231	90
43003	1	43072	4	43150	2	43232	245
43004	46	43074	7	43154	2	43233	3
43007	2	43076	7	43156	1	43234	4
43008	5	43077	1	43160	22	43235	88
43011	3	43078	23	43162	6	43236	1
43013	1	43080	4	43164	1	43238	1
43014	3	43081	121	43165	1	43239	1
43015	50	43082	30	43166	1	43240	8
43016	68	43083	1	43172	1	43252	1
43017	48	43085	27	43177	1	43277	1
43018	3	43086	2	43200	1	43286	1
43019	8	43088	1	43201	125	43299	1
43021	8	43091	1	43202	70	43302	50
43022	2	43102	3	43203	43	43310	2
43023	6	43103	11	43204	106	43311	14
43024	4	43105	5	43205	82	43315	4
43025	5	43106	4	43206	93	43316	6
43026	69	43107	1	43207	112	43317	2
43028	5	43109	1	43208	3	43318	1
43030	1	43110	115	43209	60	43319	1
43031	12	43112	2	43210	15	43320	1
43035	32	43113	13	43211	81	43321	2
43040	37	43116	1	43212	49	43322	1
43044	2	43117	2	43213	149	43326	11
43045	1	43119	60	43214	44	43329	1
43046	3	43123	62	43215	51	43331	2
43050	22	43125	20	43217	8	43334	3
43054	38	43126	1	43218	1	43337	3
43055	79	43128	3	43219	124	43338	10
43056	13	43130	56	43220	31	43341	1
43060	2	43135	5	43221	37	43342	3
43061	1	43136	3	43222	7	43344	3
43062	43	43137	4	43223	51	43345	2
43063	1	43138	18	43224	146	43347	1
43064	7	43140	10	43225	4	43348	2
43065	31	43143	4	43226	1	43351	6
43066	1	43145	1	43227	95	43357	9

Table 12. Resident Induced Abortions by Zip Code of Patient, Ohio, 2013 (Part 2)

Zip Code	Total	Zip Code	Total	Zip Code	Total	Zip Code	Total
43067	1	43146	8	43228	158	43358	1
43068	166	43147	50	43229	248	43359	1
43069	1	43148	4	43230	125	43360	2
43400	1	43545	13	43716	2	43933	1
43402	50	43548	1	43718	1	43945	3
43403	12	43551	37	43719	1	43946	1
43410	8	43554	2	43723	3	43947	1
43412	3	43556	1	43724	5	43950	2
43413	1	43557	1	43725	25	43952	1
43416	1	43558	10	43727	1	43963	1
43420	31	43559	1	43730	1	43964	2
43428	1	43560	26	43731	3	43968	6
43430	4	43565	2	43732	1	43973	1
43431	5	43566	5	43733	1	43977	1
43433	1	43567	4	43734	2	43986	1
43435	3	43569	5	43738	1	43988	1
43437	1	43570	1	43739	2	44000	1
43440	3	43571	5	43746	1	44001	26
43445	1	43572	1	43755	1	44003	3
43447	5	43577	1	43756	3	44004	83
43449	13	43602	3	43758	3	44005	1
43451	1	43604	36	43760	2	44007	3
43452	11	43605	79	43762	3	44010	3
43456	1	43606	65	43764	5	44011	29
43457	2	43607	100	43766	1	44012	19
43458	1	43608	43	43777	2	44014	4
43460	10	43609	51	43778	1	44015	1
43462	1	43610	16	43779	1	44017	26
43464	1	43611	27	43780	1	44018	1
43465	3	43612	88	43783	2	44020	1
43466	1	43613	76	43787	1	44021	5
43468	1	43614	65	43793	1	44022	22
43501	1	43615	122	43802	1	44023	17
43502	1	43616	22	43804	2	44024	24
43505	1	43617	5	43812	15	44026	14
43506	8	43619	8	43821	6	44028	8
43512	15	43620	17	43822	1	44030	15
43515	11	43623	30	43824	1	44032	1
43516	3	43628	1	43830	1	44033	1
43521	1	43631	1	43832	4	44035	154

Table 12. Resident Induced Abortions by Zip Code of Patient, Ohio, 2013 (Part 3)

Zip Code	Total	Zip Code	Total	Zip Code	Total	Zip Code	Total
43527	2	43636	1	43836	1	44036	2
43528	18	43640	1	43844	1	44037	2
43529	1	43641	1	43845	5	44039	41
43532	3	43647	1	43906	1	44040	3
43534	1	43650	2	43907	2	44041	22
43537	33	43701	61	43912	3	44044	25
43539	1	43706	1	43915	1	44045	2
43540	1	43707	2	43917	1	44046	4
43542	1	43711	1	43920	12	44047	14
43543	5	43713	5	43930	1	44048	2
44049	1	44109	188	44169	1	44264	1
44050	5	44110	164	44180	1	44266	40
44051	2	44111	151	44181	2	44270	12
44052	110	44112	187	44182	2	44272	3
44053	41	44113	104	44185	1	44273	5
44054	22	44114	23	44198	1	44275	3
44055	47	44115	100	44201	9	44278	31
44056	20	44116	39	44202	11	44280	2
44057	25	44117	59	44203	69	44281	28
44059	1	44118	173	44204	1	44286	3
44060	75	44119	73	44205	1	44287	4
44062	6	44120	284	44207	1	44288	4
44064	3	44121	168	44208	1	44301	51
44065	5	44122	96	44211	1	44302	24
44067	31	44123	115	44212	90	44303	27
44068	1	44124	116	44214	3	44304	17
44070	58	44125	158	44215	4	44305	73
44071	1	44126	32	44216	11	44306	107
44072	4	44127	26	44217	2	44307	50
44074	16	44128	253	44221	54	44308	9
44075	1	44129	75	44223	23	44309	4
44076	4	44130	120	44224	65	44310	72
44077	113	44131	26	44226	2	44311	33
44080	1	44132	114	44227	1	44312	55
44081	11	44133	45	44229	3	44313	67
44084	2	44134	70	44230	4	44314	51
44085	4	44135	107	44231	13	44315	1
44086	2	44136	41	44233	7	44316	1
44087	53	44137	160	44234	3	44319	31
44088	1	44138	32	44235	2	44320	82

Table 12. Resident Induced Abortions by Zip Code of Patient, Ohio, 2013 (Part 4)

Zip Code	Total	Zip Code	Total	Zip Code	Total	Zip Code	Total
44089	26	44139	38	44236	20	44321	26
44090	11	44140	11	44240	117	44322	2
44091	1	44141	10	44241	28	44324	2
44092	43	44142	53	44242	1	44325	3
44093	1	44143	80	44243	5	44326	1
44094	71	44144	65	44244	3	44330	1
44095	63	44145	38	44246	2	44333	23
44099	4	44146	168	44248	1	44334	1
44100	2	44147	38	44252	1	44401	2
44101	8	44148	2	44253	4	44402	4
44102	200	44149	21	44254	1	44403	8
44103	132	44152	1	44255	14	44404	1
44104	268	44153	2	44256	87	44405	13
44105	289	44154	1	44259	1	44406	21
44106	145	44155	1	44260	15	44408	7
44107	186	44157	1	44261	2	44410	20
44108	219	44165	3	44262	7	44411	3
44412	2	44508	1	44663	34	44827	6
44413	2	44509	40	44664	1	44830	15
44417	2	44510	7	44666	3	44833	13
44420	24	44511	46	44667	12	44836	4
44423	4	44512	49	44670	1	44837	9
44425	15	44513	1	44671	1	44839	17
44427	1	44514	27	44672	5	44840	2
44428	1	44515	55	44675	1	44841	1
44429	5	44567	1	44676	1	44842	1
44430	2	44581	1	44677	4	44843	4
44431	4	44601	48	44680	3	44846	2
44432	11	44603	1	44681	2	44847	3
44436	2	44605	1	44683	7	44850	1
44437	7	44606	2	44685	25	44851	4
44438	3	44608	4	44688	3	44853	1
44440	3	44609	6	44689	2	44857	24
44442	3	44611	2	44691	40	44864	2
44443	3	44612	8	44697	1	44865	5
44444	11	44613	5	44702	2	44870	105
44445	2	44614	18	44703	23	44871	1
44446	37	44615	10	44704	17	44875	7
44447	1	44618	2	44705	48	44876	1

Table 12. Resident Induced Abortions by Zip Code of Patient, Ohio, 2013 (Part 5)

Zip Code	Total	Zip Code	Total	Zip Code	Total	Zip Code	Total
44450	3	44619	1	44706	31	44878	4
44451	3	44621	12	44707	20	44880	2
44452	4	44622	23	44708	49	44882	1
44455	3	44625	2	44709	33	44883	21
44456	1	44626	4	44710	22	44889	6
44460	27	44627	1	44714	11	44890	16
44465	1	44628	1	44716	1	44891	1
44470	3	44629	1	44717	1	44902	5
44471	16	44632	11	44718	12	44903	25
44473	7	44633	1	44720	41	44904	11
44481	11	44634	1	44721	16	44905	11
44483	48	44635	1	44728	1	44906	27
44484	31	44637	1	44730	5	44907	16
44485	46	44638	3	44802	1	44912	1
44487	2	44641	26	44805	22	44920	1
44490	2	44643	2	44807	1	44940	1
44491	5	44644	7	44811	12	44970	1
44496	1	44645	1	44813	6	45001	3
44501	1	44646	84	44814	4	45002	13
44502	34	44647	14	44815	3	45003	1
44503	1	44654	3	44817	2	45005	31
44504	12	44656	6	44818	1	45011	116
44505	49	44657	6	44820	7	45013	72
44506	6	44661	1	44822	3	45014	111
44507	16	44662	13	44824	2	45015	28
45016	1	45150	42	45235	1	45337	3
45018	1	45152	5	45236	49	45338	6
45020	1	45153	2	45237	83	45340	1
45030	16	45154	4	45238	113	45341	6
45034	1	45157	9	45239	85	45342	59
45036	23	45158	1	45240	111	45344	18
45037	1	45159	1	45241	39	45345	5
45039	19	45160	3	45242	28	45346	2
45040	50	45162	1	45243	12	45348	1
45041	1	45167	6	45244	30	45350	1
45042	36	45168	2	45245	29	45356	20
45044	84	45169	5	45246	51	45362	1
45046	1	45171	7	45247	20	45363	1
45050	16	45176	6	45248	25	45365	28



Table 12. Resident Induced Abortions by Zip Code of Patient, Ohio, 2013 (Part 6)

Zip Code	Total	Zip Code	Total	Zip Code	Total	Zip Code	Total
45052	5	45177	20	45249	35	45368	3
45053	5	45182	1	45251	51	45369	3
45055	1	45200	1	45252	4	45371	21
45056	40	45201	3	45255	33	45373	35
45060	1	45202	57	45257	1	45377	17
45064	3	45203	18	45266	1	45380	1
45065	10	45204	20	45273	1	45381	5
45066	14	45205	79	45288	1	45382	2
45067	14	45206	41	45301	1	45383	6
45068	13	45207	39	45302	6	45384	2
45069	62	45208	17	45304	2	45385	46
45081	1	45209	25	45305	14	45387	6
45101	3	45211	149	45306	1	45388	1
45102	26	45212	53	45307	1	45389	1
45103	49	45213	36	45308	5	45390	2
45106	8	45214	61	45309	5	45401	2
45107	7	45215	67	45311	7	45402	39
45113	1	45216	19	45312	1	45403	34
45114	1	45217	25	45314	2	45404	18
45116	1	45218	8	45315	3	45405	48
45118	6	45219	84	45317	2	45406	83
45120	4	45220	38	45318	1	45407	2
45121	7	45223	61	45320	13	45408	2
45122	9	45224	59	45321	1	45409	14
45123	3	45225	81	45322	29	45410	32
45130	2	45226	9	45324	76	45413	1
45131	1	45227	39	45325	2	45414	49
45133	16	45229	62	45327	7	45415	24
45135	3	45230	34	45331	7	45416	21
45140	52	45231	126	45332	1	45417	124
45142	5	45232	57	45334	1	45418	1
45144	2	45233	20	45335	6	45419	21
45147	2	45234	5	45336	1	45420	51
45423	1	45623	1	45714	5	45822	14
45424	93	45624	1	45715	3	45827	1
45425	2	45628	3	45716	1	45828	2
45426	81	45629	1	45719	1	45830	1
45427	2	45630	1	45723	1	45833	4
45429	35	45631	4	45724	1	45834	1

Table 12. Resident Induced Abortions by Zip Code of Patient, Ohio, 2013 (Part 7)

Zip Code	Total	Zip Code	Total	Zip Code	Total	Zip Code	Total
45430	7	45634	1	45725	1	45836	3
45431	53	45636	1	45729	1	45840	56
45432	19	45638	7	45743	1	45841	1
45433	3	45640	8	45750	8	45843	1
45434	3	45644	4	45760	1	45844	1
45439	22	45647	1	45761	1	45845	2
45440	36	45648	3	45764	5	45849	2
45442	1	45651	1	45766	1	45850	1
45447	1	45652	2	45769	3	45856	2
45448	1	45654	3	45770	1	45858	1
45449	57	45656	3	45771	1	45860	1
45453	1	45660	4	45775	1	45865	1
45454	1	45661	4	45779	1	45867	2
45455	1	45662	15	45780	2	45868	1
45458	35	45663	3	45786	1	45871	1
45459	36	45672	1	45801	21	45872	5
45501	2	45674	1	45802	2	45873	1
45502	18	45679	4	45804	13	45875	7
45503	38	45680	1	45805	29	45879	1
45504	28	45681	2	45806	4	45882	2
45505	38	45684	2	45807	10	45883	1
45506	19	45690	8	45808	2	45885	6
45514	1	45692	8	45810	5	45887	2
45523	1	45693	3	45812	2	45888	1
45532	1	45694	4	45813	1	45890	1
45555	1	45696	2	45814	1	45891	6
45589	1	45697	1	45815	1	45895	15
45601	50	45701	63	45817	6	45896	1
45612	2	45703	1	45819	1	45899	1
45614	2	45707	1	45820	1	45924	1
45616	1	45710	4	45821	1	99999	264

Table 13. Contraceptive History at Time of Conception and  
Contraception Recommendations Provided at Discharge, Ohio, 2013

Type of Contraception	History (at conception)	Recommended (after procedure)
Yes, Any Type	5,569	22,542
Cervical Cap	6	0
Hormone Implant	18	293
IUD	86	1,414
Condom, Male	2,467	7,008
Oral Contraceptive	1,956	9,166
Vaginal Ring	301	1,272
Contraceptive Injection	243	0
Condom, Female	51	176
Foam	36	0
Diaphragm	11	46
Hormone Patch	53	122
Rhythm	67	0
DepoProvera	42	1,573
Plan B	25	0
Abstinence		32
Husband Vasectomy		45
Tubal ligation		254
Mirena		37
Emergency Contraceptive		235
Essure		39
Own MD		147
Own plans		559
Other	216	2,535
None	14,020	
Unreported	3,627	

Table 14. Pregnancy History of Women who Obtained Induced Terminations in Ohio, 2013

Number of specified pregnancies	Number of women with specified number of previous pregnancies	Number of women with specified number of prior spontaneous abortions	Number of women with specified number of prior induced abortions
0	5,537	16,996	11,701
1	4,487	3,174	6,138
2	3,954	684	2,347
3	3,240	169	868
4	2,091	73	318
5	1,328	18	125
6	751	8	53
7	409	4	28
8	225	4	22
9	132	2	7
10	71	2	10
11	33	1	2
12	27	0	3
13	9	0	0
14	6	0	0
15	4	0	0
16	4	0	0
17	1	0	0
18	0	0	1
Not Reported	907	2,081	1,593
Total number of previous pregnancies of specified type	49,215	5,666	16,262

Table 15. Selected Medical Information From Confidential Abortion Reports, Ohio, 2013

Discharge instruction given as per O.A.C. 3701-47-02 (Restricted to women obtaining procedure at 14+ weeks gestation)	
Yes	2,471
No	2
Not Reported	193
Medical condition of the woman at time of abortion	
Good	22,842
Other	374
Type of procedure done immediately after the abortion	
None	22,848
Other	368

Table 16. Type of Counseling Provided to Women Obtaining Terminations, Ohio, 2013

Type of Counseling	Number
Psychological	108
Social Services	3,160
Pastoral	25
Medical	14,130
Other	32
None	8,926

Note: A single patient could receive one or more counseling types.



Table 17. Timing of Medical Exam for Terminations Performed, Induced, Or Attempted After 19 Completed Weeks Gestation, Ohio, 2013

Medical Exam performed within 48 hours	
Yes	320
No	1
Not Reported	1

Table 18. Viability Determination and Type of Testing used to Determine Viability for Terminations Performed, Induced or Attempted After 19 Completed Weeks Gestation, Ohio, 2013

Viability Judgement	
Viable	2
Not Viable	316
Not Reported	4
Type of Viability Testing	
Ultrasound	317
Lung Maturity Testing	0
Genetic Testing	8
Amniocentesis	3
Chorionic Villus Sampling	0
Cordecentesis	0
Weight (Ultrasound Estimate)	278
Maternal Serum Alpha-Fetoprotein	0
Actual Fetal Biometrics	48
Other	1

Note: More than one type of test to determine viability may be reported. The one "other reported" method was "MRI".

# Confidential Abortion Report

Ohio Department of Health

(Required pursuant to R.C.3701.79)

1. Facility Name:		For State Use Only
2. Address:	Zip Code of Facility:	

## General Information

3. Zip code of address of the woman:		County of Residence (specify):	State of Residence:
4. Woman's Identification number:	5. Age of woman:	6. Specify highest degree or level of school completed: <input type="checkbox"/> 8th grade or less <input type="checkbox"/> 9 <sup>th</sup> -12 <sup>th</sup> grade <input type="checkbox"/> High School Grad/GED <input type="checkbox"/> Some College/No degree <input type="checkbox"/> Associate's Degree <input type="checkbox"/> Bachelor's Degree <input type="checkbox"/> Master's Degree <input type="checkbox"/> Doctorate Degree <input type="checkbox"/> Unknown	
7. Marital status, please select one: <input type="checkbox"/> Never Married <input type="checkbox"/> Divorced <input type="checkbox"/> Married <input type="checkbox"/> Widowed <input type="checkbox"/> Separated <input type="checkbox"/> Unknown		8a. Race or ethnic group, please select all that apply: <input type="checkbox"/> White <input type="checkbox"/> Asian <input type="checkbox"/> Black <input type="checkbox"/> Pacific Islander <input type="checkbox"/> American Indian <input type="checkbox"/> Unknown <input type="checkbox"/> Other (specify) _____	8b. Is the woman of Hispanic origin? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown

## Medical History, Physical, & Assessment

9. Number of living children: <input type="text"/> <input type="text"/>		10. Date of last live birth: M M      D D      Y Y <input type="checkbox"/> Unknown      ____/____/____	
11.a Number of prior spontaneous abortions: <input type="text"/> <input type="text"/>	11.b Number of prior induced abortions: <input type="text"/> <input type="text"/>	12. Date of last induced abortion: M M      D D      Y Y <input type="checkbox"/> Unknown      ____/____/____	
13. Number of previous pregnancies: <input type="text"/> <input type="text"/>		14. Contraceptive History: Was the woman practicing contraception at the time of conception? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	
15. Method. If yes to number 14, what was the method used? <input type="checkbox"/> Cervical Cap <input type="checkbox"/> Hormone Implant <input type="checkbox"/> IUD <input type="checkbox"/> Condom (male) <input type="checkbox"/> Oral Contraceptive <input type="checkbox"/> Vaginal Ring <input type="checkbox"/> Contraceptive Injection <input type="checkbox"/> Condom (female) <input type="checkbox"/> Foam <input type="checkbox"/> Diaphragm <input type="checkbox"/> Hormone Patch <input type="checkbox"/> Rhythm <input type="checkbox"/> Other _____		16. First day of last menstrual period: M M      D D      Y Y ____/____/____ <input type="checkbox"/> Unknown	

## Medical Procedure

17. Date of Termination: M M      D D      Y Y ____/____/____	18a. Clinical Estimate of Gestational Age: Weeks <input type="text"/> <input type="text"/> Days <input type="text"/>	18b. Method used to determine gestational age of the fetus: <input type="checkbox"/> Clinical Exam <input type="checkbox"/> LMP <input type="checkbox"/> Ultrasound <input type="checkbox"/> Other _____	19. If 18a is 14 weeks or greater, were discharge instructions given as per O.A.C. 3701-47-02? <input type="checkbox"/> Yes <input type="checkbox"/> No
20. Method of Termination: <input type="checkbox"/> Suction Dilation & Curettage <input type="checkbox"/> Dilation & Evacuation (D&E) <input type="checkbox"/> Medical (NonSurgical) (specify) <input type="checkbox"/> Hysterectomy <input type="checkbox"/> Hysterotomy <input type="checkbox"/> Mifepristone (RU 486) <input type="checkbox"/> Other (specify) _____ <input type="checkbox"/> Dilation Extraction <input type="checkbox"/> Methotrexate <input type="checkbox"/> Other (specify) _____			
21. Medical condition of the woman at the time of abortion: <input type="checkbox"/> Good <input type="checkbox"/> Other (specify) _____		22. Type of procedure done immediately after the abortion: <input type="checkbox"/> None <input type="checkbox"/> Other (specify) _____	
23. Post Abortion Complications (Indicate all): <input type="checkbox"/> None <input type="checkbox"/> Hemorrhage <input type="checkbox"/> Perforation of Uterus <input type="checkbox"/> Cervical Laceration <input type="checkbox"/> Infection <input type="checkbox"/> Anesthetic <input type="checkbox"/> Failed Abortion <input type="checkbox"/> Incomplete Abortion <input type="checkbox"/> Hematometra <input type="checkbox"/> Death <input type="checkbox"/> Other (specify) _____		24. Type of family planning recommended: <input type="checkbox"/> Cervical Cap <input type="checkbox"/> Hormone Implant <input type="checkbox"/> Condom (male) <input type="checkbox"/> Oral Contraceptive <input type="checkbox"/> Depo Provera <input type="checkbox"/> Condom (female) <input type="checkbox"/> Diaphragm <input type="checkbox"/> Hormone Patch <input type="checkbox"/> IUD <input type="checkbox"/> Vaginal Ring <input type="checkbox"/> Other (specify) _____	
25. Type of Counseling given: <input type="checkbox"/> None <input type="checkbox"/> Psychological <input type="checkbox"/> Social Service <input type="checkbox"/> Pastoral <input type="checkbox"/> Medical <input type="checkbox"/> Other (specify) _____			
26. Physician's Name (Type or print)		27. Physician's Signature:      Date: _____	

**Medical Information for Abortions Performed, Induced or Attempted after 19 Completed Weeks of Gestation****(Required pursuant to R. C. 2919.171 and O.A.C. 3701-47-03)**

Woman's Identification number:

*For State Use Only***Please respond to questions 30b-d and 31a-b and initial the document ONLY if you responded "YES" to question 29a or 30a.**

28a. Did you perform a medical examination of the pregnant woman within 48 hours before the performance of the abortion or the attempt to perform or induce the abortion?  
☐ Yes ☐ No

28b. Date of medical examination:

M M D D Y Y

\_\_\_\_/\_\_\_\_/\_\_\_\_

29a. In your good faith judgment, was the unborn child viable as defined in ORC 2919.16, paragraph M?  
☐ Yes ☐ No

29b. Type of testing performed to determine viability:

☐ Ultrasound☐ Lung Maturity Testing☐ Genetic Testing☐ Amniocentesis☐ Other \_\_\_\_\_☐ Chorionic Villus Sampling☐ Cordocentesis☐ Weight (Ultrasound Estimate)☐ Maternal Serum Alpha-Fetoprotein (MSAFP)

30a. The abortion was induced, performed or attempted because of a medical necessity or medical emergency (i.e. to prevent the death of the pregnant woman or a serious risk of the substantial and irreversible impairment of a major bodily function of the pregnant woman):

☐ Yes ☐ No

30b. Please have the physician, who is not professionally related to the attending physician, certify the information in Question #30a. by printing and signing their name: By signing below, I certify that I am not professionally related to the attending physician and that the abortion was induced, performed or attempted because of a medical necessity or medical emergency (i.e. to prevent the death of the pregnant woman or a serious risk of the substantial and irreversible impairment of a major bodily function of the pregnant woman).

Print Name \_\_\_\_\_

Signature \_\_\_\_\_ M.D./D.O.

30c. Medical condition of the pregnant woman that constitutes medical necessity or medical emergency:

☐ Diabetes☐ Multiple Sclerosis☐ Hemorrhage☐ Respiratory Failure☐ Preeclampsia (Toxemia)☐ Eclampsia☐ Inevitable Abortion☐ Acute Fatty Liver of Pregnancy☐ Infection☐ Premature Rupture of the Membrane☐ Cardiac Disease☐ Other \_\_\_\_\_

30d. Method or techniques considered when inducing or performing the abortion (check all that apply):

☐ Suction Dilation & Curettage☐ Dilation Extraction (specify) \_\_\_\_\_☐ Hysterectomy☐ Other (specify) \_\_\_\_\_☐ Dilation & Evacuation (D&E)☐ Hysterotomy☐ Medical (NonSurgical)☐ Mifepristone (RU 486)☐ Methotrexate☐ Other (specify) \_\_\_\_\_

31a. Method or technique employed when inducing or performing the abortion:

☐ Suction Dilation & Curettage☐ Dilation Extraction (specify) \_\_\_\_\_☐ Hysterectomy☐ Other (specify) \_\_\_\_\_☐ Dilation & Evacuation (D&E)☐ Hysterotomy☐ Medical (NonSurgical)☐ Mifepristone (RU 486)☐ Methotrexate☐ Other (specify) \_\_\_\_\_

31b. Reason for choice of method or technique:

☐ Gestational Age☐ Patient Safety☐ Patient Choice☐ Availability of Services☐ Other (specify) \_\_\_\_\_

\_\_\_\_\_ By initialing I certify that the abortion was not based on a claim or diagnosis that the pregnant woman will engage in conduct that would result in the pregnant woman's death or a substantial and irreversible impairment of a major bodily function of the pregnant woman or on any reason related to the woman's mental health.

*A physician who fails to submit the report described in Paragraph (A) of OAC 3701-47-03 more than thirty days after the fifteen-day deadline, shall be subject to a late fee of five hundred dollars for each additional thirty-day period or portion of a thirty-day period the report is overdue.*

# Post Abortion Care Report For Complications

## Ohio Department of Health

(Required Pursuant to O. A.C. 3701-47-03)  
To be completed by the physician providing post-abortion care

			State Use Only													
Facility Where Post-Abortion Care was Provided																
Street or Post Number		City		State												
				Zip												
Date of Abortion: Month Date Year			Weeks of Gestation													
Facility Where Abortion was Performed:																
Address of Facility: Street or Post Number		City		State												
				Zip												
Date Post Abortion Care Began: Month Day Year			Patient Number:													
<p>Complication(s) (Please check all that apply):</p> <table border="0"> <tr> <td><input type="checkbox"/> Hemorrhage</td> <td><input type="checkbox"/> Anesthetic</td> <td><input type="checkbox"/> Hematometra</td> <td><input type="checkbox"/> Perforation of Uterus</td> </tr> <tr> <td><input type="checkbox"/> Failure of Amniotic Fluid Ex</td> <td><input type="checkbox"/> RH Incompatibility</td> <td><input type="checkbox"/> Cervical Laceration</td> <td><input type="checkbox"/> Failed Abortion</td> </tr> <tr> <td><input type="checkbox"/> Infection</td> <td><input type="checkbox"/> Incomplete Abortion</td> <td><input type="checkbox"/> Death</td> <td><input type="checkbox"/> Other (Specify) _____</td> </tr> </table>					<input type="checkbox"/> Hemorrhage	<input type="checkbox"/> Anesthetic	<input type="checkbox"/> Hematometra	<input type="checkbox"/> Perforation of Uterus	<input type="checkbox"/> Failure of Amniotic Fluid Ex	<input type="checkbox"/> RH Incompatibility	<input type="checkbox"/> Cervical Laceration	<input type="checkbox"/> Failed Abortion	<input type="checkbox"/> Infection	<input type="checkbox"/> Incomplete Abortion	<input type="checkbox"/> Death	<input type="checkbox"/> Other (Specify) _____
<input type="checkbox"/> Hemorrhage	<input type="checkbox"/> Anesthetic	<input type="checkbox"/> Hematometra	<input type="checkbox"/> Perforation of Uterus													
<input type="checkbox"/> Failure of Amniotic Fluid Ex	<input type="checkbox"/> RH Incompatibility	<input type="checkbox"/> Cervical Laceration	<input type="checkbox"/> Failed Abortion													
<input type="checkbox"/> Infection	<input type="checkbox"/> Incomplete Abortion	<input type="checkbox"/> Death	<input type="checkbox"/> Other (Specify) _____													
<p>Duration of Treatment: (indicate Number of Hours or Days)</p> <p>_____ Hours _____ Days</p>																
Remarks																
Physician's Name Providing Care (Type or Print)		Physicians Signature <input type="checkbox"/> M.D. <input type="checkbox"/> D.O.		Date												

Send Completed Form to: Ohio Department of Health  
Confidential Reports A  
PO Box 118  
Columbus, Ohio 43216

HEA 1806 Rev. 9/2014



Notes



