

New Diagnoses of HIV Infection Reported in Allen County

*Please note a decrease in new reported diagnoses of HIV in 2020 may not represent a true decline, and may be a reporting artifact as a result of COVID-19.

As of June 30, 2024

Reported new diagnoses of HIV infection in 2023 by disease status and selected characteristics, Allen County

Characteristic	2023 diagnosis of HIV infection			Disease Status					
	Rate ^a	No.	%	HIV (not AIDS)		HIV & later AIDS		AIDS	
				No.	%	No.	%	No.	%
Sex at birth									
Males	21.8	11	100%	7	100%	3	100%	1	100%
Females	*	-	-	-	-	-	-	-	-
Age at diagnosis (years)									
0-9	*	-	-	-	-	-	-	-	-
10-14	*	-	-	-	-	-	-	-	-
15-19	*	-	-	-	-	-	-	-	-
20-24	*	3	27%	2	29%	1	33%	-	-
25-29	*	2	18%	2	29%	-	-	-	-
30-34	*	1	9%	1	14%	-	-	-	-
35-39	*	1	9%	-	-	1	33%	-	-
40-44	*	1	9%	-	-	-	-	1	100%
45-49	*	1	9%	1	14%	-	-	-	-
50-54	*	-	-	-	-	-	-	-	-
55-64	*	2	18%	1	14%	1	33%	-	-
65+	*	-	-	-	-	-	-	-	-
Race/Ethnicity ^b									
American Indian/Alaska Native	*	-	-	-	-	-	-	-	-
Asian/Pacific Islander	*	-	-	-	-	-	-	-	-
Black/African American	41.9	5	45%	4	57%	1	33%	-	-
Hispanic/Latino	*	2	18%	1	14%	-	-	1	100%
White	*	4	36%	2	29%	2	67%	-	-
Multi-Race	*	-	-	-	-	-	-	-	-
Race/Ethnicity ^b and Sex at birth									
American Indian/Alaska Native Males	*	-	-	-	-	-	-	-	-
American Indian/Alaska Native Females	*	-	-	-	-	-	-	-	-
Asian/Pacific Islander Males	*	-	-	-	-	-	-	-	-
Asian/Pacific Islander Females	*	-	-	-	-	-	-	-	-
Black/African American Males	82.6	5	45%	4	57%	1	33%	-	-
Black/African American Females	*	-	-	-	-	-	-	-	-
Hispanic/Latino Males	*	2	18%	1	14%	-	-	1	100%
Hispanic/Latina Females	*	-	-	-	-	-	-	-	-
White Males	*	4	36%	2	29%	2	67%	-	-
White Females	*	-	-	-	-	-	-	-	-
Multi-Race Males	*	-	-	-	-	-	-	-	-
Multi-Race Females	*	-	-	-	-	-	-	-	-
Total	10.9	11		7		3		1	

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^aThe rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

^b Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported new diagnoses of HIV infection in 2023 by disease status and transmission category, Allen County

Transmission Category ^a	2023 diagnosis of HIV infection		Disease Status					
			HIV (not AIDS)		HIV & later AIDS		AIDS	
	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent								
Male-to-male sexual contact	7	64%	5	71%	2	67%	-	-
Injection drug use (IDU)	-	-	-	-	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-
Heterosexual contact	1	9%	1	14%	-	-	-	-
Other/unknown	3	27%	1	14%	1	33%	1	100%
Subtotal	11	100%	7	100%	3	100%	1	100%
Female adult or adolescent								
Injection drug use	-	-	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-
Child (<13 years at diagnosis)								
Perinatal	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-
Total	11		7		3		1	

Reported new diagnoses of HIV infection in 2023 by disease status and exposure category, Allen County

Exposure Category ^b	2023 diagnosis of HIV infection		Disease Status					
			HIV (not AIDS)		HIV & later AIDS		AIDS	
	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	5	45%	4	57%	1	33%	-	-
Injection drug use (IDU) only	-	-	-	-	-	-	-	-
Heterosexual contact only	4	36%	2	29%	1	33%	1	100%
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-
IDU & Heterosexual contact	-	-	-	-	-	-	-	-
Male-to-male sexual contact & Heterosexual contact	2	18%	1	14%	1	33%	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-
Perinatal exposure	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Total	11		7		3		1	

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and age at diagnosis, Allen County

2023 diagnosis of HIV infection																		
Age at diagnosis (years)	American Indian/Alaska Native			Asian/Pacific Islander			Black/African American			Hispanic/ Latino*			White			Multi-Race		
	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
20-24	*	-	-	*	-	-	*	2	40%	*	-	-	*	1	25%	*	-	-
25-29	*	-	-	*	-	-	*	2	40%	*	-	-	*	-	-	*	-	-
30-34	*	-	-	*	-	-	*	-	-	*	-	-	*	1	25%	*	-	-
35-39	*	-	-	*	-	-	*	1	20%	*	-	-	*	-	-	*	-	-
40-44	*	-	-	*	-	-	*	-	-	*	1	50%	*	-	-	*	-	-
45-49	*	-	-	*	-	-	*	-	-	*	-	-	*	1	25%	*	-	-
50-54	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
55-64	*	-	-	*	-	-	*	-	-	*	1	50%	*	1	25%	*	-	-
65+	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	*	-	-	*	-	-	41.9	5		*	2		*	4		*	-	

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and transmission category, Allen County

2023 diagnosis of HIV infection													
Transmission Category ^c	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino ^a		White		Multi-Race		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Male adult or adolescent													
Male-to-male sexual contact	-	-	-	-	3	60%	1	50%	3	75%	-	-	
Injection drug use (IDU)	-	-	-	-	-	-	-	-	-	-	-	-	
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-	-	-	-	-	
Heterosexual contact	-	-	-	-	-	-	-	-	1	25%	-	-	
Other/unknown	-	-	-	-	2	40%	1	50%	-	-	-	-	
Subtotal	-	-	-	-	5	100%	2	100%	4	100%	-	-	
Female adult or adolescent													
Injection drug use	-	-	-	-	-	-	-	-	-	-	-	-	
Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-	
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-	
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	
Child (<13 years at diagnosis)													
Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-	
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	
Total	-	-	-	-	5		2		4		-	-	

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and exposure category, Allen County

2023 diagnosis of HIV infection													
Exposure Category ^d	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino ^a		White		Multi-Race		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Male-to-male sexual contact only	-	-	-	-	3	60%	-	-	2	50%	-	-	
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	-	-	-	-	
Heterosexual contact only	-	-	-	-	2	40%	1	50%	1	25%	-	-	
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-	-	-	-	-	
IDU & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-	
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	-	-	1	50%	1	25%	-	-	
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-	
Perinatal exposure	-	-	-	-	-	-	-	-	-	-	-	-	
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-	
Total	-	-	-	-	5		2		4		-	-	

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

^b The rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

^c Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^d Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Persons Living with Diagnosed HIV Infection Reported in Allen County

As of June 30, 2024

Reported persons living with diagnosed HIV infection in 2023 by current disease status and selected characteristics, Allen County

Characteristic	Living with diagnosed HIV infection in			Current Disease Status			
	2023			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Sex at birth							
Males	248.2	125	72%	69	68%	56	78%
Females	95.1	48	28%	32	32%	16	22%
Age at end of year (years)							
0-9	*	-	-	-	-	-	-
10-14	*	1	1%	1	1%	-	-
15-19	*	-	-	-	-	-	-
20-24	*	4	2%	3	3%	1	1%
25-29	100.5	6	3%	5	5%	1	1%
30-34	313.0	20	12%	16	16%	4	6%
35-39	409.7	24	14%	16	16%	8	11%
40-44	296.9	18	10%	14	14%	4	6%
45-49	249.2	14	8%	9	9%	5	7%
50-54	364.1	21	12%	11	11%	10	14%
55-64	336.1	43	25%	17	17%	26	36%
65+	112.5	22	13%	9	9%	13	18%
Race/Ethnicity^b							
American Indian/Alaska Native	*	-	-	-	-	-	-
Asian/Pacific Islander	*	1	1%	-	-	1	1%
Black/African American	510.9	61	35%	39	39%	22	31%
Hispanic/Latino	291.2	11	6%	8	8%	3	4%
White	110.4	89	51%	48	48%	41	57%
Multi-Race	330.6	11	6%	6	6%	5	7%
Unknown	*	-	-	-	-	-	-
Race/Ethnicity^b and Sex at birth							
American Indian/Alaska Native Males	*	-	-	-	-	-	-
American Indian/Alaska Native Females	*	-	-	-	-	-	-
Asian/Pacific Islander Males	*	1	1%	-	-	1	1%
Asian/Pacific Islander Females	*	-	-	-	-	-	-
Black/African American Males	594.8	36	21%	24	24%	12	17%
Black/African American Females	424.7	25	14%	15	15%	10	14%
Hispanic/Latino Males	443.3	9	5%	6	6%	3	4%
Hispanic/Latina Females	*	2	1%	2	2%	-	-
White Males	174.9	70	40%	34	34%	36	50%
White Females	46.8	19	11%	14	14%	5	7%
Multi-Race Males	529.7	9	5%	5	5%	4	6%
Multi-Race Females	*	2	1%	1	1%	1	1%
Unknown	*	-	-	-	-	-	-
Total	171.6	173		101		72	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^aThe rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

^b Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported persons living with diagnosed HIV infection in 2023 by current disease status and transmission category, Allen County

Transmission Category ^a	Living with diagnosed HIV infection in		Current Disease Status			
	2023		HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	84	68%	44	65%	40	71%
Injection drug use (IDU)	7	6%	4	6%	3	5%
Male-to-male sexual contact and IDU	6	5%	3	4%	3	5%
Heterosexual contact	10	8%	4	6%	6	11%
Other/unknown	17	14%	13	19%	4	7%
Subtotal	124	100%	68	100%	56	100%
Female adult or adolescent						
Injection drug use	5	11%	4	13%	1	7%
Heterosexual contact	38	81%	25	78%	13	87%
Other/unknown	4	9%	3	9%	1	7%
Subtotal	47	100%	32	100%	15	100%
Child (<13 years at diagnosis)						
Perinatal	2	100%	1	100%	1	100%
Other/unknown	-	-	-	-	-	-
Subtotal	2	100%	1	100%	1	100%
Total	173		101		72	

Reported persons living with diagnosed HIV infection in 2023 by current disease status and exposure category, Allen County

Exposure Category ^b	Living with diagnosed HIV infection in		Current Disease Status			
	2023		HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male-to-male sexual contact only	57	33%	30	30%	27	38%
Injection drug use (IDU) only	-	-	-	-	-	-
Heterosexual contact only	57	33%	36	36%	21	29%
Male-to-male sexual contact & IDU	2	1%	2	2%	-	-
IDU & Heterosexual contact	12	7%	8	8%	4	6%
Male-to-male sexual contact & Heterosexual contact	27	16%	14	14%	13	18%
Male-to-male sexual contact & IDU & Heterosexual contact	4	2%	1	1%	3	4%
Perinatal exposure	2	1%	1	1%	1	1%
Other/unknown	12	7%	9	9%	3	4%
Total	173		101		72	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and age, Allen County

Living with diagnosed HIV infection in 2023																		
Age at end of year (years)	American Indian/Alaska Native			Asian/Pacific Islander			Black/African American			Hispanic/ Latino ^a			White			Multi-Race		
	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	1	2%	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
20-24	*	-	-	*	-	-	*	3	5%	*	-	-	*	1	1%	*	-	-
25-29	*	-	-	*	-	-	*	2	3%	*	1	9%	*	3	3%	*	-	-
30-34	*	-	-	*	-	-	804.6	7	11%	*	2	18%	199.5	10	11%	*	1	9%
35-39	*	-	-	*	-	-	1,171.3	8	13%	*	-	-	296.6	14	16%	*	2	18%
40-44	*	-	-	*	-	-	777.2	6	10%	*	1	9%	184.0	9	10%	*	<5	-
45-49	*	-	-	*	-	-	914.6	6	10%	*	4	36%	*	4	4%	*	-	-
50-54	*	-	-	*	-	-	1,597.4	10	16%	*	-	-	185.6	9	10%	*	<5	-
55-64	*	-	-	*	-	-	951.0	13	21%	*	3	27%	220.1	24	27%	*	<5	-
65+	*	-	-	*	1	100%	303.2	5	8%	*	-	-	86.6	15	17%	*	1	9%
Total	*	-	-	*	1	-	510.9	61	-	291.2	11	-	110.4	89	-	330.6	11	-

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and transmission category, Allen County

Living with diagnosed HIV infection in 2023												
Transmission Category ^c	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent												
Male-to-male sexual contact	-	-	-	-	22	63%	4	44%	51	73%	7	78%
Injection drug use (IDU)	-	-	-	-	3	9%	-	-	3	4%	1	11%
Male-to-male sexual contact and IDU	-	-	-	-	1	3%	-	-	5	7%	-	-
Heterosexual contact	-	-	1	100%	2	6%	3	33%	3	4%	1	11%
Other/unknown	-	-	-	-	7	20%	2	22%	8	11%	-	-
Subtotal	-	-	1	100%	35	100%	9	100%	70	100%	9	100%
Female adult or adolescent												
Injection drug use	-	-	-	-	1	4%	-	-	4	22%	-	-
Heterosexual contact	-	-	-	-	21	84%	2	100%	13	72%	2	100%
Other/unknown	-	-	-	-	3	12%	-	-	1	6%	-	-
Subtotal	-	-	-	-	25	100%	2	100%	18	100%	2	100%
Child (<13 years at diagnosis)												
Perinatal	-	-	-	-	1	100%	-	-	1	100%	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	1	100%	-	-	1	100%	-	-
Total	-	-	1	-	61	-	11	-	89	-	11	-

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and exposure category, Allen County

Living with diagnosed HIV infection in 2023												
Exposure Category ^d	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	-	-	-	-	17	28%	2	18%	35	39%	3	27%
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	-	-	-	-
Heterosexual contact only	-	-	1	100%	27	44%	7	64%	19	21%	3	27%
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-	2	2%	-	-
IDU & Heterosexual contact	-	-	-	-	4	7%	-	-	7	8%	1	9%
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	5	8%	2	18%	16	18%	4	36%
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	1	2%	-	-	3	3%	-	-
Perinatal exposure	-	-	-	-	1	2%	-	-	1	1%	-	-
Other/unknown	-	-	-	-	6	10%	-	-	6	7%	-	-
Total	-	-	1	-	61	-	11	-	89	-	11	-

Notes:
Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.
Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.
^a Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.
^b The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.
^c Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.
^d Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.
Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and selected characteristics, Allen County, 2019-2023

Characteristic	Living with Diagnosed HIV Infection														
	2019			2020			2021			2022			2023		
	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%
Sex at birth															
Males	207.2	107	69%	204.0	105	69%	203.3	105	69%	207.3	105	70%	248.2	125	72%
Females	92.7	47	31%	93.1	47	31%	94.0	47	31%	91.2	46	30%	95.1	48	28%
Age at end of year (years)															
0-9	*	-	-	*	1	1%	*	1	1%	*	1	1%	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	1	1%
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
20-24	*	2	1%	*	1	1%	*	3	2%	*	2	1%	*	4	2%
25-29	116.4	8	5%	105.1	7	5%	174.1	11	7%	116.2	7	5%	100.5	6	3%
30-34	254.3	15	10%	332.8	20	13%	240.2	15	10%	301.3	19	13%	313.0	20	12%
35-39	331.5	20	13%	253.3	15	10%	236.5	14	9%	275.4	16	11%	409.7	24	14%
40-44	371.8	22	14%	370.2	22	14%	325.2	20	13%	279.3	17	11%	296.9	18	10%
45-49	243.2	14	9%	225.8	13	9%	213.5	12	8%	252.7	14	9%	249.2	14	8%
50-54	264.1	16	10%	321.9	19	13%	365.5	22	14%	339.6	20	13%	364.1	21	12%
55-64	324.6	45	29%	308.9	42	28%	307.5	41	27%	290.7	38	25%	336.1	43	25%
65+	64.8	12	8%	63.6	12	8%	70.1	13	9%	88.5	17	11%	112.5	22	13%
Race/Ethnicity^b															
American Indian/Alaska Native	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander	*	1	1%	*	1	1%	*	1	1%	*	1	1%	*	1	1%
Black/African American	486.9	61	40%	482.4	61	40%	478.5	60	39%	491.9	59	39%	510.9	61	35%
Hispanic/Latino	263.2	9	6%	249.8	9	6%	212.5	8	5%	211.8	8	5%	291.2	11	6%
White	90.9	75	49%	86.9	71	47%	87.5	71	47%	90.2	73	48%	110.4	89	51%
Multi-Race	275.8	8	5%	334.8	10	7%	384.4	12	8%	308.9	10	7%	330.6	11	6%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Race/Ethnicity^b and Sex at birth															
American Indian/Alaska Native Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
American Indian/Alaska Native Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander Males	*	1	1%	*	1	1%	*	1	1%	*	1	1%	*	1	1%
Asian/Pacific Islander Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Black/African American Males	518.9	34	22%	559.3	37	24%	513.8	34	22%	554.4	34	23%	594.8	36	21%
Black/African American Females	451.7	27	18%	398.0	24	16%	439.0	26	17%	426.5	25	17%	424.7	25	14%
Hispanic/Latino Males	315.1	6	4%	299.6	6	4%	288.2	6	4%	291.8	6	4%	443.3	9	5%
Hispanic/Latina Females	*	3	2%	*	3	2%	*	2	1%	*	2	1%	*	2	1%
White Males	145.5	60	39%	132.3	54	36%	132.3	54	36%	139.0	56	37%	174.9	70	40%
White Females	36.4	15	10%	41.6	17	11%	42.2	17	11%	41.8	17	11%	46.8	19	11%
Multi-Race Males	407.3	6	4%	456.9	7	5%	623.1	10	7%	482.8	8	5%	529.7	9	5%
Multi-Race Females	*	2	1%	*	3	2%	*	2	1%	*	2	1%	*	2	1%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	150.5	154		149.0	152		149.5	152		149.3	151		171.6	173	

Notes:

Living with diagnosed HIV infection by year (2019-2023) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^b Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and transmission category, Allen County, 2019-2023

Living with Diagnosed HIV Infection										
Transmission Category ^a	2019		2020		2021		2022		2023	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent										
Male-to-male sexual contact	62	58%	62	60%	66	63%	63	61%	84	68%
Injection drug use (IDU)	6	6%	6	6%	5	5%	5	5%	7	6%
Male-to-male sexual contact and IDU	9	8%	10	10%	10	10%	11	11%	6	5%
Heterosexual contact	12	11%	12	12%	9	9%	9	9%	10	8%
Other/unknown	18	17%	14	13%	14	13%	16	15%	17	14%
Subtotal	107	100%	104	100%	104	100%	104	100%	124	100%
Female adult or adolescent										
Injection drug use	5	11%	5	11%	5	11%	4	9%	5	11%
Heterosexual contact	38	83%	39	85%	39	85%	38	84%	38	81%
Other/unknown	3	7%	2	4%	2	4%	3	7%	4	9%
Subtotal	46	100%	46	100%	46	100%	45	100%	47	100%
Child (<13 years at diagnosis)										
Perinatal	1	100%	2	100%	2	100%	2	100%	2	100%
Other/unknown	-	-	-	-	-	-	-	-	-	-
Subtotal	1	100%	2	100%	2	100%	2	100%	2	100%
Total	154		152		152		151		173	

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and exposure category, Allen County, 2019-2023

Living with Diagnosed HIV Infection											
Exposure Category ^b	2019		2020		2021		2022		2023		
	No.	%	No.	%	No.	%	No.	%	No.	%	
Male-to-male sexual contact only	40	26%	40	26%	43	28%	44	29%	57	33%	
Injection drug use (IDU) only	2	1%	2	1%	2	1%	1	1%	-	-	
Heterosexual contact only	58	38%	57	38%	54	36%	54	36%	57	33%	
Male-to-male sexual contact & IDU	4	3%	5	3%	5	3%	5	3%	2	1%	
IDU & Heterosexual contact	9	6%	9	6%	8	5%	8	5%	12	7%	
Male-to-male sexual contact & Heterosexual contact	22	14%	22	14%	23	15%	19	13%	27	16%	
Male-to-male sexual contact & IDU & Heterosexual contact	5	3%	5	3%	5	3%	6	4%	4	2%	
Perinatal exposure	1	1%	2	1%	2	1%	2	1%	2	1%	
Other/unknown	13	8%	10	7%	10	7%	12	8%	12	7%	
Total	154		152		152		151		173		

Notes:

Living with diagnosed HIV infection by year (2019-2023) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.