

# VFC Vaccine Storage Unit Review Form



<b>Provider Name:</b>		<b>County:</b>	
<b>Provider Pin #:</b>		<b>VFC Consultant:</b>	

## Vaccine Storage Unit Description

Name this unit with a description that will allow your staff to easily identify it in the event of follow-up.

ODH recommends using the brand and serial number (e.g., GE - S1234567).

If there are additional storage units, complete the additional unit description on page 2.

<b>Vaccine Storage Unit A:</b>	
Type of unit.	
Indicate type of use for vaccine storage if "Stand-alone".	
Indicate type of use for vaccine storage if "Combination".	
Vaccine storage grade.	
Photo of the front of the unit with door closed.	
Photo of the front view of the unit with door open.	

Note - The Centers for Disease Control and Prevention (CDC) recommends the following units, in order of preference, for the storage of VFC vaccines:

- Purpose-built or pharmaceutical/medical-grade units, including doorless and vending-style units.
- Stand-alone refrigerator and freezer units – these units can vary in size from a compact, under-the-counter style to a large, stand-alone, pharmaceutical-grade storage unit.
- Combination household refrigerator/freezer unit, using only the refrigerator compartment to store vaccines – a separate stand-alone freezer should then be used to store frozen vaccines.

The use of dormitory-style units is prohibited for VFC provider offices. These units have a single exterior door and an evaporator plate or cooling coil, that is usually located in an icemaker or freezer compartment.

[CDC Vaccine Storage and Handling Toolkit](#)

**Vaccine Storage Unit Description**

Name this unit with a description that will allow your staff to easily identify it in the event of follow-up. ODH recommends using the brand and serial number (e.g., Kelvinator S1234567).

<b>Storage Unit B:</b>	
Type of unit.	
Indicate type of use for vaccine storage if “Stand-alone”.	
Indicate type of use for vaccine storage if “Combination”.	
Vaccine storage grade.	
Photo of the front of the unit with door closed.	
Photo of the front view of the unit with door open.	

Once completed, submit this form to [VFC@odh.ohio.gov](mailto:VFC@odh.ohio.gov). The ODH VFC Team will reach out to you and request temperature data for the storage unit.

**Note:** The vaccine storage unit should not be used until it has been approved by the ODH VFC Program.

**ODH VFC Program Administrative Review**

Select the date of storage unit review.	
Name of VFC staff reviewer.	
Is the unit approved for vaccine storage?	
Select the date ODH requested temperature data from VFC provider.	
Select the date temperature data was received by ODH.	
Are temperatures stable for vaccine storage?	
Notes:	