

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN8: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	7.9	(6.1 - 10.1)	1,197	11.0	(8.3 - 14.5)	608	4.4	(2.6 - 7.2)	584
Age									
15 or younger	9.8	(7.3 - 13.0)	374	14.3	(11.3 - 18.1)	191	5.0	(2.1 - 11.5)	180
16 or 17	6.8	(4.5 - 10.1)	667	9.6	(6.1 - 14.8)	331	4.0	(2.1 - 7.4)	335
18 or older	7.0	(2.9 - 15.7)	155	-	-	85	-	-	69
Grade									
9th	9.9	(6.9 - 14.2)	269	14.2	(10.6 - 18.6)	144	5.2	(1.8 - 14.5)	123
10th	7.9	(5.5 - 11.2)	368	11.0	(7.4 - 16.0)	181	4.0	(1.8 - 8.8)	186
11th	6.3	(3.6 - 10.8)	354	8.4	(4.6 - 14.7)	175	4.2	(1.5 - 11.0)	179
12th	6.6	(2.8 - 14.9)	192	-	-	99	-	-	93
Race/Ethnicity									
Black*	18.1	(12.1 - 26.1)	284	23.9	(16.0 - 34.1)	134	11.2	(5.8 - 20.6)	148
Hispanic/Latino	16.1	(10.8 - 23.2)	119	-	-	65	-	-	53
White*	4.8	(3.3 - 6.9)	650	6.7	(4.1 - 10.8)	330	2.8	(1.3 - 5.9)	319
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	56	-	-	33	-	-	23

Note: 66 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	49.1	(39.0 - 59.3)	638	48.1	(34.7 - 61.8)	345	50.0	(42.1 - 58.0)	289
Age									
15 or younger	16.6	(8.0 - 31.1)	108	-	-	60	-	-	45
16 or 17	48.4	(38.5 - 58.4)	418	45.9	(32.9 - 59.5)	219	51.1	(41.6 - 60.6)	198
18 or older	72.4	(60.9 - 81.5)	111	-	-	65	-	-	46
Grade									
9th	-	-	64	-	-	43	-	-	20
10th	28.7	(18.4 - 41.7)	189	-	-	98	-	-	91
11th	50.5	(38.5 - 62.4)	238	46.4	(30.3 - 63.3)	127	54.7	(43.8 - 65.0)	111
12th	73.3	(65.3 - 80.1)	138	-	-	75	-	-	63
Race/Ethnicity									
Black*	42.9	(25.5 - 62.1)	104	-	-	55	-	-	48
Hispanic/Latino	-	-	52	-	-	30	-	-	21
White*	50.5	(38.9 - 61.9)	411	50.0	(34.6 - 65.3)	214	51.0	(41.4 - 60.6)	197
All other races*	-	-	28	-	-	17	-	-	11
Multiple races*	-	-	27	-	-	18	-	-	9

Note: 625 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN12: Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	10.9	(8.3 - 14.1)	1,184	17.9	(13.7 - 23.1)	601	2.9	(1.7 - 5.0)	577
Age									
15 or younger	11.1	(7.7 - 15.9)	375	18.9	(11.6 - 29.3)	191	1.6	(0.6 - 4.2)	180
16 or 17	9.4	(6.7 - 13.1)	652	15.0	(11.0 - 20.2)	324	3.6	(1.8 - 7.0)	327
18 or older	14.0	(7.4 - 25.1)	156	-	-	85	-	-	70
Grade									
9th	10.3	(6.4 - 15.9)	272	17.0	(10.0 - 27.3)	146	1.5	(0.5 - 4.5)	124
10th	10.2	(6.3 - 16.1)	347	16.1	(8.7 - 27.9)	170	4.1	(2.4 - 7.1)	176
11th	9.5	(6.0 - 14.7)	356	16.4	(11.1 - 23.7)	177	2.4	(0.6 - 9.6)	179
12th	12.8	(7.9 - 20.2)	193	-	-	99	-	-	94
Race/Ethnicity									
Black*	9.2	(5.1 - 16.2)	266	15.1	(6.8 - 30.5)	126	2.7	(0.7 - 9.3)	138
Hispanic/Latino	17.6	(11.9 - 25.3)	119	-	-	64	-	-	54
White*	10.4	(7.6 - 14.1)	655	17.6	(13.2 - 23.1)	333	2.6	(1.2 - 5.5)	321
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	55	-	-	33	-	-	22

Note: 79 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN17: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	19.0	(16.2 - 22.2)	1,183	25.3	(21.5 - 29.4)	602	12.2	(9.4 - 15.8)	576
Age									
15 or younger	27.4	(22.9 - 32.5)	372	35.5	(29.2 - 42.3)	190	18.4	(13.9 - 23.9)	179
16 or 17	17.0	(14.1 - 20.3)	653	23.5	(19.5 - 28.1)	325	10.1	(6.8 - 14.9)	327
18 or older	9.4	(5.5 - 15.6)	157	-	-	86	-	-	70
Grade									
9th	29.0	(22.6 - 36.3)	270	33.8	(25.7 - 43.1)	145	23.3	(17.6 - 30.3)	123
10th	21.6	(17.4 - 26.5)	348	30.2	(23.4 - 37.9)	171	12.9	(8.9 - 18.4)	176
11th	13.0	(8.6 - 19.1)	356	20.0	(13.2 - 29.2)	177	5.7	(2.4 - 13.3)	179
12th	10.6	(6.8 - 16.1)	194	14.6	(9.4 - 21.8)	100	-	-	94
Race/Ethnicity									
Black*	27.5	(20.3 - 36.1)	264	32.1	(21.5 - 44.9)	125	22.7	(15.2 - 32.5)	137
Hispanic/Latino	33.3	(25.3 - 42.4)	119	-	-	64	-	-	54
White*	15.3	(12.6 - 18.5)	655	21.0	(17.5 - 25.1)	333	9.4	(6.2 - 13.9)	321
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	56	-	-	34	-	-	22

Note: 80 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	7.4	(5.9 - 9.3)	718	3.9	(2.3 - 6.6)	371	11.0	(7.7 - 15.6)	345
Age									
15 or younger	6.1	(3.4 - 10.8)	203	4.3	(2.0 - 8.8)	100	7.4	(3.3 - 15.8)	102
16 or 17	6.7	(4.6 - 9.7)	409	3.9	(1.9 - 7.9)	214	9.7	(5.9 - 15.4)	195
18 or older	10.8	(5.7 - 19.3)	105	-	-	56	-	-	48
Grade									
9th	5.4	(3.0 - 9.4)	142	-	-	72	-	-	70
10th	6.8	(4.2 - 10.8)	212	2.0	(0.5 - 6.9)	110	12.5	(6.0 - 24.1)	101
11th	8.0	(4.5 - 13.9)	225	5.0	(2.3 - 10.6)	120	11.2	(5.5 - 21.6)	105
12th	8.8	(4.2 - 17.4)	129	-	-	63	-	-	66
Race/Ethnicity									
Black*	10.2	(4.7 - 20.7)	152	-	-	77	-	-	74
Hispanic/Latino	-	-	72	-	-	38	-	-	33
White*	6.4	(4.8 - 8.6)	412	2.3	(0.8 - 6.4)	206	10.6	(7.8 - 14.3)	206
All other races*	-	-	29	-	-	17	-	-	12
Multiple races*	-	-	37	-	-	21	-	-	16

Note: 545 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	10.2	(8.0 - 12.8)	709	9.8	(6.7 - 14.0)	366	10.7	(8.3 - 13.6)	341
Age									
15 or younger	15.1	(10.2 - 21.9)	198	-	-	98	-	-	99
16 or 17	9.0	(6.8 - 11.7)	405	7.1	(4.3 - 11.6)	211	10.9	(7.9 - 14.8)	194
18 or older	6.0	(3.1 - 11.4)	105	-	-	56	-	-	48
Grade									
9th	15.8	(10.6 - 23.0)	140	-	-	71	-	-	69
10th	9.7	(6.6 - 14.1)	208	7.9	(4.3 - 14.0)	108	-	-	99
11th	8.5	(5.0 - 14.2)	223	7.2	(3.6 - 13.7)	119	9.9	(5.5 - 17.1)	104
12th	7.2	(4.1 - 12.3)	129	-	-	63	-	-	66
Race/Ethnicity									
Black*	13.0	(7.4 - 21.8)	150	-	-	77	-	-	72
Hispanic/Latino	-	-	72	-	-	38	-	-	33
White*	8.6	(6.3 - 11.6)	408	7.2	(4.3 - 11.9)	203	10.0	(7.5 - 13.2)	205
All other races*	-	-	27	-	-	16	-	-	11
Multiple races*	-	-	36	-	-	20	-	-	16

Note: 554 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	13.9	(12.4 - 15.5)	1,153	11.8	(9.8 - 14.1)	580	15.9	(13.5 - 18.8)	567
Age									
15 or younger	16.9	(13.2 - 21.5)	363	15.4	(11.0 - 21.2)	184	17.8	(12.9 - 24.1)	175
16 or 17	13.3	(11.2 - 15.7)	637	9.2	(5.9 - 13.9)	314	17.5	(13.6 - 22.2)	322
18 or older	9.9	(6.0 - 15.9)	152	-	-	81	-	-	70
Grade									
9th	19.1	(14.5 - 24.7)	264	15.4	(10.7 - 21.7)	142	23.0	(15.5 - 32.7)	120
10th	15.5	(12.9 - 18.4)	340	11.5	(6.2 - 20.4)	166	19.7	(15.8 - 24.3)	173
11th	10.8	(7.6 - 15.2)	348	10.1	(5.4 - 18.1)	172	11.6	(6.2 - 20.5)	176
12th	9.1	(6.6 - 12.5)	187	-	-	93	-	-	94
Race/Ethnicity									
Black*	11.2	(6.7 - 18.1)	253	4.8	(1.9 - 11.6)	116	17.8	(11.0 - 27.4)	135
Hispanic/Latino	25.2	(19.2 - 32.3)	117	-	-	62	-	-	54
White*	13.8	(11.4 - 16.7)	642	12.1	(8.6 - 16.8)	326	15.7	(12.6 - 19.4)	315
All other races*	-	-	59	-	-	30	-	-	29
Multiple races*	-	-	56	-	-	34	-	-	22

Note: 110 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	13.3	(11.6 - 15.1)	1,167	11.4	(9.5 - 13.6)	591	15.2	(12.4 - 18.5)	572
Age									
15 or younger	14.2	(11.8 - 16.9)	367	13.2	(10.3 - 16.7)	186	15.0	(9.9 - 22.0)	179
16 or 17	13.6	(10.8 - 17.0)	647	11.0	(7.8 - 15.2)	322	16.3	(12.2 - 21.6)	324
18 or older	10.5	(7.7 - 14.1)	152	-	-	82	-	-	69
Grade									
9th	16.5	(13.2 - 20.5)	267	16.3	(12.2 - 21.4)	143	16.9	(10.1 - 27.1)	123
10th	12.9	(9.5 - 17.4)	347	9.4	(5.6 - 15.5)	170	16.7	(11.6 - 23.3)	176
11th	14.5	(10.7 - 19.4)	347	12.0	(7.1 - 19.5)	172	17.1	(10.8 - 26.1)	175
12th	8.8	(6.0 - 12.7)	191	-	-	97	-	-	94
Race/Ethnicity									
Black*	10.4	(6.5 - 16.1)	262	11.1	(4.9 - 23.0)	122	9.9	(4.6 - 19.9)	138
Hispanic/Latino	14.9	(11.1 - 19.7)	117	-	-	62	-	-	54
White*	13.4	(11.0 - 16.1)	646	10.3	(7.6 - 13.6)	329	16.6	(13.6 - 20.2)	316
All other races*	-	-	59	-	-	30	-	-	29
Multiple races*	-	-	56	-	-	34	-	-	22

Note: 96 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN25: Percentage of students who felt sad or hopeless (almost every day for ≥ 2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	33.0	(27.9 - 38.6)	1,214	22.4	(17.7 - 27.9)	609	43.8	(37.3 - 50.6)	599
Age									
15 or younger	31.5	(26.0 - 37.6)	407	23.7	(18.7 - 29.7)	202	39.2	(29.1 - 50.2)	201
16 or 17	35.2	(28.8 - 42.1)	650	23.9	(17.1 - 32.4)	323	46.3	(39.0 - 53.8)	326
18 or older	29.9	(16.8 - 47.5)	155	-	-	83	-	-	71
Grade									
9th	32.7	(27.0 - 38.9)	299	25.7	(19.5 - 33.1)	154	40.0	(29.6 - 51.3)	142
10th	34.0	(28.8 - 39.7)	354	24.3	(17.7 - 32.4)	175	44.5	(39.3 - 49.8)	178
11th	35.4	(27.3 - 44.4)	354	20.9	(16.1 - 26.6)	175	49.7	(38.5 - 61.0)	179
12th	29.9	(15.9 - 49.1)	193	-	-	98	-	-	95
Race/Ethnicity									
Black*	37.4	(28.2 - 47.7)	265	27.0	(20.6 - 34.5)	123	47.5	(29.6 - 66.1)	140
Hispanic/Latino	47.6	(38.6 - 56.7)	120	-	-	65	-	-	54
White*	30.5	(24.6 - 37.1)	680	20.3	(15.0 - 26.8)	341	40.9	(33.3 - 48.9)	337
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	57	-	-	34	-	-	23

Note: 49 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN26: Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	15.6	(13.3 - 18.2)	1,209	11.6	(9.2 - 14.5)	607	19.7	(16.3 - 23.7)	597
Age									
15 or younger	16.3	(12.0 - 21.8)	401	12.6	(8.7 - 18.0)	199	19.9	(14.1 - 27.4)	199
16 or 17	16.4	(13.2 - 20.1)	649	11.4	(7.5 - 17.1)	322	21.4	(16.4 - 27.5)	326
18 or older	11.8	(7.2 - 18.7)	157	-	-	85	-	-	71
Grade									
9th	15.1	(11.4 - 19.9)	295	12.6	(8.8 - 17.9)	154	17.9	(13.0 - 24.1)	140
10th	17.9	(14.6 - 21.8)	353	10.9	(7.3 - 16.0)	173	25.4	(17.7 - 35.0)	179
11th	18.3	(11.8 - 27.3)	350	12.8	(8.0 - 19.9)	172	23.8	(13.2 - 39.0)	178
12th	10.7	(5.9 - 18.9)	195	-	-	99	-	-	96
Race/Ethnicity									
Black*	20.0	(15.2 - 25.8)	263	15.9	(10.1 - 24.0)	123	24.5	(15.7 - 36.1)	138
Hispanic/Latino	30.4	(22.9 - 39.0)	117	-	-	62	-	-	54
White*	13.9	(11.6 - 16.6)	681	9.9	(7.3 - 13.4)	343	18.0	(14.3 - 22.5)	337
All other races*	-	-	60	-	-	31	-	-	29
Multiple races*	-	-	57	-	-	34	-	-	23

Note: 54 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	10.5	(8.7 - 12.7)	1,167	9.4	(6.8 - 12.9)	593	11.7	(9.2 - 14.7)	570
Age									
15 or younger	11.2	(7.8 - 15.8)	368	10.8	(6.7 - 17.1)	189	11.7	(7.1 - 18.8)	177
16 or 17	12.1	(9.5 - 15.1)	644	9.7	(6.6 - 14.1)	320	14.2	(10.4 - 19.2)	323
18 or older	5.2	(1.7 - 15.0)	154	-	-	83	-	-	70
Grade									
9th	9.1	(6.3 - 13.0)	266	10.3	(6.4 - 16.1)	143	7.9	(4.6 - 13.3)	121
10th	12.9	(10.3 - 16.2)	348	9.0	(4.6 - 16.9)	171	17.1	(12.7 - 22.6)	176
11th	13.5	(7.9 - 22.2)	350	10.5	(5.1 - 20.4)	174	16.6	(9.2 - 28.2)	176
12th	6.2	(3.1 - 11.7)	189	-	-	96	-	-	93
Race/Ethnicity									
Black*	15.4	(10.5 - 22.0)	260	15.1	(9.5 - 23.3)	122	15.3	(9.5 - 23.7)	136
Hispanic/Latino	22.1	(17.6 - 27.3)	117	-	-	64	-	-	53
White*	8.4	(7.4 - 9.5)	646	6.2	(4.3 - 8.8)	328	10.7	(8.5 - 13.5)	317
All other races*	-	-	60	-	-	31	-	-	29
Multiple races*	-	-	56	-	-	34	-	-	22

Note: 96 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN28: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	6.8	(4.9 - 9.2)	1,066	7.4	(4.5 - 11.9)	528	6.2	(4.5 - 8.4)	533
Age									
15 or younger	7.5	(4.1 - 13.5)	354	7.5	(3.6 - 14.9)	172	7.7	(3.5 - 16.1)	179
16 or 17	6.2	(3.4 - 11.0)	577	6.3	(2.8 - 13.4)	282	6.1	(3.4 - 10.9)	294
18 or older	6.6	(1.9 - 20.3)	133	-	-	73	-	-	59
Grade									
9th	6.8	(3.6 - 12.6)	260	6.8	(2.9 - 14.9)	129	7.0	(3.6 - 13.3)	128
10th	7.1	(4.6 - 10.8)	309	5.4	(2.3 - 12.4)	150	8.8	(5.3 - 14.2)	158
11th	6.2	(3.0 - 12.4)	322	6.2	(2.3 - 16.0)	156	6.2	(2.5 - 14.1)	166
12th	6.9	(2.5 - 17.6)	165	-	-	87	-	-	78
Race/Ethnicity									
Black*	15.8	(9.3 - 25.7)	219	14.4	(7.1 - 26.9)	103	17.8	(8.7 - 32.8)	114
Hispanic/Latino	-	-	99	-	-	54	-	-	45
White*	4.1	(2.5 - 6.6)	623	4.4	(2.1 - 9.2)	307	3.8	(2.5 - 5.8)	314
All other races*	-	-	50	-	-	25	-	-	25
Multiple races*	-	-	51	-	-	28	-	-	23

Note: 197 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	2.7	(1.4 - 5.1)	1,066	3.2	(1.7 - 5.9)	524	2.1	(0.8 - 5.5)	537
Age									
15 or younger	4.0	(1.8 - 8.6)	360	4.6	(1.8 - 11.4)	173	3.1	(1.0 - 9.3)	183
16 or 17	1.7	(0.8 - 4.0)	574	2.4	(1.0 - 5.8)	279	1.1	(0.3 - 3.8)	295
18 or older	2.5	(0.4 - 15.3)	130	-	-	71	-	-	58
Grade									
9th	3.9	(1.6 - 9.0)	264	3.9	(1.4 - 10.3)	130	3.9	(1.2 - 11.8)	131
10th	1.0	(0.5 - 2.2)	309	1.4	(0.6 - 3.1)	150	0.7	(0.2 - 2.8)	158
11th	2.7	(0.9 - 8.1)	319	3.9	(1.1 - 12.7)	153	1.5	(0.3 - 6.6)	166
12th	3.0	(0.8 - 10.2)	164	-	-	86	-	-	78
Race/Ethnicity									
Black*	6.4	(3.1 - 12.6)	217	7.1	(3.0 - 15.7)	101	5.9	(1.9 - 17.1)	115
Hispanic/Latino	6.9	(3.0 - 15.1)	100	-	-	54	-	-	46
White*	1.3	(0.5 - 3.8)	626	1.4	(0.5 - 4.0)	307	1.3	(0.3 - 5.5)	317
All other races*	-	-	51	-	-	26	-	-	25
Multiple races*	-	-	50	-	-	27	-	-	23

Note: 197 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN30: Percentage of students who ever tried cigarette smoking (even one or two puffs)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	21.5	(16.3 - 27.8)	1,135	21.3	(14.9 - 29.6)	568	21.6	(16.4 - 27.9)	563
Age									
15 or younger	17.8	(12.1 - 25.3)	351	19.7	(11.8 - 31.2)	175	15.6	(10.7 - 22.2)	173
16 or 17	24.1	(17.4 - 32.2)	639	23.5	(15.4 - 34.3)	314	24.6	(16.9 - 34.3)	325
18 or older	21.1	(11.0 - 36.7)	145	-	-	79	-	-	65
Grade									
9th	19.0	(12.7 - 27.3)	249	21.6	(13.5 - 32.7)	129	15.9	(10.4 - 23.6)	118
10th	21.5	(15.4 - 29.2)	350	21.0	(13.7 - 30.9)	173	22.1	(15.6 - 30.4)	176
11th	23.7	(16.6 - 32.7)	345	21.8	(15.2 - 30.3)	168	25.7	(14.4 - 41.4)	177
12th	21.9	(11.1 - 38.7)	179	-	-	91	-	-	88
Race/Ethnicity									
Black*	19.4	(14.1 - 26.1)	258	19.9	(10.5 - 34.3)	116	19.3	(13.0 - 27.8)	141
Hispanic/Latino	25.9	(16.6 - 38.0)	108	-	-	59	-	-	48
White*	21.4	(15.4 - 28.8)	638	21.8	(13.7 - 32.8)	324	20.9	(15.4 - 27.8)	313
All other races*	-	-	53	-	-	27	-	-	26
Multiple races*	-	-	54	-	-	32	-	-	22

Note: 128 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	8.8	(6.1 - 12.6)	1,153	10.4	(7.2 - 14.8)	581	7.1	(4.4 - 11.2)	568
Age									
15 or younger	11.0	(6.1 - 19.0)	362	13.1	(7.0 - 23.3)	183	8.5	(4.2 - 16.2)	176
16 or 17	8.1	(5.4 - 12.1)	645	9.8	(5.8 - 16.2)	319	6.4	(3.7 - 10.9)	326
18 or older	6.6	(2.6 - 15.8)	146	-	-	79	-	-	66
Grade									
9th	12.5	(7.1 - 21.1)	256	15.6	(8.7 - 26.4)	135	8.7	(4.0 - 17.8)	119
10th	9.6	(7.1 - 13.0)	355	10.9	(7.8 - 15.2)	177	8.4	(5.2 - 13.3)	177
11th	5.7	(2.8 - 11.3)	347	5.7	(2.2 - 13.9)	169	5.8	(2.3 - 13.9)	178
12th	6.3	(3.2 - 12.1)	182	-	-	92	-	-	90
Race/Ethnicity									
Black*	15.2	(9.9 - 22.8)	261	19.3	(11.2 - 31.2)	119	11.6	(5.7 - 22.1)	141
Hispanic/Latino	18.5	(12.0 - 27.4)	110	-	-	60	-	-	49
White*	6.3	(3.9 - 10.2)	645	7.4	(4.3 - 12.4)	328	5.2	(3.0 - 9.0)	316
All other races*	-	-	55	-	-	29	-	-	26
Multiple races*	-	-	54	-	-	32	-	-	22

Note: 110 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	4.9	(3.1 - 7.5)	1,162	6.8	(4.1 - 11.1)	582	2.7	(1.3 - 5.6)	575
Age									
15 or younger	7.0	(3.3 - 14.2)	365	10.3	(4.5 - 21.9)	183	3.3	(1.5 - 7.2)	179
16 or 17	4.3	(3.0 - 6.3)	646	5.8	(3.6 - 9.1)	318	2.9	(1.1 - 7.4)	327
18 or older	2.5	(0.6 - 9.3)	151	-	-	81	-	-	69
Grade									
9th	7.5	(3.7 - 14.4)	259	10.6	(4.9 - 21.4)	136	3.7	(1.8 - 7.5)	121
10th	5.1	(3.0 - 8.6)	358	7.2	(4.3 - 11.8)	179	2.9	(1.1 - 7.4)	178
11th	3.3	(1.5 - 6.8)	347	3.2	(1.3 - 7.7)	167	3.3	(0.7 - 14.2)	180
12th	3.5	(1.2 - 10.1)	187	-	-	94	-	-	93
Race/Ethnicity									
Black*	5.0	(2.2 - 10.6)	270	9.2	(4.5 - 17.9)	122	1.1	(0.1 - 8.3)	146
Hispanic/Latino	5.6	(1.7 - 17.2)	114	-	-	61	-	-	52
White*	4.4	(2.7 - 7.1)	640	6.0	(3.2 - 10.7)	325	2.8	(1.1 - 6.9)	314
All other races*	-	-	56	-	-	30	-	-	26
Multiple races*	-	-	55	-	-	33	-	-	22

Note: 101 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNFRICIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	0.5	(0.2 - 1.1)	1,162	0.6	(0.2 - 1.7)	582	0.4	(0.1 - 1.1)	575
Age									
15 or younger	0.9	(0.3 - 2.5)	365	0.6	(0.1 - 3.8)	183	1.2	(0.4 - 3.6)	179
16 or 17	0.1	(0.0 - 0.7)	646	0.2	(0.0 - 1.3)	318	0.0	-	327
18 or older	0.7	(0.1 - 5.6)	151	-	-	81	-	-	69
Grade									
9th	0.8	(0.3 - 2.2)	259	0.0	-	136	1.6	(0.5 - 4.9)	121
10th	0.3	(0.2 - 0.4)	358	0.5	(0.3 - 0.8)	179	0.0	-	178
11th	0.0	-	347	0.0	-	167	0.0	-	180
12th	0.9	(0.2 - 4.1)	187	-	-	94	-	-	93
Race/Ethnicity									
Black*	0.0	-	270	0.0	-	122	0.0	-	146
Hispanic/Latino	2.3	(0.4 - 12.4)	114	-	-	61	-	-	52
White*	0.5	(0.2 - 1.2)	640	0.4	(0.0 - 2.7)	325	0.6	(0.2 - 1.6)	314
All other races*	-	-	56	-	-	30	-	-	26
Multiple races*	-	-	55	-	-	33	-	-	22

Note: 101 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	0.4	(0.2 - 1.0)	1,162	0.5	(0.1 - 1.8)	582	0.4	(0.1 - 1.1)	575
Age									
15 or younger	0.9	(0.3 - 2.5)	365	0.6	(0.1 - 3.8)	183	1.2	(0.4 - 3.6)	179
16 or 17	0.0	-	646	0.0	-	318	0.0	-	327
18 or older	0.7	(0.1 - 5.6)	151	-	-	81	-	-	69
Grade									
9th	0.8	(0.3 - 2.2)	259	0.0	-	136	1.6	(0.5 - 4.9)	121
10th	0.1	(0.0 - 0.8)	358	0.2	(0.0 - 1.7)	179	0.0	-	178
11th	0.0	-	347	0.0	-	167	0.0	-	180
12th	0.9	(0.2 - 4.1)	187	-	-	94	-	-	93
Race/Ethnicity									
Black*	0.0	-	270	0.0	-	122	0.0	-	146
Hispanic/Latino	2.3	(0.4 - 12.4)	114	-	-	61	-	-	52
White*	0.5	(0.2 - 1.2)	640	0.4	(0.0 - 2.7)	325	0.6	(0.2 - 1.6)	314
All other races*	-	-	56	-	-	30	-	-	26
Multiple races*	-	-	55	-	-	33	-	-	22

Note: 101 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN33: Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	-	-	59	-	-	39	-	-	19
Age									
15 or younger	-	-	26	-	-	19	-	-	6
16 or 17	-	-	29	-	-	17	-	-	12
18 or older	-	-	4	-	-	3	-	-	1
Grade									
9th	-	-	21	-	-	15	-	-	5
10th	-	-	19	-	-	13	-	-	6
11th	-	-	12	-	-	5	-	-	7
12th	-	-	7	-	-	6	-	-	1
Race/Ethnicity									
Black*	-	-	10	-	-	9	-	-	1
Hispanic/Latino	-	-	6	-	-	5	-	-	1
White*	-	-	34	-	-	21	-	-	13
All other races*	-	-	4	-	-	3	-	-	1
Multiple races*	-	-	1	-	-	0	-	-	1

Note: 1,204 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	47.7	(43.4 - 52.1)	1,195	47.6	(42.7 - 52.5)	599	48.1	(41.5 - 54.8)	591
Age									
15 or younger	42.1	(35.4 - 49.1)	380	41.3	(33.7 - 49.2)	189	43.1	(34.9 - 51.7)	188
16 or 17	49.4	(42.6 - 56.1)	665	49.6	(43.0 - 56.1)	330	49.3	(37.8 - 60.9)	334
18 or older	53.9	(45.8 - 61.8)	150	-	-	80	-	-	69
Grade									
9th	40.2	(32.0 - 48.9)	275	38.9	(30.2 - 48.4)	141	41.5	(31.3 - 52.5)	132
10th	48.1	(41.2 - 55.0)	367	44.5	(34.6 - 54.9)	182	52.1	(43.1 - 61.1)	184
11th	50.5	(39.5 - 61.4)	351	55.8	(42.1 - 68.8)	173	45.1	(28.2 - 63.2)	178
12th	54.5	(44.3 - 64.3)	188	-	-	95	-	-	93
Race/Ethnicity									
Black*	36.6	(30.8 - 42.9)	275	41.1	(27.9 - 55.7)	127	33.0	(25.6 - 41.4)	146
Hispanic/Latino	46.1	(36.7 - 55.7)	117	-	-	63	-	-	53
White*	50.1	(45.4 - 54.8)	660	48.4	(43.1 - 53.9)	334	51.9	(45.4 - 58.5)	325
All other races*	-	-	60	-	-	32	-	-	28
Multiple races*	-	-	57	-	-	33	-	-	24

Note: 68 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	29.8	(25.7 - 34.3)	1,153	30.3	(24.7 - 36.5)	572	29.3	(25.0 - 34.1)	575
Age									
15 or younger	26.8	(21.3 - 33.2)	365	26.3	(17.4 - 37.6)	177	27.1	(20.4 - 35.1)	184
16 or 17	30.7	(24.1 - 38.1)	643	29.9	(23.8 - 36.7)	318	31.5	(22.1 - 42.7)	324
18 or older	33.1	(24.8 - 42.7)	145	-	-	77	-	-	67
Grade									
9th	25.3	(19.0 - 32.8)	264	24.5	(15.8 - 35.9)	131	25.8	(17.8 - 36.0)	131
10th	30.9	(24.9 - 37.6)	347	27.8	(20.2 - 36.9)	172	34.3	(28.0 - 41.2)	174
11th	29.2	(20.6 - 39.6)	343	30.6	(20.7 - 42.6)	168	27.7	(15.5 - 44.4)	175
12th	35.0	(22.9 - 49.5)	184	-	-	93	-	-	91
Race/Ethnicity									
Black*	19.4	(14.4 - 25.5)	261	21.0	(13.2 - 31.7)	120	18.2	(11.5 - 27.5)	139
Hispanic/Latino	26.1	(17.7 - 36.7)	111	-	-	59	-	-	51
White*	32.1	(28.2 - 36.3)	637	31.6	(26.0 - 37.8)	317	32.7	(27.9 - 37.8)	319
All other races*	-	-	58	-	-	31	-	-	27
Multiple races*	-	-	55	-	-	31	-	-	24

Note: 110 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	8.0	(5.2 - 12.2)	1,153	10.6	(6.9 - 15.8)	572	5.4	(2.6 - 10.8)	575
Age									
15 or younger	6.8	(3.5 - 12.6)	365	9.1	(4.5 - 17.5)	177	4.7	(1.6 - 13.0)	184
16 or 17	8.4	(5.5 - 12.6)	643	11.3	(6.7 - 18.4)	318	5.6	(3.2 - 9.5)	324
18 or older	9.0	(2.9 - 24.3)	145	-	-	77	-	-	67
Grade									
9th	7.0	(3.5 - 13.3)	264	10.8	(4.9 - 22.2)	131	3.3	(0.9 - 11.4)	131
10th	7.2	(3.1 - 15.9)	347	8.7	(3.3 - 20.8)	172	5.7	(1.9 - 16.1)	174
11th	9.8	(6.5 - 14.5)	343	12.3	(6.2 - 22.8)	168	7.3	(3.4 - 14.8)	175
12th	8.2	(3.2 - 19.5)	184	-	-	93	-	-	91
Race/Ethnicity									
Black*	2.6	(0.8 - 8.4)	261	5.1	(1.5 - 16.5)	120	0.2	(0.0 - 1.4)	139
Hispanic/Latino	13.8	(6.6 - 26.8)	111	-	-	59	-	-	51
White*	8.5	(5.4 - 13.0)	637	10.8	(7.2 - 15.9)	317	6.1	(2.8 - 12.7)	319
All other races*	-	-	58	-	-	31	-	-	27
Multiple races*	-	-	55	-	-	31	-	-	24

Note: 110 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	5.3	(3.3 - 8.3)	1,153	6.7	(3.9 - 11.4)	572	3.8	(2.0 - 7.2)	575
Age									
15 or younger	2.4	(1.0 - 5.6)	365	2.7	(0.8 - 8.6)	177	2.1	(0.5 - 9.2)	184
16 or 17	6.8	(4.2 - 10.8)	643	8.8	(4.7 - 15.8)	318	4.7	(2.9 - 7.6)	324
18 or older	6.5	(1.7 - 22.0)	145	-	-	77	-	-	67
Grade									
9th	3.8	(1.6 - 8.7)	264	4.8	(1.5 - 14.2)	131	2.8	(0.6 - 11.6)	131
10th	3.8	(1.6 - 8.6)	347	4.1	(1.3 - 12.5)	172	3.6	(1.5 - 8.0)	174
11th	8.7	(5.5 - 13.5)	343	11.8	(5.8 - 22.4)	168	5.5	(2.8 - 10.5)	175
12th	5.4	(1.3 - 19.9)	184	-	-	93	-	-	91
Race/Ethnicity									
Black*	0.8	(0.1 - 5.7)	261	1.6	(0.2 - 12.4)	120	0.2	(0.0 - 1.4)	139
Hispanic/Latino	8.4	(4.0 - 16.6)	111	-	-	59	-	-	51
White*	5.5	(3.3 - 9.1)	637	6.9	(4.0 - 11.8)	317	4.1	(2.0 - 8.2)	319
All other races*	-	-	58	-	-	31	-	-	27
Multiple races*	-	-	55	-	-	31	-	-	24

Note: 110 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN36: Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	13.3	(6.1 - 26.8)	270	15.5	(8.7 - 26.0)	128	11.5	(3.7 - 30.5)	140
Age									
15 or younger	-	-	94	-	-	42	-	-	50
16 or 17	10.7	(5.2 - 20.5)	176	-	-	86	-	-	90
18 or older	-	-	0	-	-	0	-	-	0
Grade									
9th	-	-	66	-	-	31	-	-	34
10th	-	-	98	-	-	43	-	-	55
11th	-	-	85	-	-	43	-	-	42
12th	-	-	18	-	-	10	-	-	8
Race/Ethnicity									
Black*	-	-	36	-	-	15	-	-	21
Hispanic/Latino	-	-	24	-	-	15	-	-	9
White*	11.6	(4.8 - 25.3)	172	-	-	77	-	-	95
All other races*	-	-	12	-	-	9	-	-	3
Multiple races*	-	-	15	-	-	7	-	-	8

Note: 993 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	9.9	(4.7 - 19.6)	1,232	12.8	(8.1 - 19.5)	620	6.7	(1.7 - 23.6)	606
Age									
15 or younger	14.9	(4.5 - 39.5)	410	15.8	(6.6 - 33.5)	201	13.5	(2.6 - 47.5)	205
16 or 17	7.0	(5.2 - 9.3)	664	11.0	(8.5 - 14.2)	333	2.9	(1.3 - 6.3)	330
18 or older	7.2	(2.5 - 19.3)	156	-	-	85	-	-	70
Grade									
9th	17.2	(5.4 - 43.1)	298	18.6	(8.2 - 36.7)	153	15.3	(2.9 - 52.0)	143
10th	6.4	(3.9 - 10.5)	372	8.0	(5.1 - 12.1)	184	4.9	(2.1 - 10.8)	187
11th	7.5	(4.5 - 12.4)	353	13.5	(7.8 - 22.4)	176	1.3	(0.3 - 5.6)	177
12th	6.8	(2.6 - 16.8)	193	-	-	99	-	-	94
Race/Ethnicity									
Black*	10.0	(4.9 - 19.0)	283	11.6	(5.8 - 21.7)	134	8.5	(3.4 - 19.9)	147
Hispanic/Latino	14.7	(8.7 - 23.6)	123	-	-	67	-	-	55
White*	8.9	(3.7 - 20.0)	674	11.7	(6.6 - 19.8)	339	5.9	(1.2 - 25.2)	333
All other races*	-	-	62	-	-	33	-	-	29
Multiple races*	-	-	57	-	-	32	-	-	25

Note: 31 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	7.2	(6.3 - 8.2)	1,230	9.7	(8.0 - 11.7)	619	4.5	(3.0 - 6.6)	605
Age									
15 or younger	5.3	(3.1 - 9.2)	409	6.7	(3.2 - 13.4)	200	3.8	(1.8 - 8.0)	205
16 or 17	6.7	(4.9 - 9.1)	663	9.4	(6.5 - 13.3)	333	3.6	(1.9 - 6.7)	329
18 or older	12.2	(7.0 - 20.4)	156	-	-	85	-	-	70
Grade									
9th	6.5	(3.4 - 12.1)	297	9.2	(4.9 - 16.7)	152	3.8	(1.4 - 9.9)	143
10th	5.6	(4.0 - 7.8)	372	7.5	(4.3 - 12.6)	184	3.7	(2.5 - 5.4)	187
11th	6.4	(3.6 - 11.1)	352	9.2	(4.8 - 16.8)	176	3.6	(1.4 - 9.1)	176
12th	10.2	(5.7 - 17.7)	193	-	-	99	-	-	94
Race/Ethnicity									
Black*	8.1	(5.4 - 12.1)	282	9.0	(4.7 - 16.4)	133	6.7	(2.9 - 15.0)	147
Hispanic/Latino	15.3	(10.3 - 22.1)	123	-	-	67	-	-	55
White*	6.7	(5.8 - 7.8)	674	9.2	(7.6 - 11.1)	339	4.2	(2.4 - 7.4)	333
All other races*	-	-	62	-	-	33	-	-	29
Multiple races*	-	-	57	-	-	32	-	-	25

Note: 33 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	10.3	(8.3 - 12.7)	1,165	13.4	(10.3 - 17.1)	589	6.8	(4.8 - 9.6)	570
Age									
15 or younger	10.6	(5.9 - 18.2)	365	13.5	(6.6 - 25.5)	180	7.1	(4.1 - 12.1)	181
16 or 17	9.0	(6.9 - 11.7)	646	12.0	(9.2 - 15.5)	324	5.6	(3.1 - 9.9)	321
18 or older	13.2	(7.7 - 21.8)	153	-	-	84	-	-	68
Grade									
9th	12.0	(6.8 - 20.3)	258	15.8	(8.8 - 26.9)	135	7.5	(4.0 - 13.7)	121
10th	9.1	(6.6 - 12.4)	359	12.1	(8.2 - 17.6)	180	5.9	(3.3 - 10.5)	178
11th	7.9	(4.5 - 13.8)	348	10.1	(5.4 - 17.9)	172	5.7	(2.1 - 14.5)	176
12th	11.8	(6.9 - 19.5)	186	-	-	95	-	-	91
Race/Ethnicity									
Black*	12.6	(8.6 - 18.1)	271	17.0	(10.5 - 26.3)	124	7.9	(3.6 - 16.4)	145
Hispanic/Latino	17.5	(11.4 - 26.0)	119	-	-	65	-	-	53
White*	9.1	(7.2 - 11.4)	634	11.6	(8.9 - 14.9)	324	6.4	(3.8 - 10.7)	309
All other races*	-	-	57	-	-	30	-	-	27
Multiple races*	-	-	54	-	-	32	-	-	22

Note: 98 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	15.9	(9.6 - 25.1)	1,211	19.4	(13.7 - 26.7)	609	11.8	(5.0 - 25.4)	595
Age									
15 or younger	20.4	(7.8 - 43.6)	402	21.9	(10.3 - 40.6)	195	18.2	(5.0 - 48.3)	202
16 or 17	12.2	(9.5 - 15.7)	654	16.7	(12.7 - 21.6)	329	7.4	(4.2 - 12.6)	324
18 or older	16.1	(8.2 - 29.1)	153	-	-	84	-	-	68
Grade									
9th	23.5	(9.1 - 48.4)	290	25.3	(12.8 - 44.0)	147	20.8	(5.6 - 53.8)	140
10th	12.8	(9.2 - 17.4)	367	16.0	(12.1 - 21.0)	184	9.5	(5.1 - 16.7)	182
11th	10.8	(6.6 - 17.0)	351	15.6	(9.5 - 24.6)	175	5.7	(2.1 - 14.5)	176
12th	14.5	(7.3 - 26.8)	187	-	-	95	-	-	92
Race/Ethnicity									
Black*	15.9	(10.3 - 23.8)	275	21.4	(14.2 - 30.9)	127	10.2	(4.7 - 20.7)	146
Hispanic/Latino	22.6	(14.5 - 33.4)	121	-	-	66	-	-	54
White*	14.8	(8.4 - 24.8)	666	17.7	(11.6 - 26.1)	336	11.5	(4.7 - 25.5)	328
All other races*	-	-	60	-	-	33	-	-	27
Multiple races*	-	-	55	-	-	32	-	-	23

Note: 52 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	36.7	(30.0 - 44.0)	1,177	37.8	(31.1 - 44.9)	589	35.5	(27.3 - 44.6)	581
Age									
15 or younger	37.3	(23.8 - 53.2)	388	37.7	(23.9 - 53.7)	187	36.5	(21.0 - 55.5)	196
16 or 17	34.8	(28.0 - 42.3)	640	34.7	(29.1 - 40.9)	320	34.7	(24.6 - 46.3)	319
18 or older	40.4	(29.7 - 52.2)	147	-	-	81	-	-	65
Grade									
9th	37.6	(22.3 - 55.8)	282	38.2	(24.1 - 54.6)	142	36.5	(18.6 - 59.0)	137
10th	35.5	(29.4 - 42.0)	353	32.6	(24.7 - 41.6)	176	38.8	(31.8 - 46.3)	176
11th	32.7	(24.5 - 42.1)	345	35.8	(26.1 - 46.9)	171	29.4	(16.6 - 46.7)	174
12th	41.3	(25.0 - 59.7)	181	-	-	92	-	-	89
Race/Ethnicity									
Black*	31.3	(23.4 - 40.5)	261	38.3	(28.2 - 49.5)	120	24.2	(16.3 - 34.3)	139
Hispanic/Latino	35.0	(25.9 - 45.4)	117	-	-	64	-	-	52
White*	37.9	(30.8 - 45.6)	654	37.5	(30.1 - 45.6)	327	38.2	(29.7 - 47.4)	325
All other races*	-	-	58	-	-	32	-	-	26
Multiple races*	-	-	54	-	-	31	-	-	23

Note: 86 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	31.5	(26.7 - 36.7)	1,136	32.3	(26.3 - 39.0)	565	30.7	(25.6 - 36.4)	565
Age									
15 or younger	29.8	(21.5 - 39.6)	361	30.5	(19.3 - 44.6)	177	28.8	(19.9 - 39.8)	180
16 or 17	31.7	(25.0 - 39.2)	631	31.1	(25.0 - 37.8)	311	32.4	(22.8 - 43.7)	319
18 or older	34.4	(25.4 - 44.7)	144	-	-	77	-	-	66
Grade									
9th	28.4	(19.4 - 39.5)	259	29.0	(18.5 - 42.3)	131	27.6	(17.2 - 41.2)	126
10th	31.8	(25.6 - 38.8)	344	29.3	(20.7 - 39.7)	172	34.8	(28.7 - 41.3)	171
11th	30.6	(21.8 - 41.0)	340	32.0	(22.0 - 44.1)	165	29.1	(16.6 - 46.0)	175
12th	36.4	(23.3 - 51.8)	179	-	-	90	-	-	89
Race/Ethnicity									
Black*	23.2	(16.8 - 31.1)	257	28.0	(18.0 - 40.7)	115	19.1	(11.8 - 29.4)	140
Hispanic/Latino	27.4	(18.5 - 38.6)	109	-	-	58	-	-	50
White*	33.4	(28.8 - 38.3)	631	32.9	(27.0 - 39.5)	317	33.9	(28.7 - 39.6)	313
All other races*	-	-	56	-	-	31	-	-	25
Multiple races*	-	-	54	-	-	31	-	-	23

Note: 127 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	16.2	(13.2 - 19.8)	1,109	17.7	(12.6 - 24.2)	555	14.6	(11.9 - 17.9)	550
Age									
15 or younger	20.1	(16.5 - 24.2)	339	22.3	(16.3 - 29.7)	167	17.3	(11.3 - 25.7)	170
16 or 17	14.7	(10.2 - 20.9)	622	16.6	(10.1 - 26.1)	308	12.9	(9.4 - 17.4)	313
18 or older	13.4	(7.7 - 22.2)	147	-	-	79	-	-	67
Grade									
9th	21.0	(15.0 - 28.6)	241	21.2	(12.8 - 33.1)	127	20.2	(12.3 - 31.2)	113
10th	19.7	(13.5 - 28.0)	339	23.9	(13.8 - 38.1)	167	15.5	(10.9 - 21.6)	171
11th	11.2	(7.5 - 16.4)	336	11.4	(6.6 - 18.9)	163	11.0	(7.0 - 16.9)	173
12th	11.7	(6.7 - 19.7)	180	-	-	91	-	-	89
Race/Ethnicity									
Black*	20.3	(14.2 - 28.2)	255	21.8	(12.2 - 35.9)	115	19.3	(10.6 - 32.6)	138
Hispanic/Latino	22.5	(13.9 - 34.3)	109	-	-	58	-	-	50
White*	14.7	(11.1 - 19.2)	617	16.3	(10.9 - 23.8)	313	12.8	(9.9 - 16.3)	303
All other races*	-	-	53	-	-	27	-	-	26
Multiple races*	-	-	53	-	-	31	-	-	22

Note: 154 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	25.9	(21.8 - 30.5)	1,107	22.5	(17.0 - 29.1)	547	29.6	(25.4 - 34.1)	556
Age									
15 or younger	19.8	(15.3 - 25.4)	333	15.8	(10.1 - 23.8)	163	24.1	(16.6 - 33.7)	168
16 or 17	25.7	(21.8 - 30.1)	627	23.1	(17.9 - 29.3)	304	28.3	(22.5 - 34.9)	322
18 or older	36.6	(25.2 - 49.8)	146	-	-	79	-	-	66
Grade									
9th	18.7	(13.4 - 25.5)	237	13.9	(10.4 - 18.3)	122	23.9	(14.1 - 37.7)	114
10th	20.8	(16.5 - 25.7)	341	18.3	(12.0 - 27.0)	164	23.4	(20.6 - 26.4)	176
11th	27.4	(18.9 - 37.8)	337	26.6	(17.0 - 39.1)	163	28.2	(19.0 - 39.5)	174
12th	38.3	(25.9 - 52.4)	180	-	-	92	-	-	88
Race/Ethnicity									
Black*	19.1	(12.3 - 28.5)	256	14.0	(6.4 - 28.2)	114	24.3	(14.8 - 37.1)	140
Hispanic/Latino	27.6	(19.2 - 37.8)	106	-	-	55	-	-	50
White*	27.0	(21.9 - 32.8)	620	23.2	(17.7 - 29.9)	313	31.1	(25.2 - 37.6)	306
All other races*	-	-	53	-	-	26	-	-	27
Multiple races*	-	-	51	-	-	30	-	-	21

Note: 156 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN42: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	13.4	(11.4 - 15.7)	1,116	12.3	(8.7 - 17.1)	552	14.5	(11.0 - 18.9)	559
Age									
15 or younger	11.4	(8.4 - 15.4)	338	8.6	(4.7 - 15.3)	165	14.1	(8.7 - 22.0)	170
16 or 17	12.1	(9.3 - 15.5)	629	12.2	(7.5 - 19.1)	306	12.0	(8.1 - 17.3)	322
18 or older	20.1	(14.8 - 26.6)	148	-	-	80	-	-	67
Grade									
9th	10.1	(7.3 - 13.7)	239	6.0	(2.8 - 12.3)	123	14.4	(7.9 - 24.9)	115
10th	10.7	(7.8 - 14.6)	344	10.6	(6.3 - 17.5)	166	10.9	(6.9 - 16.9)	177
11th	14.0	(8.6 - 22.0)	338	15.9	(9.3 - 25.9)	164	12.0	(6.3 - 21.7)	174
12th	19.4	(14.1 - 26.2)	182	-	-	93	-	-	89
Race/Ethnicity									
Black*	9.4	(4.5 - 18.5)	260	8.0	(3.1 - 18.9)	118	11.0	(4.4 - 25.2)	140
Hispanic/Latino	14.7	(8.8 - 23.5)	108	-	-	57	-	-	50
White*	14.3	(11.7 - 17.2)	621	13.0	(8.7 - 18.9)	311	15.6	(11.1 - 21.3)	309
All other races*	-	-	53	-	-	26	-	-	27
Multiple races*	-	-	51	-	-	30	-	-	21

Note: 147 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN45: Percentage of students who ever used marijuana (one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	29.7	(25.0 - 34.8)	1,126	29.2	(24.5 - 34.4)	567	30.1	(24.2 - 36.6)	554
Age									
15 or younger	22.2	(17.8 - 27.4)	342	21.5	(15.2 - 29.5)	171	22.3	(16.4 - 29.7)	168
16 or 17	33.4	(25.6 - 42.2)	636	33.2	(25.0 - 42.6)	315	33.6	(24.2 - 44.6)	320
18 or older	32.4	(17.4 - 52.1)	147	-	-	80	-	-	66
Grade									
9th	18.8	(15.1 - 23.1)	243	19.3	(13.5 - 26.8)	131	17.5	(11.8 - 25.2)	111
10th	32.4	(24.8 - 41.1)	350	30.6	(24.0 - 38.0)	169	34.5	(22.4 - 49.1)	180
11th	32.0	(24.3 - 40.9)	338	32.5	(24.8 - 41.2)	166	31.6	(21.4 - 43.8)	172
12th	35.4	(19.4 - 55.4)	181	-	-	94	-	-	87
Race/Ethnicity									
Black*	41.3	(35.8 - 47.1)	258	40.5	(29.2 - 52.8)	119	43.1	(31.1 - 56.0)	137
Hispanic/Latino	37.9	(29.2 - 47.5)	110	-	-	59	-	-	50
White*	26.7	(21.5 - 32.6)	622	26.3	(21.0 - 32.5)	317	26.8	(21.3 - 33.2)	304
All other races*	-	-	60	-	-	31	-	-	29
Multiple races*	-	-	52	-	-	30	-	-	22

Note: 137 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	15.8	(11.4 - 21.6)	1,139	14.3	(10.1 - 19.8)	574	17.6	(12.3 - 24.6)	560
Age									
15 or younger	11.3	(8.0 - 15.8)	349	9.7	(6.1 - 15.2)	176	13.2	(8.3 - 20.4)	170
16 or 17	17.8	(12.2 - 25.2)	640	16.8	(11.1 - 24.7)	316	18.8	(11.9 - 28.3)	323
18 or older	18.3	(7.1 - 39.7)	149	-	-	81	-	-	67
Grade									
9th	8.3	(5.2 - 13.1)	249	7.1	(3.8 - 12.9)	135	9.7	(5.1 - 17.5)	113
10th	19.9	(14.6 - 26.6)	351	20.2	(14.2 - 27.9)	170	19.7	(10.8 - 33.3)	180
11th	14.1	(9.2 - 21.0)	341	12.4	(8.1 - 18.5)	167	15.9	(9.5 - 25.4)	174
12th	20.5	(7.5 - 44.9)	183	-	-	94	-	-	89
Race/Ethnicity									
Black*	23.9	(17.8 - 31.4)	261	19.5	(9.2 - 36.7)	122	28.8	(19.2 - 40.8)	137
Hispanic/Latino	18.4	(10.9 - 29.5)	113	-	-	61	-	-	51
White*	13.9	(9.1 - 20.6)	628	12.6	(8.1 - 19.0)	317	15.2	(9.9 - 22.6)	310
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	52	-	-	31	-	-	21

Note: 124 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	12.2	(9.6 - 15.5)	1,135	11.8	(8.7 - 15.8)	575	12.6	(9.2 - 17.0)	556
Age									
15 or younger	14.8	(8.9 - 23.5)	354	14.0	(7.4 - 24.8)	179	15.4	(9.4 - 24.3)	173
16 or 17	11.0	(8.5 - 14.3)	626	9.4	(6.0 - 14.4)	311	12.7	(9.0 - 17.7)	314
18 or older	10.7	(5.9 - 18.6)	154	-	-	84	-	-	69
Grade									
9th	12.0	(6.1 - 22.3)	255	12.1	(5.8 - 23.5)	136	12.1	(5.4 - 25.0)	118
10th	14.6	(12.2 - 17.3)	334	11.1	(7.8 - 15.7)	164	18.3	(13.9 - 23.6)	169
11th	10.6	(7.6 - 14.7)	343	10.9	(6.6 - 17.5)	169	10.3	(6.3 - 16.6)	174
12th	11.1	(5.5 - 21.2)	188	-	-	97	-	-	91
Race/Ethnicity									
Black*	23.5	(19.3 - 28.3)	252	19.2	(12.6 - 28.2)	118	28.5	(20.3 - 38.4)	132
Hispanic/Latino	17.7	(10.5 - 28.2)	117	-	-	63	-	-	53
White*	8.9	(6.2 - 12.5)	631	8.9	(5.7 - 13.5)	319	8.9	(5.3 - 14.6)	311
All other races*	-	-	60	-	-	31	-	-	29
Multiple races*	-	-	51	-	-	31	-	-	20

Note: 128 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	3.5	(2.4 - 5.0)	1,126	4.7	(3.1 - 6.9)	570	1.9	(1.1 - 3.3)	551
Age									
15 or younger	5.0	(2.7 - 8.9)	349	6.7	(3.2 - 13.3)	177	2.3	(1.3 - 4.0)	169
16 or 17	2.3	(1.5 - 3.6)	624	2.9	(1.8 - 4.4)	309	1.7	(0.9 - 3.2)	314
18 or older	3.8	(1.2 - 11.3)	152	-	-	83	-	-	68
Grade									
9th	4.2	(1.9 - 8.8)	251	5.7	(2.5 - 12.3)	135	1.7	(0.4 - 7.2)	115
10th	3.0	(1.6 - 5.6)	331	3.5	(1.6 - 7.3)	161	2.5	(1.0 - 6.1)	169
11th	2.8	(0.9 - 8.0)	340	4.1	(1.2 - 13.4)	168	1.4	(0.3 - 6.6)	172
12th	3.6	(1.4 - 9.0)	188	-	-	97	-	-	91
Race/Ethnicity									
Black*	3.7	(1.5 - 8.5)	247	6.2	(2.4 - 15.0)	115	1.1	(0.3 - 3.4)	130
Hispanic/Latino	10.6	(6.8 - 16.2)	114	-	-	62	-	-	51
White*	2.3	(1.4 - 3.7)	628	2.8	(1.7 - 4.5)	318	1.5	(0.6 - 4.1)	309
All other races*	-	-	60	-	-	31	-	-	29
Multiple races*	-	-	51	-	-	31	-	-	20

Note: 137 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	7.8	(6.2 - 9.9)	1,131	8.6	(6.7 - 10.9)	577	6.8	(4.7 - 9.7)	549
Age									
15 or younger	7.5	(4.4 - 12.6)	350	8.0	(4.5 - 13.8)	179	6.1	(2.1 - 16.4)	168
16 or 17	7.8	(5.6 - 10.9)	627	7.7	(5.1 - 11.4)	313	8.0	(4.3 - 14.3)	313
18 or older	8.2	(4.0 - 15.9)	153	-	-	84	-	-	68
Grade									
9th	7.8	(4.5 - 13.1)	252	7.0	(3.8 - 12.3)	137	8.1	(3.6 - 17.1)	114
10th	9.1	(6.3 - 12.9)	332	10.0	(7.1 - 13.9)	164	8.1	(3.7 - 16.7)	167
11th	6.7	(3.4 - 13.1)	341	6.4	(2.9 - 13.5)	169	7.1	(2.9 - 16.6)	172
12th	7.4	(4.2 - 12.6)	190	-	-	98	-	-	92
Race/Ethnicity									
Black*	13.6	(8.7 - 20.8)	253	14.6	(6.6 - 29.2)	120	12.9	(7.0 - 22.6)	131
Hispanic/Latino	8.9	(4.9 - 15.6)	114	-	-	62	-	-	51
White*	6.2	(4.4 - 8.6)	632	6.2	(4.1 - 9.4)	322	5.9	(4.1 - 8.5)	309
All other races*	-	-	59	-	-	30	-	-	29
Multiple races*	-	-	50	-	-	30	-	-	20

Note: 132 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	2.0	(1.3 - 3.1)	1,135	3.2	(2.0 - 5.1)	577	0.5	(0.1 - 1.5)	553
Age									
15 or younger	2.5	(1.1 - 5.5)	354	3.1	(1.3 - 7.6)	180	0.9	(0.2 - 4.3)	171
16 or 17	1.9	(1.2 - 3.1)	628	3.5	(2.3 - 5.2)	313	0.3	(0.0 - 2.4)	314
18 or older	1.1	(0.2 - 6.7)	152	-	-	83	-	-	68
Grade									
9th	2.9	(1.2 - 6.8)	255	3.9	(1.4 - 10.4)	137	1.2	(0.2 - 5.8)	117
10th	1.9	(1.1 - 3.4)	334	3.1	(1.7 - 5.4)	165	0.7	(0.1 - 3.5)	168
11th	1.8	(0.6 - 5.4)	341	3.7	(1.3 - 10.2)	168	0.0	-	173
12th	1.1	(0.2 - 5.2)	189	-	-	98	-	-	91
Race/Ethnicity									
Black*	2.5	(0.9 - 7.0)	252	3.6	(1.1 - 11.0)	119	1.5	(0.2 - 10.0)	131
Hispanic/Latino	7.3	(4.6 - 11.2)	115	-	-	62	-	-	52
White*	1.2	(0.6 - 2.4)	633	1.9	(0.8 - 4.5)	322	0.2	(0.0 - 1.7)	310
All other races*	-	-	59	-	-	30	-	-	29
Multiple races*	-	-	51	-	-	31	-	-	20

Note: 128 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN57: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	14.7	(11.2 - 19.0)	1,115	17.8	(13.4 - 23.2)	566	11.0	(7.8 - 15.2)	545
Age									
15 or younger	16.3	(11.4 - 22.6)	343	19.8	(13.0 - 29.0)	175	12.0	(7.6 - 18.4)	166
16 or 17	16.4	(12.0 - 21.8)	619	19.3	(14.0 - 26.1)	307	13.4	(8.5 - 20.6)	311
18 or older	7.3	(3.2 - 16.0)	152	-	-	83	-	-	68
Grade									
9th	13.6	(8.9 - 20.1)	248	15.2	(8.4 - 26.1)	134	11.0	(5.9 - 19.6)	113
10th	20.4	(15.2 - 26.8)	331	24.2	(17.8 - 31.9)	163	15.8	(10.8 - 22.5)	167
11th	15.4	(10.2 - 22.5)	333	17.3	(10.7 - 26.8)	163	13.5	(7.6 - 22.7)	170
12th	8.7	(4.3 - 17.1)	189	-	-	97	-	-	92
Race/Ethnicity									
Black*	18.3	(13.5 - 24.3)	245	22.9	(16.3 - 31.2)	117	12.3	(7.6 - 19.3)	126
Hispanic/Latino	20.8	(12.7 - 32.1)	110	-	-	58	-	-	51
White*	13.5	(9.1 - 19.5)	629	15.8	(10.2 - 23.7)	320	10.9	(6.7 - 17.1)	308
All other races*	-	-	58	-	-	29	-	-	29
Multiple races*	-	-	50	-	-	30	-	-	20

Note: 148 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN58: Percentage of students who ever had sexual intercourse

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	37.7	(31.9 - 43.9)	972	37.6	(32.7 - 42.8)	472	37.5	(29.7 - 45.9)	497
Age									
15 or younger	23.1	(17.5 - 29.8)	292	22.6	(14.2 - 33.9)	141	22.8	(16.1 - 31.3)	149
16 or 17	38.8	(30.0 - 48.4)	546	37.8	(31.5 - 44.5)	260	39.8	(26.3 - 54.9)	286
18 or older	58.1	(46.8 - 68.6)	133	-	-	70	-	-	62
Grade									
9th	18.4	(13.7 - 24.1)	203	17.6	(10.7 - 27.5)	106	-	-	96
10th	37.7	(29.6 - 46.7)	290	38.3	(31.0 - 46.3)	136	36.7	(24.4 - 51.0)	153
11th	41.1	(31.0 - 52.0)	304	42.6	(35.2 - 50.4)	143	39.7	(25.6 - 55.7)	161
12th	52.4	(36.1 - 68.1)	167	-	-	82	-	-	85
Race/Ethnicity									
Black*	48.9	(38.2 - 59.6)	198	-	-	81	42.3	(28.9 - 56.9)	116
Hispanic/Latino	-	-	91	-	-	49	-	-	41
White*	35.3	(28.8 - 42.3)	580	34.3	(28.6 - 40.6)	288	36.1	(26.5 - 47.0)	291
All other races*	-	-	46	-	-	24	-	-	22
Multiple races*	-	-	41	-	-	23	-	-	18

Note: 291 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN59: Percentage of students who had sexual intercourse for the first time before age 13 years

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	2.8	(1.8 - 4.5)	979	4.3	(2.5 - 7.2)	478	1.3	(0.5 - 3.1)	499
Age									
15 or younger	2.5	(1.1 - 5.8)	292	2.9	(0.8 - 9.6)	142	2.2	(0.6 - 7.0)	149
16 or 17	3.3	(1.8 - 5.9)	551	5.4	(3.0 - 9.7)	264	1.3	(0.3 - 4.4)	287
18 or older	1.9	(0.5 - 7.3)	135	-	-	71	-	-	63
Grade									
9th	2.7	(1.1 - 6.7)	203	3.2	(0.8 - 11.9)	107	-	-	96
10th	3.6	(1.6 - 7.7)	293	6.1	(2.7 - 13.0)	138	1.1	(0.3 - 3.8)	154
11th	3.2	(1.4 - 7.1)	305	4.2	(1.7 - 10.3)	144	2.1	(0.5 - 9.1)	161
12th	1.9	(0.5 - 6.3)	169	-	-	84	-	-	85
Race/Ethnicity									
Black*	4.5	(2.6 - 7.6)	198	-	-	81	0.4	(0.0 - 3.3)	116
Hispanic/Latino	-	-	93	-	-	50	-	-	42
White*	1.9	(1.0 - 3.5)	584	2.3	(1.0 - 5.1)	293	1.5	(0.5 - 4.0)	291
All other races*	-	-	46	-	-	24	-	-	22
Multiple races*	-	-	41	-	-	23	-	-	18

Note: 284 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN60: Percentage of students who had sexual intercourse with four or more persons during their life

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	8.3	(6.4 - 10.9)	972	9.6	(7.4 - 12.4)	475	6.6	(4.1 - 10.5)	494
Age									
15 or younger	3.8	(2.3 - 6.3)	290	3.9	(1.7 - 8.7)	141	3.1	(1.2 - 7.9)	147
16 or 17	7.1	(4.2 - 11.5)	546	9.3	(5.7 - 14.8)	262	4.9	(2.1 - 11.0)	284
18 or older	18.4	(9.8 - 31.9)	135	-	-	71	-	-	63
Grade									
9th	2.3	(0.9 - 6.1)	202	2.1	(0.7 - 5.7)	106	-	-	95
10th	8.0	(5.3 - 11.9)	291	11.3	(6.8 - 18.3)	137	3.8	(2.0 - 7.3)	153
11th	7.5	(3.8 - 14.3)	302	8.0	(4.1 - 14.9)	144	7.1	(2.5 - 18.9)	158
12th	15.1	(8.2 - 26.2)	168	-	-	83	-	-	85
Race/Ethnicity									
Black*	13.3	(7.0 - 23.7)	196	-	-	81	7.5	(3.3 - 16.0)	114
Hispanic/Latino	-	-	92	-	-	50	-	-	41
White*	7.5	(5.1 - 10.8)	581	8.4	(5.8 - 12.0)	290	6.3	(3.2 - 12.0)	290
All other races*	-	-	46	-	-	24	-	-	22
Multiple races*	-	-	41	-	-	23	-	-	18

Note: 291 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN61: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	26.5	(21.6 - 32.2)	974	24.4	(20.4 - 29.0)	477	28.5	(21.0 - 37.3)	494
Age									
15 or younger	14.3	(10.1 - 19.8)	290	10.1	(4.6 - 20.7)	141	17.7	(11.6 - 26.0)	147
16 or 17	27.9	(19.7 - 37.8)	548	25.3	(20.2 - 31.1)	264	30.4	(18.5 - 45.6)	284
18 or older	42.2	(35.7 - 49.0)	135	-	-	71	-	-	63
Grade									
9th	11.2	(7.3 - 16.8)	202	9.6	(3.7 - 22.8)	106	-	-	95
10th	24.4	(18.4 - 31.6)	292	20.5	(15.4 - 26.9)	138	28.4	(19.0 - 40.3)	153
11th	31.3	(22.2 - 42.0)	302	31.2	(22.9 - 40.9)	144	31.3	(19.6 - 45.9)	158
12th	38.3	(26.6 - 51.6)	169	-	-	84	-	-	85
Race/Ethnicity									
Black*	26.5	(19.3 - 35.2)	195	-	-	81	29.4	(15.9 - 47.8)	113
Hispanic/Latino	-	-	93	-	-	50	-	-	42
White*	26.4	(20.9 - 32.8)	583	24.9	(19.6 - 31.0)	292	27.8	(18.7 - 39.3)	290
All other races*	-	-	46	-	-	24	-	-	22
Multiple races*	-	-	41	-	-	23	-	-	18

Note: 289 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN62: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	16.7	(10.0 - 26.5)	268	16.2	(9.9 - 25.3)	119	16.1	(8.8 - 27.8)	147
Age									
15 or younger	-	-	52	-	-	16	-	-	34
16 or 17	13.0	(7.1 - 22.5)	160	-	-	73	-	-	87
18 or older	-	-	55	-	-	29	-	-	26
Grade									
9th	-	-	26	-	-	10	-	-	15
10th	-	-	81	-	-	33	-	-	48
11th	-	-	93	-	-	46	-	-	47
12th	-	-	66	-	-	30	-	-	36
Race/Ethnicity									
Black*	-	-	56	-	-	21	-	-	35
Hispanic/Latino	-	-	28	-	-	12	-	-	15
White*	16.6	(8.1 - 31.0)	156	-	-	71	-	-	84
All other races*	-	-	11	-	-	6	-	-	5
Multiple races*	-	-	12	-	-	6	-	-	6

Note: 995 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN63: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	44.7	(38.7 - 50.7)	257	56.2	(49.9 - 62.2)	112	34.3	(28.7 - 40.4)	144
Age									
15 or younger	-	-	49	-	-	15	-	-	33
16 or 17	45.9	(39.7 - 52.3)	154	-	-	68	-	-	86
18 or older	-	-	53	-	-	28	-	-	25
Grade									
9th	-	-	25	-	-	9	-	-	15
10th	-	-	77	-	-	31	-	-	46
11th	-	-	91	-	-	44	-	-	47
12th	-	-	63	-	-	28	-	-	35
Race/Ethnicity									
Black*	-	-	53	-	-	18	-	-	35
Hispanic/Latino	-	-	27	-	-	12	-	-	15
White*	47.1	(39.8 - 54.4)	150	-	-	68	-	-	81
All other races*	-	-	11	-	-	6	-	-	5
Multiple races*	-	-	11	-	-	5	-	-	6

Note: 1,006 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN64: Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	31.9	(24.6 - 40.2)	255	30.3	(17.8 - 46.6)	111	33.5	(26.5 - 41.3)	143
Age									
15 or younger	-	-	47	-	-	14	-	-	32
16 or 17	32.7	(23.7 - 43.3)	153	-	-	68	-	-	85
18 or older	-	-	54	-	-	28	-	-	26
Grade									
9th	-	-	25	-	-	9	-	-	15
10th	-	-	75	-	-	30	-	-	45
11th	-	-	90	-	-	43	-	-	47
12th	-	-	64	-	-	29	-	-	35
Race/Ethnicity									
Black*	-	-	52	-	-	17	-	-	35
Hispanic/Latino	-	-	23	-	-	10	-	-	13
White*	35.0	(26.2 - 45.0)	153	-	-	70	-	-	82
All other races*	-	-	11	-	-	6	-	-	5
Multiple races*	-	-	11	-	-	5	-	-	6

Note: 1,008 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	5.5	(2.4 - 12.4)	255	4.5	(1.6 - 12.2)	111	6.5	(2.4 - 16.7)	143
Age									
15 or younger	-	-	47	-	-	14	-	-	32
16 or 17	5.2	(1.9 - 13.3)	153	-	-	68	-	-	85
18 or older	-	-	54	-	-	28	-	-	26
Grade									
9th	-	-	25	-	-	9	-	-	15
10th	-	-	75	-	-	30	-	-	45
11th	-	-	90	-	-	43	-	-	47
12th	-	-	64	-	-	29	-	-	35
Race/Ethnicity									
Black*	-	-	52	-	-	17	-	-	35
Hispanic/Latino	-	-	23	-	-	10	-	-	13
White*	5.3	(2.0 - 13.4)	153	-	-	70	-	-	82
All other races*	-	-	11	-	-	6	-	-	5
Multiple races*	-	-	11	-	-	5	-	-	6

Note: 1,008 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	44.8	(37.2 - 52.6)	255	40.6	(28.0 - 54.5)	111	48.8	(41.1 - 56.5)	143
Age									
15 or younger	-	-	47	-	-	14	-	-	32
16 or 17	45.2	(34.9 - 55.9)	153	-	-	68	-	-	85
18 or older	-	-	54	-	-	28	-	-	26
Grade									
9th	-	-	25	-	-	9	-	-	15
10th	-	-	75	-	-	30	-	-	45
11th	-	-	90	-	-	43	-	-	47
12th	-	-	64	-	-	29	-	-	35
Race/Ethnicity									
Black*	-	-	52	-	-	17	-	-	35
Hispanic/Latino	-	-	23	-	-	10	-	-	13
White*	47.8	(40.0 - 55.8)	153	-	-	70	-	-	82
All other races*	-	-	11	-	-	6	-	-	5
Multiple races*	-	-	11	-	-	5	-	-	6

Note: 1,008 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	9.1	(4.9 - 16.3)	252	12.3	(6.3 - 22.4)	109	6.5	(3.2 - 12.5)	142
Age									
15 or younger	-	-	46	-	-	13	-	-	32
16 or 17	11.2	(5.9 - 20.1)	152	-	-	67	-	-	85
18 or older	-	-	53	-	-	28	-	-	25
Grade									
9th	-	-	24	-	-	8	-	-	15
10th	-	-	75	-	-	30	-	-	45
11th	-	-	90	-	-	43	-	-	47
12th	-	-	62	-	-	28	-	-	34
Race/Ethnicity									
Black*	-	-	52	-	-	17	-	-	35
Hispanic/Latino	-	-	23	-	-	10	-	-	13
White*	10.3	(5.5 - 18.4)	150	-	-	68	-	-	81
All other races*	-	-	11	-	-	6	-	-	5
Multiple races*	-	-	11	-	-	5	-	-	6

Note: 1,011 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	12.2	(9.0 - 16.4)	255	10.0	(5.1 - 18.8)	111	14.3	(9.7 - 20.6)	143
Age									
15 or younger	-	-	47	-	-	14	-	-	32
16 or 17	11.7	(7.2 - 18.5)	153	-	-	68	-	-	85
18 or older	-	-	54	-	-	28	-	-	26
Grade									
9th	-	-	25	-	-	9	-	-	15
10th	-	-	75	-	-	30	-	-	45
11th	-	-	90	-	-	43	-	-	47
12th	-	-	64	-	-	29	-	-	35
Race/Ethnicity									
Black*	-	-	52	-	-	17	-	-	35
Hispanic/Latino	-	-	23	-	-	10	-	-	13
White*	9.1	(5.9 - 13.8)	153	-	-	70	-	-	82
All other races*	-	-	11	-	-	6	-	-	5
Multiple races*	-	-	11	-	-	5	-	-	6

Note: 1,008 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNOBESE: Percentage of students who had obesity (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)**

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	16.8	(13.7 - 20.4)	1,129	20.0	(15.6 - 25.2)	582	13.3	(10.0 - 17.6)	547
Age									
15 or younger	19.2	(13.4 - 26.8)	354	20.9	(14.3 - 29.6)	184	17.3	(11.0 - 26.2)	170
16 or 17	18.6	(15.5 - 22.2)	628	23.9	(19.6 - 28.8)	316	13.1	(8.8 - 19.1)	312
18 or older	7.9	(4.2 - 14.3)	147	-	-	82	-	-	65
Grade									
9th	20.6	(14.2 - 29.0)	254	21.6	(14.7 - 30.6)	139	19.5	(12.0 - 30.1)	115
10th	18.5	(13.6 - 24.7)	341	22.6	(15.8 - 31.3)	169	14.3	(8.0 - 24.2)	172
11th	19.7	(15.4 - 24.7)	338	24.2	(18.5 - 31.0)	169	14.8	(8.3 - 25.0)	169
12th	8.4	(4.8 - 14.5)	187	-	-	97	-	-	90
Race/Ethnicity									
Black*	21.5	(15.5 - 29.0)	270	25.8	(16.6 - 37.9)	132	16.5	(10.3 - 25.6)	138
Hispanic/Latino	25.1	(17.6 - 34.4)	104	-	-	59	-	-	45
White*	15.2	(11.8 - 19.3)	622	18.2	(13.6 - 23.9)	317	12.1	(8.4 - 17.1)	305
All other races*	-	-	53	-	-	28	-	-	25
Multiple races*	-	-	54	-	-	33	-	-	21

Note: 134 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

**Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNOWT: Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)**

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	12.2	(9.5 - 15.6)	1,129	10.4	(7.1 - 14.9)	582	14.3	(11.1 - 18.2)	547
Age									
15 or younger	12.2	(9.1 - 16.3)	354	12.6	(7.3 - 20.8)	184	11.8	(7.7 - 17.6)	170
16 or 17	13.3	(10.3 - 16.9)	628	11.3	(8.2 - 15.5)	316	15.3	(11.2 - 20.7)	312
18 or older	9.5	(4.3 - 19.8)	147	-	-	82	-	-	65
Grade									
9th	10.3	(5.9 - 17.5)	254	11.2	(5.5 - 21.2)	139	9.4	(4.5 - 18.6)	115
10th	15.4	(12.0 - 19.6)	341	14.3	(10.6 - 19.0)	169	16.7	(11.7 - 23.3)	172
11th	13.0	(9.9 - 16.9)	338	8.8	(5.1 - 14.9)	169	17.5	(12.1 - 24.7)	169
12th	9.5	(5.0 - 17.4)	187	-	-	97	-	-	90
Race/Ethnicity									
Black*	17.0	(11.1 - 25.2)	270	17.8	(11.2 - 27.1)	132	16.1	(8.1 - 29.4)	138
Hispanic/Latino	15.1	(8.4 - 25.8)	104	-	-	59	-	-	45
White*	11.1	(8.6 - 14.2)	622	8.4	(5.6 - 12.5)	317	13.9	(10.5 - 18.2)	305
All other races*	-	-	53	-	-	28	-	-	25
Multiple races*	-	-	54	-	-	33	-	-	21

Note: 134 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

**Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN69: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	36.2	(28.0 - 45.3)	1,181	30.4	(24.4 - 37.3)	590	42.3	(30.5 - 55.1)	585
Age									
15 or younger	39.4	(26.7 - 53.8)	393	33.6	(22.4 - 47.1)	193	45.7	(29.6 - 62.7)	196
16 or 17	34.7	(27.0 - 43.3)	635	30.0	(24.3 - 36.5)	315	39.3	(27.6 - 52.3)	319
18 or older	33.8	(22.3 - 47.5)	152	-	-	81	-	-	70
Grade									
9th	39.8	(25.3 - 56.3)	289	36.0	(23.1 - 51.3)	150	44.5	(26.4 - 64.1)	137
10th	32.9	(24.5 - 42.6)	353	27.9	(20.6 - 36.5)	172	38.4	(24.5 - 54.4)	180
11th	36.9	(30.8 - 43.4)	334	32.0	(23.8 - 41.4)	163	41.7	(34.0 - 49.8)	171
12th	36.1	(21.8 - 53.2)	189	-	-	96	-	-	93
Race/Ethnicity									
Black*	29.3	(22.6 - 36.9)	271	30.7	(20.7 - 42.8)	129	27.7	(19.4 - 37.7)	140
Hispanic/Latino	27.2	(19.8 - 36.0)	111	-	-	59	-	-	51
White*	38.7	(28.9 - 49.5)	656	31.3	(24.4 - 39.0)	326	46.5	(32.1 - 61.6)	328
All other races*	-	-	62	-	-	33	-	-	29
Multiple races*	-	-	53	-	-	31	-	-	22

Note: 82 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN70: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	16.2	(10.4 - 24.3)	1,175	17.7	(11.7 - 25.8)	588	14.5	(8.2 - 24.3)	581
Age									
15 or younger	24.1	(11.8 - 42.9)	384	22.7	(11.6 - 39.5)	190	25.8	(11.4 - 48.5)	191
16 or 17	12.8	(9.4 - 17.2)	637	15.9	(10.5 - 23.4)	317	9.4	(6.0 - 14.4)	319
18 or older	9.5	(6.0 - 14.8)	151	-	-	80	-	-	70
Grade									
9th	27.0	(13.1 - 47.6)	285	26.9	(14.0 - 45.5)	150	27.3	(10.9 - 53.6)	134
10th	14.2	(9.2 - 21.2)	351	14.3	(8.2 - 23.8)	170	13.4	(8.4 - 20.6)	180
11th	13.6	(9.5 - 19.2)	332	17.2	(10.4 - 27.1)	162	10.1	(4.9 - 19.7)	170
12th	7.9	(5.0 - 12.1)	189	-	-	97	-	-	92
Race/Ethnicity									
Black*	22.8	(17.5 - 29.0)	265	21.6	(13.1 - 33.3)	127	22.3	(15.2 - 31.5)	136
Hispanic/Latino	16.6	(10.5 - 25.3)	112	-	-	60	-	-	51
White*	14.4	(8.5 - 23.5)	654	16.8	(10.2 - 26.5)	327	12.1	(5.8 - 23.3)	326
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	54	-	-	30	-	-	24

Note: 88 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	10.6	(5.5 - 19.5)	1,164	12.1	(7.2 - 19.8)	583	9.1	(3.6 - 21.3)	576
Age									
15 or younger	18.0	(6.6 - 40.3)	382	16.4	(6.5 - 35.9)	188	19.7	(6.4 - 47.0)	191
16 or 17	7.5	(5.1 - 10.9)	630	10.1	(6.5 - 15.4)	314	4.5	(2.4 - 8.3)	315
18 or older	4.7	(2.2 - 9.8)	151	-	-	80	-	-	70
Grade									
9th	21.0	(8.0 - 44.9)	283	21.0	(9.0 - 41.6)	148	21.1	(6.3 - 51.6)	134
10th	7.6	(4.2 - 13.5)	347	7.1	(2.8 - 16.7)	168	8.2	(5.0 - 13.2)	178
11th	8.3	(5.7 - 12.0)	330	12.2	(8.0 - 18.0)	162	4.5	(1.4 - 13.2)	168
12th	4.2	(2.0 - 8.5)	188	-	-	96	-	-	92
Race/Ethnicity									
Black*	12.2	(6.8 - 20.9)	263	14.8	(7.9 - 25.9)	126	9.0	(3.0 - 24.1)	135
Hispanic/Latino	9.4	(4.6 - 18.0)	110	-	-	58	-	-	51
White*	10.2	(4.9 - 19.7)	651	12.0	(6.5 - 21.1)	325	8.3	(3.0 - 21.1)	325
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	52	-	-	30	-	-	22

Note: 99 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	52.3	(45.8 - 58.7)	1,164	56.7	(49.3 - 63.9)	583	47.6	(40.8 - 54.5)	576
Age									
15 or younger	52.7	(40.2 - 64.9)	382	58.9	(46.4 - 70.3)	188	46.2	(33.4 - 59.5)	191
16 or 17	51.6	(44.3 - 58.9)	630	52.2	(42.1 - 62.1)	314	51.2	(43.9 - 58.3)	315
18 or older	53.4	(41.3 - 65.2)	151	-	-	80	-	-	70
Grade									
9th	52.8	(38.0 - 67.0)	283	55.2	(40.8 - 68.8)	148	49.8	(33.8 - 65.8)	134
10th	51.9	(44.5 - 59.2)	347	56.4	(44.7 - 67.4)	168	47.0	(38.1 - 56.0)	178
11th	50.4	(41.3 - 59.6)	330	54.0	(42.0 - 65.6)	162	46.8	(36.9 - 57.0)	168
12th	54.5	(44.7 - 64.1)	188	-	-	96	-	-	92
Race/Ethnicity									
Black*	49.5	(43.9 - 55.1)	263	55.7	(42.4 - 68.3)	126	42.4	(30.8 - 55.0)	135
Hispanic/Latino	57.6	(44.3 - 69.9)	110	-	-	58	-	-	51
White*	52.3	(44.8 - 59.7)	651	56.8	(48.6 - 64.7)	325	47.6	(40.5 - 54.8)	325
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	52	-	-	30	-	-	22

Note: 99 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	22.9	(18.7 - 27.8)	1,164	22.9	(18.8 - 27.7)	583	22.9	(17.3 - 29.7)	576
Age									
15 or younger	23.7	(16.7 - 32.4)	382	24.3	(16.5 - 34.3)	188	22.7	(14.8 - 33.3)	191
16 or 17	24.3	(19.1 - 30.4)	630	22.4	(17.1 - 28.8)	314	26.3	(18.2 - 36.5)	315
18 or older	18.0	(10.9 - 28.2)	151	-	-	80	-	-	70
Grade									
9th	25.2	(17.2 - 35.4)	283	23.6	(14.7 - 35.7)	148	26.5	(16.6 - 39.5)	134
10th	23.1	(17.0 - 30.6)	347	23.1	(15.7 - 32.6)	168	23.3	(14.4 - 35.5)	178
11th	21.2	(15.6 - 28.1)	330	21.5	(15.6 - 28.7)	162	20.9	(12.8 - 32.3)	168
12th	22.5	(14.5 - 33.1)	188	-	-	96	-	-	92
Race/Ethnicity									
Black*	26.7	(18.9 - 36.4)	263	28.6	(13.5 - 50.7)	126	25.4	(15.6 - 38.5)	135
Hispanic/Latino	26.6	(18.6 - 36.5)	110	-	-	58	-	-	51
White*	21.9	(16.7 - 28.2)	651	21.5	(16.6 - 27.3)	325	22.1	(15.5 - 30.5)	325
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	52	-	-	30	-	-	22

Note: 99 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN71: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	45.5	(39.8 - 51.3)	1,180	49.7	(41.9 - 57.4)	591	41.0	(32.6 - 49.9)	583
Age									
15 or younger	45.9	(35.8 - 56.3)	389	51.0	(40.1 - 61.9)	194	40.8	(27.9 - 55.0)	192
16 or 17	43.3	(37.0 - 49.8)	638	45.8	(36.9 - 54.9)	316	40.7	(32.6 - 49.3)	321
18 or older	50.2	(42.8 - 57.5)	151	-	-	80	-	-	70
Grade									
9th	48.8	(37.0 - 60.8)	285	55.5	(42.4 - 67.8)	151	41.8	(26.2 - 59.3)	133
10th	40.9	(33.7 - 48.4)	354	42.9	(35.8 - 50.3)	173	38.3	(27.9 - 49.9)	180
11th	44.2	(35.0 - 53.8)	336	47.6	(36.1 - 59.3)	163	40.9	(28.3 - 54.8)	173
12th	48.6	(41.9 - 55.4)	188	-	-	95	-	-	93
Race/Ethnicity									
Black*	59.0	(48.6 - 68.6)	268	66.4	(57.5 - 74.3)	128	50.2	(37.3 - 63.0)	138
Hispanic/Latino	58.0	(49.4 - 66.2)	114	-	-	61	-	-	52
White*	42.4	(35.6 - 49.4)	652	47.6	(38.2 - 57.3)	326	37.1	(27.7 - 47.6)	325
All other races*	-	-	62	-	-	33	-	-	29
Multiple races*	-	-	55	-	-	31	-	-	24

Note: 83 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN72: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	38.3	(33.9 - 42.9)	1,173	37.8	(31.5 - 44.5)	586	38.8	(33.0 - 44.9)	581
Age									
15 or younger	44.3	(36.2 - 52.7)	387	47.8	(38.2 - 57.6)	192	41.3	(31.1 - 52.2)	192
16 or 17	36.3	(33.0 - 39.8)	633	35.9	(29.2 - 43.3)	314	36.6	(32.2 - 41.2)	318
18 or older	31.4	(26.3 - 37.0)	150	-	-	79	-	-	70
Grade									
9th	44.2	(34.9 - 53.9)	289	49.5	(38.3 - 60.6)	151	39.2	(27.5 - 52.2)	136
10th	37.9	(31.2 - 45.1)	348	36.1	(28.8 - 44.0)	170	39.3	(27.4 - 52.6)	177
11th	38.1	(32.5 - 44.1)	332	36.8	(26.2 - 49.0)	162	39.4	(32.5 - 46.8)	170
12th	31.4	(27.2 - 36.0)	187	-	-	94	-	-	93
Race/Ethnicity									
Black*	46.7	(39.9 - 53.7)	262	42.3	(33.7 - 51.3)	123	50.2	(42.4 - 58.0)	137
Hispanic/Latino	45.1	(36.8 - 53.6)	113	-	-	61	-	-	51
White*	36.4	(31.4 - 41.7)	654	36.9	(30.0 - 44.4)	327	36.1	(29.1 - 43.8)	325
All other races*	-	-	62	-	-	33	-	-	29
Multiple races*	-	-	54	-	-	31	-	-	23

Note: 90 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN73: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	53.9	(49.0 - 58.8)	1,166	53.6	(47.9 - 59.3)	583	54.3	(47.6 - 60.8)	576
Age									
15 or younger	56.1	(49.7 - 62.2)	381	56.0	(47.0 - 64.7)	189	56.2	(50.2 - 62.0)	188
16 or 17	53.9	(48.9 - 58.9)	632	55.6	(50.4 - 60.7)	314	52.3	(44.9 - 59.5)	317
18 or older	49.7	(40.5 - 59.0)	150	-	-	79	-	-	70
Grade									
9th	57.3	(50.0 - 64.2)	282	57.2	(45.9 - 67.9)	148	57.3	(51.5 - 63.0)	132
10th	56.0	(48.5 - 63.3)	348	56.2	(49.6 - 62.7)	171	55.4	(41.7 - 68.4)	176
11th	52.5	(44.3 - 60.6)	332	53.8	(42.5 - 64.8)	162	51.1	(43.3 - 58.9)	170
12th	48.7	(41.2 - 56.2)	187	-	-	94	-	-	93
Race/Ethnicity									
Black*	68.4	(59.9 - 75.8)	259	66.5	(53.9 - 77.1)	122	70.4	(58.3 - 80.2)	135
Hispanic/Latino	50.1	(39.3 - 60.9)	113	-	-	61	-	-	51
White*	51.8	(46.7 - 56.8)	649	52.5	(46.2 - 58.7)	325	51.0	(44.2 - 57.7)	322
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	55	-	-	31	-	-	24

Note: 97 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN74: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	20.6	(16.4 - 25.6)	1,174	22.8	(18.6 - 27.5)	587	18.1	(12.8 - 25.0)	580
Age									
15 or younger	25.3	(16.1 - 37.3)	386	26.4	(17.8 - 37.3)	189	24.0	(13.5 - 39.0)	193
16 or 17	18.8	(16.1 - 21.9)	634	23.0	(18.0 - 28.8)	317	14.5	(10.7 - 19.4)	316
18 or older	16.1	(11.3 - 22.4)	151	-	-	80	-	-	70
Grade									
9th	27.9	(18.2 - 40.3)	286	28.8	(19.3 - 40.7)	148	26.5	(15.2 - 42.1)	136
10th	19.6	(15.2 - 25.0)	350	22.1	(16.0 - 29.6)	172	16.5	(10.2 - 25.7)	177
11th	19.3	(15.9 - 23.2)	332	26.6	(20.5 - 33.7)	163	11.9	(6.6 - 20.6)	169
12th	14.4	(10.2 - 20.1)	188	-	-	95	-	-	93
Race/Ethnicity									
Black*	29.9	(20.3 - 41.7)	261	31.0	(21.0 - 43.2)	124	28.0	(17.2 - 42.0)	135
Hispanic/Latino	32.1	(23.9 - 41.5)	113	-	-	61	-	-	51
White*	18.0	(13.8 - 23.1)	654	21.6	(16.9 - 27.1)	327	14.2	(9.2 - 21.2)	325
All other races*	-	-	62	-	-	33	-	-	29
Multiple races*	-	-	55	-	-	31	-	-	24

Note: 89 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	8.7	(5.6 - 13.4)	1,149	11.0	(6.9 - 16.9)	578	6.2	(3.4 - 11.3)	566
Age									
15 or younger	11.9	(5.9 - 22.3)	372	15.2	(7.6 - 28.0)	186	8.5	(3.4 - 19.6)	184
16 or 17	7.8	(5.9 - 10.3)	625	10.8	(7.5 - 15.4)	312	4.7	(2.6 - 8.4)	312
18 or older	5.1	(2.3 - 11.0)	150	-	-	79	-	-	70
Grade									
9th	14.3	(7.4 - 25.8)	274	18.4	(9.1 - 33.8)	146	9.8	(4.1 - 21.5)	127
10th	7.3	(4.9 - 10.6)	343	9.3	(6.6 - 12.9)	168	4.5	(1.8 - 10.7)	174
11th	8.8	(5.9 - 12.9)	331	13.0	(7.9 - 20.8)	162	4.5	(1.2 - 15.8)	169
12th	4.3	(2.0 - 8.6)	186	-	-	94	-	-	92
Race/Ethnicity									
Black*	13.4	(7.8 - 22.0)	255	14.4	(7.6 - 25.5)	120	11.2	(4.7 - 24.5)	133
Hispanic/Latino	16.6	(12.1 - 22.5)	113	-	-	61	-	-	51
White*	7.1	(4.2 - 11.9)	641	10.6	(6.4 - 17.1)	324	3.5	(1.4 - 8.7)	316
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	54	-	-	31	-	-	23

Note: 114 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	55.7	(51.0 - 60.2)	1,149	56.2	(49.8 - 62.3)	578	55.0	(50.5 - 59.5)	566
Age									
15 or younger	55.5	(48.9 - 61.9)	372	53.8	(43.9 - 63.3)	186	56.9	(49.3 - 64.3)	184
16 or 17	56.2	(50.8 - 61.4)	625	56.1	(48.6 - 63.3)	312	56.2	(50.4 - 61.8)	312
18 or older	54.6	(42.0 - 66.6)	150	-	-	79	-	-	70
Grade									
9th	55.7	(47.9 - 63.3)	274	52.9	(40.5 - 65.0)	146	58.6	(51.5 - 65.3)	127
10th	55.2	(49.4 - 60.9)	343	56.6	(49.8 - 63.1)	168	54.2	(46.7 - 61.5)	174
11th	55.8	(48.1 - 63.3)	331	55.2	(45.9 - 64.1)	162	56.4	(47.4 - 65.0)	169
12th	56.3	(46.0 - 66.1)	186	-	-	94	-	-	92
Race/Ethnicity									
Black*	41.9	(36.0 - 48.1)	255	47.2	(40.2 - 54.3)	120	36.6	(27.5 - 46.8)	133
Hispanic/Latino	53.6	(43.1 - 63.8)	113	-	-	61	-	-	51
White*	58.2	(52.3 - 63.8)	641	56.4	(48.5 - 64.0)	324	59.9	(54.3 - 65.2)	316
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	54	-	-	31	-	-	23

Note: 114 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	25.1	(22.0 - 28.5)	1,149	24.6	(18.6 - 31.7)	578	25.7	(19.2 - 33.4)	566
Age									
15 or younger	26.8	(22.7 - 31.4)	372	25.5	(18.9 - 33.5)	186	27.9	(20.7 - 36.4)	184
16 or 17	25.0	(20.9 - 29.6)	625	24.3	(17.4 - 32.8)	312	25.7	(19.2 - 33.4)	312
18 or older	22.4	(17.0 - 28.8)	150	-	-	79	-	-	70
Grade									
9th	29.3	(24.3 - 34.8)	274	26.8	(18.1 - 37.8)	146	31.5	(24.4 - 39.6)	127
10th	22.0	(19.2 - 25.1)	343	23.7	(17.7 - 30.9)	168	20.5	(13.7 - 29.5)	174
11th	24.3	(17.1 - 33.3)	331	22.0	(14.2 - 32.4)	162	26.6	(16.7 - 39.6)	169
12th	24.8	(21.0 - 29.1)	186	-	-	94	-	-	92
Race/Ethnicity									
Black*	15.2	(8.4 - 26.0)	255	14.5	(8.2 - 24.5)	120	16.3	(7.6 - 31.4)	133
Hispanic/Latino	26.6	(14.2 - 44.2)	113	-	-	61	-	-	51
White*	26.1	(22.1 - 30.6)	641	24.8	(18.2 - 32.8)	324	27.4	(19.1 - 37.6)	316
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	54	-	-	31	-	-	23

Note: 114 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	11.1	(9.6 - 12.6)	1,149	11.5	(9.0 - 14.5)	578	10.5	(7.9 - 13.8)	566
Age									
15 or younger	11.6	(8.6 - 15.5)	372	11.0	(6.6 - 17.9)	186	11.8	(8.0 - 17.2)	184
16 or 17	11.2	(9.3 - 13.4)	625	12.2	(8.7 - 16.9)	312	10.2	(7.6 - 13.6)	312
18 or older	9.7	(6.8 - 13.5)	150	-	-	79	-	-	70
Grade									
9th	13.9	(9.9 - 19.3)	274	13.0	(7.3 - 22.1)	146	14.3	(8.9 - 22.4)	127
10th	9.7	(7.4 - 12.8)	343	11.3	(7.7 - 16.4)	168	8.2	(5.7 - 11.6)	174
11th	8.2	(6.1 - 10.8)	331	9.7	(5.5 - 16.6)	162	6.6	(3.7 - 11.4)	169
12th	11.8	(9.2 - 14.8)	186	-	-	94	-	-	92
Race/Ethnicity									
Black*	8.4	(5.2 - 13.1)	255	11.2	(7.8 - 15.6)	120	5.7	(1.8 - 16.7)	133
Hispanic/Latino	13.8	(7.5 - 24.1)	113	-	-	61	-	-	51
White*	10.5	(8.5 - 12.9)	641	10.6	(7.5 - 14.8)	324	10.2	(7.0 - 14.6)	316
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	54	-	-	31	-	-	23

Note: 114 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN75: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	34.7	(27.9 - 42.1)	1,169	26.4	(20.4 - 33.4)	584	43.0	(35.0 - 51.4)	578
Age									
15 or younger	38.1	(26.1 - 51.7)	386	30.5	(17.5 - 47.4)	189	45.4	(33.3 - 58.0)	193
16 or 17	34.3	(28.3 - 40.8)	632	25.6	(20.3 - 31.7)	315	43.3	(34.7 - 52.3)	316
18 or older	29.0	(22.3 - 36.7)	148	-	-	79	-	-	68
Grade									
9th	37.2	(23.4 - 53.4)	287	26.6	(13.2 - 46.5)	148	48.0	(34.0 - 62.3)	137
10th	34.4	(27.9 - 41.5)	346	31.3	(23.2 - 40.8)	170	37.1	(30.3 - 44.4)	175
11th	32.4	(23.9 - 42.3)	331	21.9	(14.4 - 32.0)	162	42.9	(30.6 - 56.2)	169
12th	35.2	(28.3 - 42.8)	187	-	-	95	-	-	92
Race/Ethnicity									
Black*	36.8	(30.0 - 44.1)	260	34.2	(23.0 - 47.6)	123	38.7	(29.8 - 48.5)	135
Hispanic/Latino	27.6	(20.2 - 36.5)	112	-	-	61	-	-	50
White*	34.9	(27.2 - 43.5)	654	24.8	(18.6 - 32.3)	326	45.1	(35.2 - 55.4)	326
All other races*	-	-	60	-	-	32	-	-	28
Multiple races*	-	-	55	-	-	31	-	-	24

Note: 94 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	15.8	(12.6 - 19.6)	1,169	19.8	(15.9 - 24.5)	584	11.4	(8.2 - 15.8)	578
Age									
15 or younger	15.3	(11.3 - 20.4)	386	16.4	(11.5 - 23.0)	189	13.6	(9.0 - 20.0)	193
16 or 17	16.7	(12.3 - 22.3)	632	21.5	(15.3 - 29.4)	315	11.7	(7.7 - 17.5)	316
18 or older	14.4	(9.3 - 21.7)	148	-	-	79	-	-	68
Grade									
9th	16.8	(12.0 - 23.0)	287	17.1	(10.9 - 26.0)	148	16.1	(11.3 - 22.5)	137
10th	14.4	(10.7 - 19.2)	346	16.7	(12.4 - 22.1)	170	12.1	(7.3 - 19.5)	175
11th	17.5	(11.6 - 25.6)	331	25.0	(15.7 - 37.3)	162	10.0	(5.7 - 17.0)	169
12th	13.6	(7.8 - 22.7)	187	-	-	95	-	-	92
Race/Ethnicity									
Black*	11.1	(6.6 - 18.2)	260	11.5	(5.8 - 21.6)	123	11.0	(5.6 - 20.4)	135
Hispanic/Latino	20.1	(12.1 - 31.5)	112	-	-	61	-	-	50
White*	16.6	(13.1 - 20.8)	654	21.5	(16.5 - 27.4)	326	11.4	(8.1 - 15.9)	326
All other races*	-	-	60	-	-	32	-	-	28
Multiple races*	-	-	55	-	-	31	-	-	24

Note: 94 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	10.5	(8.2 - 13.5)	1,169	13.1	(10.4 - 16.3)	584	7.7	(5.2 - 11.4)	578
Age									
15 or younger	9.4	(6.2 - 14.2)	386	9.6	(5.1 - 17.2)	189	8.6	(5.9 - 12.4)	193
16 or 17	11.0	(7.8 - 15.3)	632	14.2	(9.5 - 20.7)	315	7.7	(4.5 - 13.0)	316
18 or older	11.6	(5.5 - 23.0)	148	-	-	79	-	-	68
Grade									
9th	11.1	(6.9 - 17.3)	287	10.8	(5.2 - 20.9)	148	10.9	(7.7 - 15.2)	137
10th	8.5	(5.7 - 12.6)	346	9.3	(5.7 - 15.0)	170	7.8	(3.9 - 14.8)	175
11th	11.5	(8.1 - 16.2)	331	15.5	(9.3 - 24.8)	162	7.5	(3.8 - 14.3)	169
12th	10.7	(5.2 - 20.5)	187	-	-	95	-	-	92
Race/Ethnicity									
Black*	7.1	(3.7 - 13.2)	260	6.1	(2.6 - 13.6)	123	8.3	(4.0 - 16.1)	135
Hispanic/Latino	12.5	(7.7 - 19.7)	112	-	-	61	-	-	50
White*	11.1	(8.4 - 14.5)	654	14.6	(11.0 - 19.0)	326	7.3	(4.6 - 11.4)	326
All other races*	-	-	60	-	-	32	-	-	28
Multiple races*	-	-	55	-	-	31	-	-	24

Note: 94 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN77: Percentage of students who did not eat breakfast (during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	19.7	(14.0 - 26.8)	1,171	19.6	(14.6 - 25.8)	588	19.4	(12.8 - 28.1)	576
Age									
15 or younger	23.0	(11.3 - 41.0)	388	21.1	(11.2 - 36.4)	192	24.6	(11.3 - 45.5)	192
16 or 17	19.8	(16.6 - 23.5)	632	19.8	(15.1 - 25.5)	316	19.7	(16.0 - 24.0)	315
18 or older	12.2	(7.9 - 18.4)	148	-	-	79	-	-	68
Grade									
9th	25.3	(12.0 - 45.7)	287	23.7	(11.7 - 42.3)	150	26.5	(11.6 - 49.8)	135
10th	19.3	(15.1 - 24.3)	350	17.8	(12.8 - 24.3)	173	20.2	(14.8 - 27.1)	176
11th	20.6	(16.4 - 25.6)	330	23.9	(17.2 - 32.1)	161	17.4	(11.2 - 26.1)	169
12th	11.9	(7.6 - 18.0)	187	-	-	95	-	-	92
Race/Ethnicity									
Black*	23.7	(16.1 - 33.4)	261	25.1	(17.8 - 34.0)	125	20.5	(11.7 - 33.5)	134
Hispanic/Latino	21.7	(13.5 - 33.0)	111	-	-	60	-	-	50
White*	17.9	(11.9 - 26.0)	656	17.8	(12.4 - 24.8)	328	17.8	(10.8 - 27.8)	326
All other races*	-	-	61	-	-	33	-	-	28
Multiple races*	-	-	54	-	-	31	-	-	23

Note: 92 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	25.6	(21.2 - 30.6)	1,171	28.5	(24.2 - 33.2)	588	22.6	(17.5 - 28.7)	576
Age									
15 or younger	28.3	(20.5 - 37.6)	388	31.8	(24.1 - 40.6)	192	24.7	(15.8 - 36.5)	192
16 or 17	24.2	(19.8 - 29.1)	632	28.3	(22.6 - 34.9)	316	19.9	(15.3 - 25.4)	315
18 or older	24.3	(18.3 - 31.5)	148	-	-	79	-	-	68
Grade									
9th	28.0	(19.1 - 39.1)	287	31.7	(23.3 - 41.6)	150	23.8	(13.7 - 38.0)	135
10th	25.0	(20.1 - 30.8)	350	27.4	(22.5 - 33.0)	173	22.7	(14.8 - 33.3)	176
11th	25.0	(17.1 - 35.0)	330	29.4	(17.9 - 44.3)	161	20.6	(14.2 - 29.0)	169
12th	24.6	(19.1 - 31.0)	187	-	-	95	-	-	92
Race/Ethnicity									
Black*	15.5	(11.4 - 20.6)	261	19.1	(13.2 - 26.9)	125	11.9	(6.0 - 22.3)	134
Hispanic/Latino	23.8	(15.6 - 34.5)	111	-	-	60	-	-	50
White*	28.2	(22.8 - 34.3)	656	30.9	(25.5 - 36.9)	328	25.3	(19.1 - 32.8)	326
All other races*	-	-	61	-	-	33	-	-	28
Multiple races*	-	-	54	-	-	31	-	-	23

Note: 92 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN78: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	43.1	(37.6 - 48.9)	1,152	49.5	(43.1 - 55.9)	580	36.6	(30.0 - 43.8)	565
Age									
15 or younger	43.7	(32.3 - 55.8)	381	49.4	(36.7 - 62.1)	190	38.7	(27.2 - 51.6)	187
16 or 17	43.9	(37.5 - 50.6)	622	49.1	(41.6 - 56.6)	310	38.8	(30.6 - 47.7)	311
18 or older	40.1	(27.3 - 54.4)	146	-	-	79	-	-	66
Grade									
9th	43.6	(30.5 - 57.7)	283	48.5	(33.9 - 63.4)	148	39.0	(25.6 - 54.3)	133
10th	49.2	(39.3 - 59.2)	339	51.1	(39.4 - 62.6)	170	46.8	(34.9 - 59.1)	168
11th	40.7	(34.0 - 47.9)	329	49.5	(37.9 - 61.1)	160	32.0	(23.9 - 41.4)	169
12th	38.8	(25.4 - 54.1)	183	-	-	93	-	-	90
Race/Ethnicity									
Black*	31.1	(24.3 - 38.8)	255	36.0	(27.2 - 45.8)	122	25.0	(16.2 - 36.5)	131
Hispanic/Latino	38.4	(31.1 - 46.3)	109	-	-	59	-	-	49
White*	46.2	(40.3 - 52.1)	649	52.7	(45.1 - 60.1)	325	39.8	(32.6 - 47.4)	322
All other races*	-	-	59	-	-	32	-	-	27
Multiple races*	-	-	53	-	-	31	-	-	22

Note: 111 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	20.5	(14.4 - 28.2)	1,152	16.0	(11.0 - 22.7)	580	25.0	(17.6 - 34.4)	565
Age									
15 or younger	23.3	(11.1 - 42.6)	381	19.4	(9.2 - 36.1)	190	26.9	(12.7 - 48.1)	187
16 or 17	19.6	(16.2 - 23.6)	622	14.7	(11.6 - 18.5)	310	24.7	(18.7 - 31.9)	311
18 or older	17.1	(10.8 - 25.9)	146	-	-	79	-	-	66
Grade									
9th	25.8	(12.1 - 46.7)	283	22.6	(11.1 - 40.5)	148	28.9	(13.2 - 52.1)	133
10th	15.2	(10.4 - 21.8)	339	11.0	(7.2 - 16.3)	170	19.9	(13.7 - 28.2)	168
11th	22.6	(17.2 - 29.2)	329	16.9	(10.9 - 25.1)	160	28.4	(19.0 - 40.2)	169
12th	18.5	(10.6 - 30.3)	183	-	-	93	-	-	90
Race/Ethnicity									
Black*	25.1	(17.0 - 35.5)	255	17.0	(10.0 - 27.3)	122	34.6	(17.7 - 56.6)	131
Hispanic/Latino	21.9	(13.3 - 34.0)	109	-	-	59	-	-	49
White*	19.7	(13.6 - 27.7)	649	16.4	(11.1 - 23.7)	325	22.9	(15.4 - 32.5)	322
All other races*	-	-	59	-	-	32	-	-	27
Multiple races*	-	-	53	-	-	31	-	-	22

Note: 111 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	23.5	(19.9 - 27.5)	1,152	30.3	(25.3 - 35.9)	580	16.4	(12.6 - 21.0)	565
Age									
15 or younger	26.4	(18.9 - 35.5)	381	31.3	(22.8 - 41.2)	190	21.9	(14.4 - 31.9)	187
16 or 17	22.7	(18.0 - 28.3)	622	31.2	(25.2 - 37.8)	310	14.2	(10.4 - 18.9)	311
18 or older	20.1	(13.6 - 28.7)	146	-	-	79	-	-	66
Grade									
9th	26.1	(17.8 - 36.5)	283	29.8	(20.6 - 41.0)	148	22.5	(13.4 - 35.2)	133
10th	26.9	(20.1 - 35.1)	339	34.0	(24.7 - 44.7)	170	18.8	(13.6 - 25.4)	168
11th	22.2	(16.5 - 29.2)	329	32.2	(21.5 - 45.1)	160	12.2	(7.8 - 18.7)	169
12th	17.8	(12.5 - 24.8)	183	-	-	93	-	-	90
Race/Ethnicity									
Black*	20.5	(14.9 - 27.7)	255	19.8	(12.9 - 29.1)	122	20.3	(11.7 - 33.0)	131
Hispanic/Latino	25.2	(17.3 - 35.1)	109	-	-	59	-	-	49
White*	24.1	(20.3 - 28.4)	649	32.1	(26.1 - 38.8)	325	16.0	(12.1 - 20.9)	322
All other races*	-	-	59	-	-	32	-	-	27
Multiple races*	-	-	53	-	-	31	-	-	22

Note: 111 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN82: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	57.1	(47.9 - 65.8)	1,160	59.5	(50.8 - 67.7)	581	54.8	(44.4 - 64.7)	573
Age									
15 or younger	52.2	(37.2 - 66.8)	384	55.3	(43.2 - 66.8)	190	49.8	(31.4 - 68.3)	191
16 or 17	60.7	(51.3 - 69.3)	626	63.7	(52.6 - 73.6)	311	57.5	(48.2 - 66.2)	314
18 or older	57.8	(41.8 - 72.3)	147	-	-	79	-	-	67
Grade									
9th	49.7	(33.4 - 66.1)	284	55.3	(41.2 - 68.6)	148	44.5	(25.6 - 65.1)	134
10th	60.1	(50.9 - 68.7)	345	61.4	(48.0 - 73.2)	170	58.5	(49.6 - 66.9)	174
11th	62.9	(54.6 - 70.6)	329	65.3	(57.9 - 72.1)	161	60.6	(48.9 - 71.1)	168
12th	57.0	(41.0 - 71.7)	186	-	-	94	-	-	92
Race/Ethnicity									
Black*	49.6	(39.3 - 60.0)	257	54.0	(42.9 - 64.8)	120	44.0	(31.3 - 57.6)	135
Hispanic/Latino	42.1	(27.7 - 57.9)	113	-	-	61	-	-	51
White*	59.9	(49.6 - 69.5)	650	61.6	(51.3 - 70.9)	326	58.6	(47.0 - 69.3)	322
All other races*	-	-	60	-	-	32	-	-	28
Multiple races*	-	-	53	-	-	31	-	-	22

Note: 103 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN83: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	13.4	(11.2 - 15.9)	1,160	17.2	(12.9 - 22.4)	583	9.5	(6.8 - 13.1)	571
Age									
15 or younger	12.4	(9.0 - 17.0)	381	15.1	(9.4 - 23.3)	188	10.0	(5.0 - 19.1)	190
16 or 17	15.0	(12.4 - 18.0)	631	19.3	(14.9 - 24.6)	316	10.3	(7.0 - 14.9)	314
18 or older	11.2	(5.3 - 22.1)	145	-	-	78	-	-	66
Grade									
9th	13.4	(9.2 - 19.0)	281	15.8	(8.5 - 27.6)	146	11.0	(5.2 - 21.8)	133
10th	14.3	(11.5 - 17.6)	349	18.7	(12.2 - 27.6)	173	9.8	(5.2 - 17.7)	175
11th	14.1	(10.1 - 19.4)	330	19.6	(13.0 - 28.4)	163	8.5	(5.4 - 13.2)	167
12th	11.1	(6.1 - 19.4)	183	-	-	92	-	-	91
Race/Ethnicity									
Black*	18.0	(12.6 - 25.2)	259	22.3	(12.5 - 36.7)	123	13.1	(8.0 - 20.6)	134
Hispanic/Latino	24.1	(18.1 - 31.4)	113	-	-	61	-	-	51
White*	11.3	(9.1 - 14.0)	649	14.1	(10.3 - 18.9)	325	8.6	(5.6 - 12.9)	322
All other races*	-	-	60	-	-	33	-	-	27
Multiple races*	-	-	52	-	-	30	-	-	22

Note: 103 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	77.7	(72.7 - 82.0)	1,157	76.3	(69.7 - 81.8)	583	79.5	(73.1 - 84.8)	568
Age									
15 or younger	77.0	(68.7 - 83.7)	380	75.4	(66.1 - 82.9)	188	79.1	(68.1 - 87.0)	189
16 or 17	79.2	(73.4 - 84.1)	627	79.7	(72.2 - 85.7)	315	78.7	(71.3 - 84.5)	311
18 or older	75.0	(65.9 - 82.4)	147	-	-	79	-	-	67
Grade									
9th	73.0	(62.6 - 81.4)	281	73.0	(61.9 - 81.8)	146	73.3	(59.6 - 83.5)	133
10th	83.5	(77.5 - 88.1)	347	82.5	(76.2 - 87.5)	172	85.1	(75.5 - 91.4)	174
11th	78.6	(71.3 - 84.5)	328	80.8	(70.6 - 88.1)	162	76.4	(68.3 - 83.0)	166
12th	76.6	(64.5 - 85.5)	184	-	-	94	-	-	90
Race/Ethnicity									
Black*	63.9	(51.1 - 75.0)	255	63.7	(48.7 - 76.5)	122	64.7	(34.4 - 86.5)	131
Hispanic/Latino	67.7	(53.6 - 79.3)	113	-	-	61	-	-	51
White*	80.9	(74.4 - 86.1)	649	78.8	(69.5 - 85.9)	325	83.2	(76.8 - 88.2)	322
All other races*	-	-	60	-	-	33	-	-	27
Multiple races*	-	-	53	-	-	31	-	-	22

Note: 106 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	1.9	(1.0 - 3.5)	1,157	1.8	(0.9 - 3.5)	583	2.0	(0.8 - 5.3)	568
Age									
15 or younger	2.3	(0.9 - 5.5)	380	2.3	(0.8 - 6.5)	188	2.3	(0.8 - 6.1)	189
16 or 17	2.1	(0.8 - 5.2)	627	1.6	(0.7 - 3.3)	315	2.6	(0.6 - 10.7)	311
18 or older	0.7	(0.1 - 3.8)	147	-	-	79	-	-	67
Grade									
9th	2.5	(1.1 - 5.8)	281	2.4	(1.0 - 5.6)	146	2.7	(0.9 - 7.8)	133
10th	1.4	(0.5 - 3.6)	347	1.5	(0.5 - 4.8)	172	1.2	(0.2 - 7.0)	174
11th	2.1	(0.5 - 8.1)	328	1.4	(0.4 - 4.9)	162	2.8	(0.4 - 17.2)	166
12th	1.6	(0.6 - 4.3)	184	-	-	94	-	-	90
Race/Ethnicity									
Black*	6.1	(2.1 - 16.1)	255	4.7	(1.6 - 13.2)	122	7.6	(1.4 - 33.1)	131
Hispanic/Latino	4.5	(1.9 - 10.4)	113	-	-	61	-	-	51
White*	1.0	(0.5 - 2.1)	649	0.7	(0.3 - 1.9)	325	1.3	(0.5 - 3.3)	322
All other races*	-	-	60	-	-	33	-	-	27
Multiple races*	-	-	53	-	-	31	-	-	22

Note: 106 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	24.3	(17.9 - 32.0)	1,146	23.3	(18.0 - 29.6)	573	25.1	(16.0 - 37.0)	567
Age									
15 or younger	29.7	(17.1 - 46.5)	372	26.1	(16.3 - 39.0)	182	32.9	(16.0 - 55.7)	187
16 or 17	22.2	(18.1 - 27.0)	625	24.0	(18.9 - 29.9)	311	20.3	(13.8 - 28.8)	313
18 or older	19.0	(12.4 - 28.1)	146	-	-	79	-	-	66
Grade									
9th	30.0	(16.0 - 49.1)	276	26.3	(15.3 - 41.3)	143	33.6	(15.0 - 59.1)	131
10th	22.4	(16.7 - 29.2)	347	24.7	(17.1 - 34.3)	172	20.1	(9.9 - 36.7)	174
11th	22.4	(17.4 - 28.4)	326	23.8	(16.6 - 33.0)	159	21.1	(12.8 - 32.7)	167
12th	21.6	(15.7 - 29.0)	182	-	-	92	-	-	90
Race/Ethnicity									
Black*	24.6	(18.1 - 32.6)	255	31.6	(23.7 - 40.7)	121	17.3	(10.1 - 28.0)	132
Hispanic/Latino	29.9	(24.5 - 35.9)	112	-	-	60	-	-	51
White*	24.2	(17.8 - 32.1)	643	21.3	(15.4 - 28.6)	319	27.1	(17.7 - 39.0)	322
All other races*	-	-	59	-	-	33	-	-	26
Multiple races*	-	-	52	-	-	30	-	-	22

Note: 117 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN88: Percentage of students who got 8 or more hours of sleep (on an average school night)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	19.1	(16.2 - 22.4)	1,148	20.7	(17.3 - 24.6)	579	17.5	(13.4 - 22.6)	562
Age									
15 or younger	23.4	(16.6 - 31.8)	378	20.5	(14.2 - 28.6)	187	26.7	(17.8 - 37.9)	187
16 or 17	16.8	(13.9 - 20.0)	621	20.6	(15.1 - 27.4)	312	12.9	(8.5 - 19.1)	308
18 or older	17.3	(14.3 - 20.8)	146	-	-	79	-	-	66
Grade									
9th	21.0	(14.3 - 29.6)	280	16.1	(11.1 - 22.6)	146	26.5	(16.4 - 39.7)	132
10th	23.1	(18.8 - 28.1)	347	27.8	(19.6 - 37.8)	171	17.7	(14.6 - 21.3)	175
11th	14.9	(9.8 - 22.0)	323	16.6	(8.6 - 29.6)	161	13.2	(8.2 - 20.5)	162
12th	16.6	(13.6 - 20.1)	181	-	-	93	-	-	88
Race/Ethnicity									
Black*	15.5	(11.7 - 20.3)	253	12.4	(8.3 - 18.2)	122	17.7	(11.2 - 26.8)	129
Hispanic/Latino	17.4	(12.8 - 23.2)	111	-	-	60	-	-	50
White*	19.9	(16.2 - 24.3)	647	23.0	(18.7 - 27.9)	322	17.0	(11.5 - 24.3)	323
All other races*	-	-	58	-	-	33	-	-	25
Multiple races*	-	-	51	-	-	31	-	-	20

Note: 115 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN89: Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	77.3	(69.2 - 83.8)	1,145	73.8	(64.0 - 81.8)	574	80.9	(73.5 - 86.6)	564
Age									
15 or younger	72.5	(63.8 - 79.8)	374	68.7	(59.6 - 76.6)	183	76.6	(64.7 - 85.3)	187
16 or 17	78.7	(69.6 - 85.6)	623	73.8	(63.3 - 82.1)	311	83.6	(74.8 - 89.7)	311
18 or older	82.9	(67.7 - 91.8)	146	-	-	79	-	-	66
Grade									
9th	70.6	(61.1 - 78.7)	274	66.1	(53.8 - 76.5)	142	75.7	(63.7 - 84.7)	130
10th	72.5	(60.5 - 82.0)	346	66.6	(51.5 - 79.0)	170	78.4	(67.8 - 86.2)	175
11th	84.1	(75.9 - 89.9)	325	83.6	(77.8 - 88.0)	160	84.7	(71.6 - 92.4)	165
12th	84.1	(69.7 - 92.4)	183	-	-	93	-	-	90
Race/Ethnicity									
Black*	67.7	(60.5 - 74.2)	256	63.2	(53.7 - 71.8)	122	71.6	(62.0 - 79.6)	132
Hispanic/Latino	63.6	(50.8 - 74.7)	112	-	-	61	-	-	50
White*	81.1	(71.7 - 87.9)	643	77.8	(66.7 - 86.0)	318	84.6	(75.8 - 90.6)	323
All other races*	-	-	58	-	-	33	-	-	25
Multiple races*	-	-	50	-	-	29	-	-	21

Note: 118 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN90: Percentage of students who have a disability or long-term health problem that keeps them from doing everyday activities (such as bathing, getting dressed, doing school work, playing sports, or being with friends)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	4.8	(3.3 - 7.0)	1,116	4.9	(2.8 - 8.5)	566	4.7	(3.4 - 6.6)	546
Age									
15 or younger	4.0	(2.0 - 7.7)	346	4.5	(1.7 - 11.6)	180	3.0	(1.2 - 7.6)	164
16 or 17	5.5	(3.5 - 8.4)	618	4.8	(2.5 - 9.0)	303	6.1	(3.7 - 9.7)	314
18 or older	4.8	(1.1 - 18.2)	151	-	-	82	-	-	68
Grade									
9th	4.4	(2.4 - 7.9)	250	5.0	(2.5 - 9.8)	138	3.8	(1.3 - 10.7)	111
10th	4.5	(2.1 - 9.1)	331	3.8	(0.9 - 14.0)	163	5.2	(2.9 - 9.2)	167
11th	5.6	(3.8 - 8.3)	334	4.2	(1.7 - 10.1)	162	7.0	(4.1 - 11.5)	172
12th	4.7	(1.5 - 13.9)	188	-	-	96	-	-	92
Race/Ethnicity									
Black*	5.3	(3.2 - 8.8)	253	6.1	(2.0 - 17.4)	118	4.6	(1.8 - 11.1)	133
Hispanic/Latino	4.2	(1.5 - 11.1)	112	-	-	59	-	-	52
White*	4.7	(3.2 - 7.1)	617	4.7	(2.5 - 8.3)	315	4.8	(3.3 - 7.0)	302
All other races*	-	-	55	-	-	30	-	-	25
Multiple races*	-	-	54	-	-	32	-	-	22

Note: 147 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN91: Percentage of students who have ever been told by a doctor, nurse, or parent that they have a disability or long-term health problem

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	4.6	(3.1 - 6.8)	1,112	4.1	(2.3 - 7.0)	564	5.0	(3.5 - 7.1)	544
Age									
15 or younger	4.0	(2.3 - 6.7)	345	3.4	(1.6 - 7.4)	181	3.8	(1.7 - 8.4)	162
16 or 17	4.8	(3.3 - 6.9)	615	4.0	(2.6 - 5.9)	300	5.6	(3.2 - 9.6)	314
18 or older	5.4	(1.4 - 17.9)	151	-	-	82	-	-	68
Grade									
9th	5.4	(3.3 - 8.6)	249	5.1	(2.8 - 9.3)	137	5.1	(2.2 - 11.1)	111
10th	3.2	(1.4 - 7.1)	330	2.8	(0.9 - 8.7)	162	3.5	(1.6 - 7.5)	167
11th	5.7	(3.4 - 9.3)	334	3.7	(1.4 - 9.2)	162	7.7	(3.7 - 15.2)	172
12th	4.4	(1.3 - 13.4)	187	-	-	96	-	-	91
Race/Ethnicity									
Black*	3.9	(1.5 - 9.6)	253	5.4	(1.7 - 16.4)	118	2.4	(0.7 - 8.1)	133
Hispanic/Latino	6.7	(2.5 - 16.8)	110	-	-	59	-	-	50
White*	4.5	(2.9 - 7.0)	615	3.8	(2.2 - 6.7)	313	5.3	(3.4 - 8.1)	302
All other races*	-	-	55	-	-	30	-	-	25
Multiple races*	-	-	54	-	-	32	-	-	22

Note: 151 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN92: Percentage of students who rarely or never wear a seat belt when driving (among students who drive a car)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	5.3	(3.7 - 7.7)	728	7.7	(5.0 - 11.7)	394	2.3	(1.0 - 5.1)	331
Age									
15 or younger	12.1	(6.4 - 21.7)	132	-	-	75	-	-	55
16 or 17	3.4	(1.9 - 6.1)	469	5.0	(2.8 - 8.8)	242	1.7	(0.5 - 5.9)	226
18 or older	4.7	(1.4 - 14.2)	126	-	-	76	-	-	50
Grade									
9th	-	-	69	-	-	44	-	-	24
10th	2.4	(0.9 - 5.9)	233	3.6	(1.4 - 8.9)	120	1.0	(0.2 - 4.4)	113
11th	4.4	(2.5 - 7.7)	264	5.5	(2.9 - 10.2)	139	3.2	(0.8 - 11.5)	125
12th	4.8	(1.8 - 12.5)	155	-	-	89	-	-	66
Race/Ethnicity									
Black*	14.1	(8.2 - 23.0)	134	-	-	67	-	-	66
Hispanic/Latino	-	-	60	-	-	37	-	-	23
White*	2.9	(1.6 - 5.2)	450	4.6	(2.3 - 9.1)	236	0.9	(0.2 - 4.2)	214
All other races*	-	-	35	-	-	21	-	-	14
Multiple races*	-	-	31	-	-	21	-	-	10

Note: 535 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN93: Percentage of students who have ever been forced to do sexual things that they did not want to do (counting such things as kissing, touching, or being physically forced to have sexual intercourse)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	12.7	(10.1 - 15.8)	1,172	4.5	(2.9 - 7.0)	594	21.3	(17.3 - 25.9)	573
Age									
15 or younger	10.6	(7.0 - 15.7)	370	5.9	(3.6 - 9.5)	189	15.4	(10.1 - 22.8)	178
16 or 17	14.6	(10.5 - 19.9)	650	3.8	(2.4 - 6.1)	323	25.5	(18.4 - 34.1)	326
18 or older	11.4	(5.7 - 21.4)	151	-	-	81	-	-	69
Grade									
9th	9.3	(5.7 - 14.8)	268	7.1	(4.1 - 12.0)	145	12.0	(6.4 - 21.2)	122
10th	13.9	(9.5 - 19.9)	346	3.5	(1.3 - 9.0)	170	24.8	(18.4 - 32.5)	175
11th	16.0	(9.1 - 26.6)	352	2.6	(1.0 - 6.4)	174	29.5	(16.1 - 47.7)	178
12th	10.6	(6.6 - 16.5)	190	-	-	96	-	-	94
Race/Ethnicity									
Black*	13.6	(9.9 - 18.2)	260	7.7	(3.7 - 15.3)	121	19.5	(13.5 - 27.4)	137
Hispanic/Latino	16.7	(11.4 - 23.8)	117	-	-	62	-	-	54
White*	12.2	(9.1 - 16.3)	651	2.8	(1.4 - 5.5)	332	22.1	(17.2 - 28.1)	318
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	56	-	-	34	-	-	22

Note: 91 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN94: Percentage of students who have ever been bullied away from school property (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	11.1	(9.5 - 12.8)	1,173	8.1	(6.1 - 10.8)	596	14.0	(11.5 - 16.8)	572
Age									
15 or younger	11.9	(8.0 - 17.4)	366	9.9	(5.7 - 16.7)	186	13.8	(8.4 - 21.9)	177
16 or 17	11.1	(9.3 - 13.1)	650	6.4	(4.1 - 9.8)	324	15.8	(11.9 - 20.8)	325
18 or older	9.5	(6.1 - 14.5)	156	-	-	85	-	-	70
Grade									
9th	12.0	(7.7 - 18.1)	265	9.2	(4.7 - 17.4)	142	15.2	(8.7 - 25.3)	122
10th	14.4	(11.3 - 18.2)	349	8.9	(5.8 - 13.6)	172	19.5	(13.1 - 28.0)	176
11th	9.0	(7.0 - 11.5)	351	6.0	(2.7 - 12.5)	174	12.1	(7.6 - 18.7)	177
12th	8.3	(5.3 - 12.9)	192	-	-	99	-	-	93
Race/Ethnicity									
Black*	6.7	(4.3 - 10.3)	261	4.1	(1.7 - 9.3)	122	8.0	(3.7 - 16.6)	137
Hispanic/Latino	14.4	(9.5 - 21.2)	118	-	-	64	-	-	53
White*	11.3	(9.3 - 13.8)	651	7.5	(5.0 - 11.0)	332	15.5	(12.8 - 18.5)	318
All other races*	-	-	60	-	-	31	-	-	29
Multiple races*	-	-	56	-	-	34	-	-	22

Note: 90 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN95: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	17.7	(15.8 - 19.7)	1,169	14.3	(10.4 - 19.5)	594	20.8	(17.4 - 24.7)	570
Age									
15 or younger	17.0	(12.8 - 22.1)	370	12.7	(8.4 - 18.7)	189	20.5	(12.5 - 31.8)	178
16 or 17	19.2	(16.1 - 22.7)	645	15.7	(10.1 - 23.7)	321	22.5	(18.7 - 26.8)	323
18 or older	14.9	(9.5 - 22.6)	154	-	-	84	-	-	69
Grade									
9th	16.0	(11.6 - 21.7)	268	13.6	(9.8 - 18.6)	143	17.7	(10.0 - 29.3)	123
10th	18.7	(15.5 - 22.4)	343	13.0	(7.3 - 22.2)	168	24.7	(18.2 - 32.6)	174
11th	19.8	(14.4 - 26.7)	351	14.8	(8.5 - 24.5)	175	25.1	(17.3 - 34.9)	176
12th	15.1	(9.3 - 23.4)	192	-	-	99	-	-	93
Race/Ethnicity									
Black*	16.6	(10.5 - 25.3)	264	13.1	(8.0 - 20.8)	125	19.8	(10.3 - 34.6)	137
Hispanic/Latino	30.2	(25.9 - 34.9)	119	-	-	64	-	-	54
White*	16.6	(14.9 - 18.5)	644	12.9	(8.4 - 19.4)	327	20.2	(16.7 - 24.3)	316
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	55	-	-	33	-	-	22

Note: 94 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN96: Percentage of students who used electronic-vapor products mainly because a friend or family member used them

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	10.7	(9.0 - 12.8)	974	7.8	(6.0 - 10.1)	493	14.0	(11.3 - 17.4)	476
Age									
15 or younger	8.6	(5.3 - 13.5)	305	6.1	(2.6 - 13.5)	157	11.5	(6.9 - 18.4)	145
16 or 17	11.2	(8.5 - 14.7)	539	7.4	(4.7 - 11.5)	261	15.0	(9.7 - 22.6)	277
18 or older	13.3	(9.4 - 18.6)	129	-	-	74	-	-	54
Grade									
9th	5.3	(2.9 - 9.6)	215	5.3	(2.4 - 11.4)	117	-	-	97
10th	9.8	(6.0 - 15.6)	295	2.9	(1.0 - 8.4)	147	17.3	(11.9 - 24.5)	147
11th	14.3	(10.4 - 19.3)	296	11.9	(6.9 - 19.7)	140	16.6	(8.1 - 30.9)	156
12th	14.3	(11.4 - 17.8)	156	-	-	82	-	-	74
Race/Ethnicity									
Black*	9.3	(5.3 - 15.8)	223	6.9	(2.9 - 15.8)	100	11.9	(6.0 - 22.2)	121
Hispanic/Latino	-	-	99	-	-	56	-	-	42
White*	11.2	(8.7 - 14.3)	536	8.4	(6.0 - 11.7)	275	14.3	(10.6 - 19.0)	261
All other races*	-	-	53	-	-	27	-	-	26
Multiple races*	-	-	43	-	-	25	-	-	18

Note: 289 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN97: Percentage of students who have ever used a JUUL (even once or twice)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	29.8	(24.6 - 35.5)	975	30.2	(23.9 - 37.2)	491	29.5	(23.1 - 36.8)	481
Age									
15 or younger	21.5	(17.2 - 26.6)	304	23.8	(16.7 - 32.8)	155	19.1	(14.2 - 25.4)	148
16 or 17	33.2	(25.8 - 41.5)	544	32.0	(24.9 - 40.1)	267	34.5	(23.9 - 46.9)	276
18 or older	35.3	(23.3 - 49.6)	126	-	-	68	-	-	57
Grade									
9th	18.9	(14.8 - 23.9)	215	20.3	(13.7 - 29.0)	113	17.4	(13.2 - 22.6)	102
10th	31.0	(20.7 - 43.7)	300	30.0	(17.6 - 46.3)	153	32.5	(21.9 - 45.2)	146
11th	32.6	(22.2 - 45.0)	290	33.7	(23.8 - 45.3)	136	31.4	(16.0 - 52.3)	154
12th	37.5	(26.3 - 50.2)	159	-	-	82	-	-	77
Race/Ethnicity									
Black*	12.6	(8.1 - 18.9)	229	-	-	98	13.1	(7.0 - 23.1)	129
Hispanic/Latino	22.9	(13.8 - 35.6)	101	-	-	56	-	-	44
White*	34.1	(28.4 - 40.3)	528	33.9	(27.0 - 41.5)	274	34.3	(27.0 - 42.5)	254
All other races*	-	-	51	-	-	24	-	-	27
Multiple races*	-	-	47	-	-	29	-	-	18

Note: 288 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN98: Percentage of students who used a JUUL (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	15.4	(11.7 - 20.1)	1,091	16.9	(12.9 - 21.9)	551	13.8	(8.7 - 21.2)	535
Age									
15 or younger	10.7	(7.4 - 15.2)	351	13.2	(8.3 - 20.2)	176	7.9	(5.1 - 12.1)	172
16 or 17	19.3	(14.3 - 25.7)	600	19.4	(14.0 - 26.3)	299	19.3	(11.9 - 29.8)	300
18 or older	13.8	(7.8 - 23.2)	138	-	-	75	-	-	62
Grade									
9th	8.1	(5.4 - 11.9)	248	10.2	(5.8 - 17.4)	129	5.9	(3.2 - 10.3)	118
10th	20.3	(14.5 - 27.7)	336	20.6	(12.8 - 31.3)	168	20.2	(14.6 - 27.2)	167
11th	17.7	(11.4 - 26.3)	324	17.6	(10.3 - 28.5)	161	17.7	(8.3 - 33.6)	163
12th	15.3	(7.9 - 27.7)	169	-	-	87	-	-	82
Race/Ethnicity									
Black*	5.1	(2.1 - 11.8)	255	7.2	(2.6 - 18.3)	116	3.2	(0.7 - 13.5)	137
Hispanic/Latino	11.8	(4.8 - 26.1)	105	-	-	54	-	-	50
White*	18.0	(14.0 - 22.8)	599	19.6	(15.2 - 24.8)	308	16.3	(10.3 - 24.8)	290
All other races*	-	-	56	-	-	29	-	-	27
Multiple races*	-	-	53	-	-	32	-	-	21

Note: 172 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN99: Percentage of students who used both JUULs and other electronic cigarettes (during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	9.9	(7.4 - 13.2)	971	12.8	(8.6 - 18.6)	484	6.8	(3.9 - 11.5)	482
Age									
15 or younger	6.9	(4.1 - 11.3)	305	9.3	(4.9 - 17.2)	152	4.1	(2.2 - 7.4)	150
16 or 17	12.1	(8.0 - 18.1)	543	13.7	(7.6 - 23.5)	264	10.6	(5.3 - 19.9)	278
18 or older	9.0	(6.5 - 12.3)	122	-	-	67	-	-	54
Grade									
9th	5.5	(2.7 - 10.9)	212	8.6	(3.7 - 19.1)	111	2.1	(0.6 - 6.4)	100
10th	12.1	(7.5 - 19.0)	303	14.4	(7.3 - 26.2)	151	9.7	(6.2 - 15.0)	151
11th	11.8	(6.0 - 22.0)	296	13.4	(5.4 - 29.3)	139	10.3	(3.9 - 24.4)	157
12th	9.8	(5.7 - 16.3)	149	-	-	77	-	-	72
Race/Ethnicity									
Black*	2.5	(0.7 - 8.6)	227	4.1	(1.0 - 15.7)	101	0.9	(0.1 - 6.1)	124
Hispanic/Latino	-	-	98	-	-	52	-	-	45
White*	11.5	(8.7 - 14.9)	529	14.6	(10.1 - 20.7)	268	8.1	(4.6 - 14.0)	260
All other races*	-	-	50	-	-	25	-	-	25
Multiple races*	-	-	47	-	-	28	-	-	19

Note: 292 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN100: Percentage of students who ever tried smoking tobacco in a hookah, narghile, or other type of waterpipe (even one or two puffs)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	6.9	(5.4 - 8.8)	1,166	8.1	(5.8 - 11.1)	585	5.7	(4.0 - 8.1)	576
Age									
15 or younger	5.9	(3.4 - 9.8)	381	8.5	(4.8 - 14.4)	189	3.3	(1.4 - 7.6)	189
16 or 17	5.7	(4.0 - 8.2)	633	6.2	(3.7 - 10.2)	317	5.3	(2.7 - 10.0)	315
18 or older	11.8	(6.6 - 20.4)	150	-	-	78	-	-	71
Grade									
9th	7.1	(3.9 - 12.6)	282	9.6	(5.0 - 17.5)	147	4.4	(1.8 - 10.3)	133
10th	5.3	(2.6 - 10.5)	350	5.1	(2.4 - 10.7)	172	5.5	(2.2 - 13.1)	177
11th	4.9	(2.5 - 9.4)	339	6.5	(2.8 - 14.4)	171	3.3	(0.9 - 11.5)	168
12th	10.3	(5.9 - 17.6)	183	-	-	90	-	-	93
Race/Ethnicity									
Black*	6.7	(4.4 - 9.9)	256	5.2	(2.3 - 11.1)	120	8.4	(6.0 - 11.5)	134
Hispanic/Latino	18.1	(11.6 - 27.0)	118	-	-	64	-	-	53
White*	6.2	(4.6 - 8.2)	658	7.1	(4.8 - 10.3)	332	5.2	(3.1 - 8.6)	325
All other races*	-	-	55	-	-	27	-	-	28
Multiple races*	-	-	54	-	-	31	-	-	23

Note: 97 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN101: Percentage of students who smoked tobacco in a hookah, narghile, or other type of waterpipe (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	3.0	(2.2 - 4.0)	1,208	3.5	(2.4 - 5.1)	611	2.4	(1.3 - 4.3)	591
Age									
15 or younger	2.4	(1.0 - 5.5)	398	3.0	(1.1 - 8.3)	198	1.8	(0.5 - 6.2)	196
16 or 17	2.8	(1.9 - 4.3)	653	3.5	(2.2 - 5.7)	329	2.1	(0.9 - 4.7)	323
18 or older	4.2	(1.3 - 12.7)	155	-	-	83	-	-	71
Grade									
9th	3.5	(1.7 - 6.8)	292	3.8	(1.6 - 8.9)	153	3.1	(1.0 - 9.6)	137
10th	1.6	(0.8 - 3.3)	359	2.0	(0.8 - 5.0)	178	1.2	(0.3 - 4.3)	180
11th	2.0	(1.0 - 3.9)	350	2.5	(1.0 - 6.4)	176	1.5	(0.5 - 4.3)	174
12th	4.7	(2.1 - 9.9)	192	-	-	97	-	-	95
Race/Ethnicity									
Black*	3.0	(1.0 - 8.7)	274	1.1	(0.3 - 3.9)	130	4.9	(1.4 - 16.1)	142
Hispanic/Latino	9.6	(5.7 - 16.0)	123	-	-	67	-	-	55
White*	2.1	(1.3 - 3.4)	663	2.0	(0.9 - 4.5)	336	2.1	(1.0 - 4.4)	326
All other races*	-	-	61	-	-	33	-	-	28
Multiple races*	-	-	56	-	-	32	-	-	24

Note: 55 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN102: Percentage of students who ever used chewing tobacco, snuff, dip, snus, or dissolvable tobacco products (such as Copenhagen, Grizzly, Skoal, or Camel Snus, not counting any electronic vapor products)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	9.1	(6.7 - 12.3)	1,160	13.7	(9.6 - 19.4)	582	4.4	(2.4 - 8.0)	574
Age									
15 or younger	8.4	(5.3 - 12.8)	358	13.2	(7.9 - 21.1)	179	3.5	(1.6 - 7.6)	177
16 or 17	9.4	(6.0 - 14.5)	652	14.2	(9.0 - 21.5)	323	4.6	(2.1 - 10.0)	328
18 or older	9.5	(5.2 - 16.8)	149	-	-	79	-	-	69
Grade									
9th	10.1	(6.5 - 15.3)	256	15.5	(9.8 - 23.4)	132	4.6	(2.0 - 10.3)	123
10th	8.8	(4.4 - 16.8)	359	12.4	(5.0 - 27.4)	177	5.2	(1.9 - 13.3)	181
11th	8.7	(5.4 - 13.9)	348	14.9	(9.1 - 23.4)	173	2.4	(0.7 - 7.9)	175
12th	8.9	(5.3 - 14.4)	185	-	-	94	-	-	91
Race/Ethnicity									
Black*	4.3	(1.6 - 10.8)	269	2.0	(0.6 - 6.3)	125	6.6	(2.1 - 18.9)	142
Hispanic/Latino	13.7	(6.6 - 26.1)	118	-	-	64	-	-	53
White*	9.7	(7.0 - 13.2)	634	15.5	(10.6 - 22.3)	319	3.7	(1.9 - 7.0)	314
All other races*	-	-	59	-	-	30	-	-	29
Multiple races*	-	-	55	-	-	32	-	-	23

Note: 103 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN103: Percentage of students who ever tried smoking cigars, cigarillos, or little cigars (even one or two little puffs)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	15.8	(13.3 - 18.7)	1,137	20.0	(16.4 - 24.1)	566	11.6	(7.9 - 16.7)	567
Age									
15 or younger	9.0	(5.4 - 14.5)	349	13.0	(6.9 - 23.1)	173	5.0	(2.9 - 8.6)	174
16 or 17	16.3	(12.3 - 21.3)	640	19.9	(15.7 - 24.8)	315	12.7	(7.1 - 21.7)	324
18 or older	26.3	(21.6 - 31.7)	147	-	-	77	-	-	69
Grade									
9th	9.8	(6.3 - 14.9)	249	12.9	(7.6 - 21.1)	129	6.5	(3.4 - 12.1)	119
10th	13.5	(8.6 - 20.6)	355	18.6	(11.0 - 29.7)	174	8.4	(4.9 - 14.1)	180
11th	17.5	(11.1 - 26.5)	341	20.4	(14.2 - 28.5)	168	14.5	(5.3 - 33.9)	173
12th	23.8	(17.2 - 32.1)	181	-	-	90	-	-	91
Race/Ethnicity									
Black*	11.8	(7.1 - 18.9)	261	13.2	(7.5 - 22.4)	117	10.7	(5.2 - 20.9)	142
Hispanic/Latino	13.7	(7.4 - 24.0)	111	-	-	59	-	-	51
White*	17.0	(14.5 - 20.0)	629	21.7	(18.5 - 25.3)	317	12.3	(7.9 - 18.6)	311
All other races*	-	-	57	-	-	29	-	-	28
Multiple races*	-	-	55	-	-	32	-	-	23

Note: 126 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN104: Percentage of students who tried electronic tobacco products first (among students who have tried tobacco products)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	37.7	(30.3 - 45.6)	363	30.6	(21.6 - 41.4)	196	46.3	(39.7 - 53.1)	167
Age									
15 or younger	-	-	91	-	-	50	-	-	41
16 or 17	40.3	(27.7 - 54.4)	213	35.0	(19.7 - 54.2)	111	46.3	(35.5 - 57.4)	102
18 or older	-	-	58	-	-	34	-	-	24
Grade									
9th	-	-	62	-	-	36	-	-	26
10th	41.7	(32.3 - 51.7)	117	-	-	58	-	-	59
11th	39.8	(25.2 - 56.5)	106	-	-	59	-	-	47
12th	-	-	73	-	-	41	-	-	32
Race/Ethnicity									
Black*	-	-	57	-	-	26	-	-	31
Hispanic/Latino	-	-	41	-	-	26	-	-	15
White*	39.1	(30.4 - 48.5)	219	32.4	(21.9 - 45.0)	116	47.2	(39.8 - 54.7)	103
All other races*	-	-	21	-	-	14	-	-	7
Multiple races*	-	-	16	-	-	8	-	-	8

Note: 900 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN105: Percentage of students who ever tried a flavored tobacco product

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	24.3	(19.5 - 29.9)	1,116	24.7	(18.9 - 31.4)	565	24.1	(18.7 - 30.6)	547
Age									
15 or younger	15.9	(11.2 - 22.2)	366	17.1	(10.8 - 26.0)	184	15.0	(9.0 - 23.9)	179
16 or 17	26.6	(20.4 - 33.8)	606	27.2	(20.2 - 35.4)	301	26.0	(17.7 - 36.5)	305
18 or older	34.2	(26.3 - 43.1)	144	-	-	80	-	-	63
Grade									
9th	14.2	(10.2 - 19.6)	261	14.0	(8.8 - 21.5)	135	14.8	(9.9 - 21.4)	124
10th	23.5	(15.0 - 34.9)	348	23.3	(12.8 - 38.6)	172	23.8	(16.2 - 33.6)	175
11th	29.2	(22.3 - 37.3)	324	32.4	(23.1 - 43.3)	161	25.9	(14.9 - 41.1)	163
12th	32.8	(22.1 - 45.6)	174	-	-	91	-	-	83
Race/Ethnicity									
Black*	17.9	(13.5 - 23.4)	250	16.6	(9.5 - 27.3)	115	19.4	(13.8 - 26.6)	134
Hispanic/Latino	21.8	(14.3 - 31.8)	107	-	-	60	-	-	46
White*	26.0	(20.6 - 32.2)	628	26.1	(19.7 - 33.7)	321	26.0	(19.8 - 33.2)	305
All other races*	-	-	57	-	-	28	-	-	29
Multiple races*	-	-	50	-	-	30	-	-	20

Note: 147 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN106: Percentage of students who used a flavored tobacco product (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	13.6	(10.5 - 17.6)	1,172	13.7	(9.7 - 19.1)	593	13.7	(9.7 - 18.8)	575
Age									
15 or younger	8.5	(5.2 - 13.6)	389	9.4	(5.0 - 17.0)	194	7.7	(4.1 - 14.0)	192
16 or 17	15.8	(11.5 - 21.3)	634	15.0	(10.5 - 21.1)	316	16.6	(10.5 - 25.3)	318
18 or older	17.7	(11.2 - 26.8)	148	-	-	82	-	-	65
Grade									
9th	8.9	(5.2 - 14.6)	281	9.3	(4.3 - 18.8)	146	8.5	(4.3 - 16.1)	133
10th	13.1	(8.8 - 19.2)	362	12.1	(7.4 - 19.0)	178	14.4	(9.0 - 22.0)	183
11th	15.1	(9.9 - 22.4)	338	16.3	(10.9 - 23.7)	168	13.8	(6.3 - 27.8)	170
12th	18.9	(10.9 - 30.6)	182	-	-	95	-	-	87
Race/Ethnicity									
Black*	8.2	(4.9 - 13.2)	264	6.9	(2.9 - 15.5)	124	9.6	(4.8 - 18.1)	139
Hispanic/Latino	14.8	(9.0 - 23.4)	116	-	-	63	-	-	52
White*	15.0	(11.5 - 19.2)	649	14.9	(10.3 - 21.1)	330	15.2	(10.5 - 21.4)	317
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	56	-	-	32	-	-	24

Note: 91 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN107: Percentage of students who had recently seen or heard an anti-smoking or anti-tobacco ad directed towards youth

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	66.7	(60.7 - 72.2)	1,170	68.4	(62.2 - 74.1)	591	64.9	(55.4 - 73.4)	574
Age									
15 or younger	59.7	(53.2 - 65.8)	360	58.6	(50.1 - 66.7)	179	60.6	(50.4 - 70.0)	178
16 or 17	70.5	(63.4 - 76.7)	655	74.1	(66.8 - 80.2)	326	66.7	(55.3 - 76.5)	328
18 or older	69.0	(57.4 - 78.7)	154	-	-	85	-	-	68
Grade									
9th	58.8	(48.0 - 68.8)	254	59.4	(47.1 - 70.6)	133	57.9	(44.0 - 70.6)	120
10th	61.9	(56.5 - 67.1)	366	63.4	(55.6 - 70.6)	180	60.8	(52.4 - 68.6)	185
11th	76.1	(67.2 - 83.1)	345	79.4	(69.5 - 86.6)	171	72.7	(59.7 - 82.7)	174
12th	71.6	(59.7 - 81.0)	190	-	-	99	-	-	91
Race/Ethnicity									
Black*	49.4	(36.7 - 62.0)	277	52.5	(35.0 - 69.4)	129	46.5	(30.2 - 63.6)	146
Hispanic/Latino	59.8	(53.4 - 65.9)	117	-	-	63	-	-	53
White*	71.9	(64.8 - 78.1)	636	73.1	(64.7 - 80.1)	324	70.6	(58.6 - 80.3)	311
All other races*	-	-	58	-	-	29	-	-	29
Multiple races*	-	-	55	-	-	32	-	-	23

Note: 93 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN108: Percentage of students who reported someone smoked tobacco products in their home while they were there (on one or more days during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	22.8	(17.6 - 29.0)	1,218	21.4	(16.7 - 27.0)	608	24.2	(17.7 - 32.1)	604
Age									
15 or younger	23.3	(17.2 - 30.8)	405	20.7	(15.3 - 27.3)	197	26.0	(16.7 - 38.2)	204
16 or 17	24.2	(17.9 - 31.9)	657	23.4	(17.1 - 31.1)	327	24.8	(17.8 - 33.6)	329
18 or older	17.5	(10.3 - 28.0)	154	-	-	83	-	-	70
Grade									
9th	23.0	(16.0 - 32.0)	294	18.7	(12.4 - 27.1)	150	27.8	(17.9 - 40.4)	142
10th	25.9	(19.4 - 33.8)	371	25.2	(18.9 - 32.8)	183	26.9	(17.6 - 38.7)	187
11th	22.2	(15.1 - 31.4)	347	22.6	(14.0 - 34.3)	170	21.8	(13.0 - 34.2)	177
12th	18.3	(11.7 - 27.4)	190	-	-	97	-	-	93
Race/Ethnicity									
Black*	23.6	(17.4 - 31.1)	280	24.9	(15.8 - 37.0)	131	22.1	(15.4 - 30.6)	147
Hispanic/Latino	25.0	(15.3 - 38.2)	121	-	-	65	-	-	55
White*	21.8	(15.9 - 29.3)	667	19.9	(13.8 - 27.8)	333	24.0	(17.3 - 32.1)	332
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	57	-	-	32	-	-	25

Note: 45 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN109: Percentage of students who reported smoke came into their home from someone smoking in another apartment or home attached to theirs (on one or more days during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	11.1	(6.5 - 18.3)	1,224	10.2	(6.2 - 16.2)	615	11.9	(6.4 - 21.0)	603
Age									
15 or younger	17.2	(8.3 - 32.2)	405	15.3	(7.0 - 30.3)	198	18.7	(8.6 - 35.9)	203
16 or 17	8.8	(5.9 - 12.8)	661	8.2	(5.5 - 12.0)	331	9.1	(5.5 - 14.9)	329
18 or older	5.5	(2.7 - 10.8)	156	-	-	85	-	-	70
Grade									
9th	20.0	(9.9 - 36.2)	296	18.6	(9.0 - 34.7)	151	21.7	(10.3 - 40.0)	143
10th	10.2	(7.4 - 13.9)	370	8.6	(5.3 - 13.7)	184	11.9	(7.9 - 17.5)	185
11th	6.5	(3.4 - 12.1)	350	7.4	(3.2 - 16.3)	173	5.6	(2.7 - 11.3)	177
12th	5.5	(2.2 - 13.1)	192	-	-	99	-	-	93
Race/Ethnicity									
Black*	13.2	(7.7 - 21.7)	281	14.1	(6.6 - 27.7)	133	11.8	(7.7 - 17.8)	146
Hispanic/Latino	14.4	(9.4 - 21.6)	121	-	-	65	-	-	55
White*	10.0	(5.3 - 18.0)	671	9.0	(5.1 - 15.4)	337	11.1	(5.3 - 21.8)	332
All other races*	-	-	62	-	-	33	-	-	29
Multiple races*	-	-	57	-	-	32	-	-	25

Note: 39 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN110: Percentage of students who rode in a vehicle while someone was smoking a tobacco product (on one or more days during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	25.4	(19.6 - 32.3)	1,212	24.0	(18.5 - 30.5)	608	27.0	(20.1 - 35.1)	598
Age									
15 or younger	26.1	(18.9 - 34.9)	403	27.3	(19.7 - 36.4)	198	24.8	(16.6 - 35.4)	201
16 or 17	26.2	(18.6 - 35.6)	654	23.3	(16.1 - 32.6)	326	29.3	(19.7 - 41.1)	327
18 or older	21.5	(15.1 - 29.7)	153	-	-	83	-	-	69
Grade									
9th	26.0	(17.5 - 36.8)	295	26.3	(18.2 - 36.3)	152	26.1	(15.5 - 40.4)	141
10th	30.3	(21.4 - 41.0)	366	27.8	(18.2 - 40.1)	181	33.2	(22.5 - 46.0)	184
11th	22.7	(15.5 - 32.0)	345	20.1	(13.7 - 28.6)	170	25.3	(16.4 - 37.0)	175
12th	21.5	(14.7 - 30.3)	190	-	-	97	-	-	93
Race/Ethnicity									
Black*	25.7	(19.2 - 33.5)	278	21.6	(11.4 - 37.2)	131	30.4	(22.3 - 39.9)	145
Hispanic/Latino	27.5	(20.5 - 35.7)	120	-	-	66	-	-	53
White*	24.8	(18.2 - 32.9)	666	23.4	(17.4 - 30.7)	333	26.4	(18.5 - 36.1)	331
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	55	-	-	31	-	-	24

Note: 51 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN111: Percentage of students who breathed the smoke from someone who was smoking a tobacco product at their school (including school buildings, school grounds, and school parking lots, on one or more days during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	17.3	(13.8 - 21.5)	1,201	18.0	(14.3 - 22.4)	599	16.7	(12.7 - 21.6)	596
Age									
15 or younger	22.0	(16.7 - 28.3)	398	23.6	(16.2 - 33.0)	195	20.5	(15.2 - 26.9)	199
16 or 17	15.5	(12.4 - 19.3)	650	15.0	(11.2 - 19.8)	322	16.0	(11.9 - 21.3)	327
18 or older	12.6	(6.9 - 21.8)	151	-	-	81	-	-	69
Grade									
9th	22.2	(16.7 - 28.8)	293	22.4	(14.5 - 32.9)	150	22.3	(16.7 - 29.0)	141
10th	20.1	(15.3 - 26.0)	361	20.7	(14.7 - 28.2)	178	19.7	(14.3 - 26.6)	182
11th	13.0	(9.0 - 18.3)	344	13.3	(8.2 - 20.9)	169	12.6	(7.5 - 20.5)	175
12th	12.3	(6.8 - 21.3)	187	-	-	94	-	-	93
Race/Ethnicity									
Black*	21.0	(14.7 - 29.0)	274	20.8	(12.8 - 32.0)	128	21.6	(14.5 - 30.9)	144
Hispanic/Latino	24.8	(17.0 - 34.6)	117	-	-	65	-	-	51
White*	15.1	(10.8 - 20.7)	664	15.3	(11.0 - 21.0)	330	15.0	(10.0 - 21.8)	332
All other races*	-	-	61	-	-	32	-	-	29
Multiple races*	-	-	54	-	-	30	-	-	24

Note: 62 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN112: Percentage of students who breathed the smoke from someone who was smoking tobacco products in indoor or outdoor public places (such as school buildings, stores, restaurants, stadiums, school grounds, parking lots, and parks, on one or more days during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	34.9	(28.3 - 42.0)	1,210	28.9	(22.9 - 35.7)	607	40.9	(32.6 - 49.7)	597
Age									
15 or younger	42.0	(28.7 - 56.6)	402	34.4	(23.8 - 46.9)	197	49.1	(33.4 - 65.0)	201
16 or 17	32.3	(29.5 - 35.3)	653	26.4	(22.5 - 30.6)	326	38.5	(32.3 - 45.1)	326
18 or older	27.1	(18.4 - 38.1)	153	-	-	83	-	-	69
Grade									
9th	42.3	(27.8 - 58.3)	296	33.7	(22.8 - 46.6)	152	51.1	(33.6 - 68.3)	142
10th	34.1	(28.4 - 40.4)	362	27.5	(19.0 - 38.1)	179	41.2	(33.0 - 50.0)	182
11th	31.5	(25.3 - 38.4)	345	27.9	(20.7 - 36.5)	170	35.1	(25.2 - 46.4)	175
12th	30.2	(22.8 - 38.8)	191	-	-	98	-	-	93
Race/Ethnicity									
Black*	33.4	(28.5 - 38.8)	277	30.2	(21.9 - 40.0)	131	37.5	(29.0 - 46.9)	144
Hispanic/Latino	32.5	(23.7 - 42.8)	121	-	-	66	-	-	54
White*	34.9	(27.5 - 43.0)	666	27.6	(20.6 - 36.0)	332	42.2	(33.1 - 51.8)	332
All other races*	-	-	62	-	-	33	-	-	29
Multiple races*	-	-	54	-	-	31	-	-	23

Note: 53 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN113: Percentage of students who breathed the vapor from someone who was using an e-cigarette in indoor or outdoor public places (such as school buildings, stores, restaurants, stadiums, school grounds, parking lots, and parks, on one or more days during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	30.9	(25.0 - 37.4)	1,205	30.8	(24.4 - 38.0)	604	31.2	(24.2 - 39.1)	595
Age									
15 or younger	30.2	(22.0 - 39.9)	400	29.7	(21.8 - 39.1)	196	30.9	(21.2 - 42.5)	200
16 or 17	30.5	(24.7 - 36.9)	650	30.8	(23.2 - 39.6)	324	30.3	(22.4 - 39.5)	325
18 or older	33.3	(20.5 - 49.2)	153	-	-	83	-	-	69
Grade									
9th	28.9	(20.2 - 39.5)	292	28.5	(20.8 - 37.7)	151	29.8	(18.4 - 44.5)	139
10th	34.2	(25.9 - 43.6)	361	31.5	(18.3 - 48.5)	177	37.3	(27.1 - 48.8)	183
11th	28.7	(20.6 - 38.5)	346	31.6	(21.7 - 43.5)	171	25.8	(16.9 - 37.1)	175
12th	32.4	(20.2 - 47.6)	190	-	-	97	-	-	93
Race/Ethnicity									
Black*	18.3	(12.0 - 26.9)	273	17.5	(9.3 - 30.4)	128	19.6	(8.1 - 40.2)	143
Hispanic/Latino	26.7	(20.3 - 34.3)	120	-	-	65	-	-	54
White*	33.4	(26.3 - 41.3)	664	31.7	(24.3 - 40.1)	333	35.3	(27.4 - 44.1)	329
All other races*	-	-	62	-	-	33	-	-	29
Multiple races*	-	-	55	-	-	31	-	-	24

Note: 58 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN114: Percentage of students who have taken some other prescription drug that was not a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting such drugs as Adderall, Ritalin, Valium, or Xanax, one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	6.9	(5.2 - 9.1)	1,093	7.2	(4.9 - 10.6)	554	6.5	(4.2 - 9.8)	536
Age									
15 or younger	7.6	(4.5 - 12.6)	337	8.4	(4.8 - 14.3)	170	6.5	(2.8 - 14.6)	165
16 or 17	6.6	(4.4 - 9.8)	608	6.1	(3.4 - 10.7)	300	7.2	(3.9 - 12.8)	307
18 or older	6.2	(2.4 - 14.8)	147	-	-	83	-	-	64
Grade									
9th	7.1	(3.4 - 14.0)	244	6.8	(3.4 - 13.1)	130	7.4	(2.4 - 20.6)	113
10th	7.5	(5.2 - 10.7)	323	10.4	(6.3 - 16.8)	159	4.4	(2.1 - 9.0)	164
11th	5.6	(3.2 - 9.5)	330	4.2	(1.9 - 9.2)	162	6.9	(3.5 - 13.2)	168
12th	7.1	(2.9 - 16.2)	182	-	-	95	-	-	87
Race/Ethnicity									
Black*	13.4	(8.3 - 21.0)	242	15.5	(9.9 - 23.4)	116	11.3	(4.1 - 27.3)	125
Hispanic/Latino	11.4	(7.1 - 17.7)	108	-	-	59	-	-	49
White*	4.7	(2.9 - 7.4)	613	4.5	(2.3 - 8.4)	310	4.9	(2.7 - 8.9)	302
All other races*	-	-	57	-	-	28	-	-	29
Multiple races*	-	-	49	-	-	29	-	-	20

Note: 170 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN115: Percentage of students who reported pain relievers or painkillers as the prescription drug they take most often without a doctor's prescription or differently than how a doctor told them to use it (such as OxyContin, Percocet, Vicodin, Lortabs, or codeine)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	5.4	(4.0 - 7.4)	1,086	5.3	(3.5 - 8.0)	551	5.5	(3.7 - 8.0)	532
Age									
15 or younger	7.2	(4.1 - 12.6)	335	7.6	(3.5 - 16.0)	170	6.5	(2.9 - 14.1)	163
16 or 17	5.3	(3.7 - 7.4)	604	4.0	(2.3 - 6.6)	298	6.6	(4.4 - 9.8)	305
18 or older	2.7	(0.9 - 7.6)	146	-	-	82	-	-	64
Grade									
9th	7.6	(3.5 - 15.5)	243	7.8	(2.9 - 19.1)	130	7.4	(2.3 - 21.4)	112
10th	5.4	(3.0 - 9.4)	322	4.1	(1.7 - 9.3)	159	6.8	(4.0 - 11.3)	163
11th	5.0	(2.8 - 8.9)	325	5.7	(2.4 - 12.8)	159	4.4	(2.1 - 8.7)	166
12th	3.3	(1.4 - 7.7)	182	-	-	95	-	-	87
Race/Ethnicity									
Black*	10.9	(5.0 - 22.1)	240	9.8	(3.5 - 24.7)	115	12.2	(4.6 - 28.7)	124
Hispanic/Latino	8.7	(3.4 - 20.9)	105	-	-	58	-	-	47
White*	4.2	(2.7 - 6.5)	614	4.7	(2.9 - 7.6)	311	3.6	(1.9 - 6.6)	302
All other races*	-	-	56	-	-	27	-	-	29
Multiple races*	-	-	49	-	-	29	-	-	20

Note: 177 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN116: Percentage of students who always used a condom when they had sexual intercourse (during the 3 months before the survey, among students who have had sexual intercourse and who have had sexual intercourse during the 3 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	34.4	(28.5 - 40.9)	335	36.5	(28.3 - 45.5)	169	31.9	(21.3 - 44.7)	162
Age									
15 or younger	-	-	67	-	-	29	-	-	35
16 or 17	36.3	(29.0 - 44.3)	200	36.5	(28.6 - 45.2)	102	-	-	97
18 or older	-	-	67	-	-	37	-	-	30
Grade									
9th	-	-	39	-	-	21	-	-	17
10th	-	-	94	-	-	43	-	-	51
11th	32.7	(21.7 - 46.1)	114	-	-	62	-	-	52
12th	-	-	81	-	-	41	-	-	40
Race/Ethnicity									
Black*	-	-	79	-	-	41	-	-	37
Hispanic/Latino	-	-	41	-	-	21	-	-	19
White*	36.6	(29.1 - 44.8)	178	-	-	87	-	-	90
All other races*	-	-	14	-	-	8	-	-	6
Multiple races*	-	-	16	-	-	9	-	-	7

Note: 928 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN117: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as sports drinks (for example, Gatorade or PowerAde), energy drinks (for example, Red Bull or Jolt), lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight, not counting soda or pop or 100% fruit juice, one or more times per day during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	15.7	(12.7 - 19.3)	1,156	19.7	(15.0 - 25.4)	575	11.5	(8.2 - 15.9)	575
Age									
15 or younger	13.3	(9.6 - 18.1)	382	14.7	(10.0 - 21.2)	187	11.5	(6.2 - 20.2)	192
16 or 17	17.1	(12.7 - 22.5)	625	20.4	(14.8 - 27.5)	310	13.4	(8.4 - 20.9)	314
18 or older	17.1	(7.4 - 34.8)	146	-	-	77	-	-	68
Grade									
9th	15.1	(10.2 - 21.8)	284	16.3	(10.3 - 24.9)	147	13.3	(7.0 - 23.6)	135
10th	12.5	(8.3 - 18.4)	345	14.3	(9.5 - 21.1)	169	10.7	(5.7 - 19.1)	175
11th	19.8	(13.1 - 28.8)	329	24.2	(14.3 - 38.0)	161	15.3	(9.7 - 23.3)	168
12th	16.6	(11.8 - 23.0)	182	-	-	90	-	-	92
Race/Ethnicity									
Black*	16.1	(10.9 - 23.2)	257	19.1	(12.6 - 27.7)	120	12.6	(6.0 - 24.5)	135
Hispanic/Latino	14.7	(8.7 - 23.8)	113	-	-	61	-	-	51
White*	16.3	(12.8 - 20.6)	647	20.7	(14.4 - 28.9)	321	11.8	(8.4 - 16.2)	324
All other races*	-	-	60	-	-	32	-	-	28
Multiple races*	-	-	53	-	-	30	-	-	23

Note: 107 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN118: Percentage of students who ate seven or more meals with their family (during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	30.2	(25.5 - 35.3)	1,156	36.4	(30.5 - 42.8)	578	23.4	(19.4 - 28.0)	572
Age									
15 or younger	33.6	(25.3 - 43.0)	383	41.7	(32.4 - 51.6)	189	25.2	(17.0 - 35.7)	190
16 or 17	29.8	(23.7 - 36.6)	622	36.4	(29.0 - 44.6)	308	23.0	(17.4 - 29.7)	314
18 or older	24.8	(20.5 - 29.6)	148	-	-	80	-	-	67
Grade									
9th	32.4	(23.0 - 43.5)	283	40.8	(31.1 - 51.4)	148	23.2	(12.9 - 38.2)	133
10th	33.4	(27.7 - 39.6)	345	37.8	(29.6 - 46.7)	170	28.2	(22.0 - 35.4)	174
11th	30.3	(20.2 - 42.9)	326	38.6	(27.2 - 51.3)	158	22.2	(12.7 - 36.0)	168
12th	23.7	(18.6 - 29.6)	185	-	-	93	-	-	92
Race/Ethnicity									
Black*	19.3	(14.3 - 25.5)	255	23.2	(14.9 - 34.2)	119	14.1	(9.0 - 21.5)	135
Hispanic/Latino	33.7	(23.7 - 45.4)	112	-	-	61	-	-	50
White*	32.3	(27.2 - 37.8)	650	39.1	(32.6 - 46.0)	326	25.2	(20.7 - 30.2)	322
All other races*	-	-	61	-	-	33	-	-	28
Multiple races*	-	-	51	-	-	29	-	-	22

Note: 107 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN119: Percentage of students who saw a doctor or nurse (for a check-up or physical exam when they were not sick or injured during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	75.9	(70.8 - 80.4)	1,162	76.5	(71.7 - 80.7)	584	75.5	(68.5 - 81.3)	572
Age									
15 or younger	77.3	(69.5 - 83.6)	381	76.6	(67.7 - 83.6)	188	78.5	(69.0 - 85.7)	190
16 or 17	76.9	(70.4 - 82.3)	630	76.8	(70.6 - 82.0)	315	76.9	(68.0 - 83.9)	314
18 or older	70.7	(63.1 - 77.3)	148	-	-	80	-	-	67
Grade									
9th	75.0	(65.1 - 82.8)	281	74.9	(63.2 - 83.8)	146	75.3	(65.3 - 83.2)	133
10th	78.3	(71.0 - 84.1)	348	76.0	(69.6 - 81.3)	172	80.5	(69.5 - 88.3)	175
11th	77.7	(70.8 - 83.4)	331	79.5	(68.9 - 87.2)	163	75.9	(66.3 - 83.5)	168
12th	73.6	(65.2 - 80.6)	185	-	-	94	-	-	91
Race/Ethnicity									
Black*	71.3	(54.4 - 83.8)	258	75.1	(65.3 - 82.9)	123	66.6	(35.6 - 87.8)	133
Hispanic/Latino	69.7	(58.8 - 78.8)	112	-	-	60	-	-	51
White*	78.0	(73.4 - 81.9)	652	77.9	(72.0 - 82.8)	326	78.2	(72.7 - 82.8)	324
All other races*	-	-	60	-	-	33	-	-	27
Multiple races*	-	-	53	-	-	31	-	-	22

Note: 101 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN120: Percentage of students who talked with at least one of their parents or other adult in their family about the dangers of alcohol, tobacco, or other drug use (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	40.1	(36.0 - 44.3)	1,101	44.0	(39.0 - 49.0)	558	35.6	(31.4 - 40.0)	537
Age									
15 or younger	40.5	(35.9 - 45.2)	336	39.8	(33.6 - 46.3)	170	40.4	(33.4 - 47.7)	163
16 or 17	39.8	(34.0 - 46.0)	618	44.5	(36.6 - 52.7)	307	34.9	(30.0 - 40.2)	310
18 or older	39.9	(27.2 - 54.2)	145	-	-	80	-	-	64
Grade									
9th	39.3	(34.0 - 44.8)	244	37.7	(30.7 - 45.3)	132	40.7	(32.9 - 49.0)	111
10th	39.4	(33.7 - 45.5)	336	43.0	(33.6 - 53.0)	164	36.1	(28.9 - 44.0)	171
11th	39.4	(32.3 - 47.0)	323	45.4	(35.6 - 55.5)	159	33.3	(25.3 - 42.5)	164
12th	42.2	(29.9 - 55.4)	181	-	-	94	-	-	87
Race/Ethnicity									
Black*	29.0	(22.9 - 35.8)	253	36.7	(28.4 - 45.9)	120	20.7	(15.3 - 27.3)	131
Hispanic/Latino	38.7	(29.7 - 48.6)	107	-	-	57	-	-	49
White*	42.4	(39.2 - 45.7)	614	45.8	(41.0 - 50.6)	311	38.8	(35.0 - 42.8)	302
All other races*	-	-	54	-	-	29	-	-	25
Multiple races*	-	-	50	-	-	30	-	-	20

Note: 162 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN121: Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	27.5	(22.2 - 33.5)	803	30.9	(24.3 - 38.4)	346	24.9	(19.3 - 31.6)	453
Age									
15 or younger	24.5	(17.5 - 33.3)	241	32.4	(24.4 - 41.7)	102	18.8	(11.7 - 28.7)	136
16 or 17	29.8	(22.6 - 38.2)	454	32.1	(21.8 - 44.6)	193	28.0	(21.2 - 36.0)	261
18 or older	26.5	(16.8 - 39.2)	107	-	-	51	-	-	56
Grade									
9th	20.8	(14.3 - 29.3)	168	-	-	80	-	-	87
10th	33.6	(25.9 - 42.3)	245	-	-	96	28.4	(18.6 - 40.9)	149
11th	30.5	(21.7 - 41.0)	245	31.1	(21.5 - 42.7)	106	30.0	(17.8 - 45.8)	139
12th	24.0	(16.8 - 32.9)	137	-	-	60	-	-	77
Race/Ethnicity									
Black*	32.0	(18.2 - 49.9)	169	-	-	66	25.9	(14.2 - 42.6)	103
Hispanic/Latino	-	-	83	-	-	43	-	-	39
White*	27.9	(21.5 - 35.4)	459	31.3	(22.8 - 41.2)	191	25.6	(18.9 - 33.7)	267
All other races*	-	-	41	-	-	23	-	-	18
Multiple races*	-	-	36	-	-	18	-	-	18

Note: 460 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN122: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	75.8	(68.8 - 81.6)	1,133	75.1	(69.6 - 79.9)	564	76.9	(67.4 - 84.3)	562
Age									
15 or younger	72.5	(57.7 - 83.7)	370	75.1	(64.7 - 83.3)	180	71.0	(50.7 - 85.4)	186
16 or 17	76.9	(70.4 - 82.3)	617	73.8	(66.0 - 80.4)	305	80.1	(69.9 - 87.4)	311
18 or older	79.2	(72.7 - 84.6)	144	-	-	78	-	-	65
Grade									
9th	70.1	(53.0 - 83.0)	269	71.2	(57.6 - 81.8)	135	70.1	(47.2 - 86.0)	132
10th	79.0	(70.3 - 85.7)	341	78.3	(68.4 - 85.7)	167	79.7	(70.4 - 86.6)	173
11th	76.2	(67.6 - 83.1)	325	74.9	(64.9 - 82.8)	161	77.5	(59.8 - 88.8)	164
12th	79.3	(72.6 - 84.8)	181	-	-	92	-	-	89
Race/Ethnicity									
Black*	67.1	(51.7 - 79.5)	254	62.6	(46.9 - 76.0)	119	71.6	(54.3 - 84.2)	133
Hispanic/Latino	70.7	(62.6 - 77.7)	110	-	-	59	-	-	50
White*	78.2	(70.5 - 84.3)	635	78.3	(71.9 - 83.6)	314	78.5	(67.9 - 86.3)	319
All other races*	-	-	57	-	-	31	-	-	26
Multiple races*	-	-	52	-	-	30	-	-	22

Note: 130 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN123: Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	68.8	(65.4 - 72.0)	1,137	67.5	(64.2 - 70.6)	568	70.2	(63.6 - 76.0)	562
Age									
15 or younger	70.5	(65.4 - 75.2)	371	71.8	(64.4 - 78.3)	182	69.6	(60.8 - 77.2)	185
16 or 17	66.0	(60.8 - 70.9)	618	64.0	(57.0 - 70.5)	305	68.2	(58.6 - 76.4)	312
18 or older	72.6	(64.5 - 79.5)	146	-	-	80	-	-	65
Grade									
9th	70.4	(63.2 - 76.7)	274	68.9	(59.2 - 77.2)	140	72.1	(64.8 - 78.3)	132
10th	64.2	(58.7 - 69.4)	342	66.6	(59.4 - 73.1)	167	61.5	(50.6 - 71.4)	174
11th	69.1	(61.0 - 76.1)	323	67.6	(57.3 - 76.3)	160	70.6	(58.3 - 80.5)	163
12th	72.4	(66.3 - 77.8)	182	-	-	93	-	-	89
Race/Ethnicity									
Black*	61.8	(47.2 - 74.6)	254	59.0	(47.4 - 69.7)	121	64.6	(34.3 - 86.5)	131
Hispanic/Latino	60.5	(51.7 - 68.6)	110	-	-	59	-	-	50
White*	71.3	(67.3 - 75.0)	637	70.7	(65.4 - 75.5)	315	71.9	(65.5 - 77.6)	320
All other races*	-	-	58	-	-	32	-	-	26
Multiple races*	-	-	52	-	-	30	-	-	22

Note: 126 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN124: Percentage of students who most of the time or always feel safe and secure at school

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	67.7	(58.1 - 76.0)	1,142	70.3	(62.7 - 76.9)	573	65.4	(52.7 - 76.1)	563
Age									
15 or younger	59.6	(44.7 - 72.9)	374	63.2	(49.5 - 75.0)	183	56.9	(40.1 - 72.2)	188
16 or 17	70.4	(60.8 - 78.5)	619	70.9	(63.5 - 77.3)	309	69.9	(56.2 - 80.8)	309
18 or older	75.9	(64.1 - 84.7)	147	-	-	80	-	-	66
Grade									
9th	61.3	(44.5 - 75.8)	278	65.4	(50.7 - 77.6)	144	57.9	(39.4 - 74.5)	132
10th	66.8	(55.9 - 76.1)	341	68.0	(58.2 - 76.5)	166	66.0	(52.3 - 77.4)	174
11th	67.2	(57.3 - 75.8)	325	69.3	(60.3 - 77.1)	161	65.1	(47.5 - 79.4)	164
12th	76.6	(61.9 - 86.9)	182	-	-	93	-	-	89
Race/Ethnicity									
Black*	53.4	(45.0 - 61.6)	253	56.8	(37.6 - 74.1)	122	50.2	(39.6 - 60.8)	129
Hispanic/Latino	54.4	(41.4 - 66.8)	111	-	-	59	-	-	51
White*	72.3	(61.2 - 81.2)	642	74.8	(66.8 - 81.3)	318	70.3	(55.8 - 81.5)	322
All other races*	-	-	58	-	-	32	-	-	26
Multiple races*	-	-	53	-	-	31	-	-	22

Note: 121 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN125: Percentage of students who took part in organized after school, evening, or weekend activities other than sports teams (such as school clubs, community center groups, music, art, or dance lessons, drama, church, or other supervised activities, on one or more days during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	51.0	(44.0 - 57.9)	1,146	48.1	(40.1 - 56.1)	577	54.0	(46.5 - 61.3)	562
Age									
15 or younger	47.0	(37.7 - 56.5)	375	44.2	(33.9 - 55.0)	185	49.5	(36.7 - 62.3)	186
16 or 17	49.8	(42.8 - 56.8)	623	47.3	(39.2 - 55.5)	313	52.3	(41.1 - 63.2)	309
18 or older	61.7	(47.7 - 74.1)	146	-	-	78	-	-	67
Grade									
9th	46.2	(36.2 - 56.6)	273	46.7	(35.6 - 58.2)	143	45.8	(33.2 - 58.8)	128
10th	48.7	(39.6 - 57.8)	345	43.4	(33.3 - 54.1)	171	54.6	(42.5 - 66.2)	173
11th	47.0	(34.9 - 59.5)	327	47.8	(38.7 - 57.0)	162	46.2	(29.1 - 64.2)	165
12th	62.9	(51.6 - 73.0)	184	-	-	92	-	-	92
Race/Ethnicity									
Black*	43.1	(33.4 - 53.3)	255	41.9	(29.2 - 55.7)	121	44.4	(33.4 - 56.1)	132
Hispanic/Latino	39.0	(23.4 - 57.3)	112	-	-	61	-	-	50
White*	53.2	(45.3 - 60.9)	643	48.8	(40.3 - 57.4)	321	57.7	(47.9 - 66.9)	320
All other races*	-	-	58	-	-	32	-	-	26
Multiple races*	-	-	53	-	-	31	-	-	22

Note: 117 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ohio High School Survey Summary Tables - Weighted Data

QN126: Percentage of students who gambled money or personal items (such as while playing cards, betting on personal skills or sports teams, buying lottery tickets or scratch-offs, or using the Internet, during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	19.4	(15.6 - 23.9)	1,138	28.8	(23.6 - 34.5)	574	9.7	(6.5 - 14.3)	558
Age									
15 or younger	18.7	(14.6 - 23.6)	372	29.4	(23.6 - 35.9)	183	7.9	(4.6 - 13.2)	186
16 or 17	17.4	(12.5 - 23.7)	619	26.2	(19.0 - 35.0)	312	8.3	(6.1 - 11.3)	306
18 or older	25.9	(17.0 - 37.3)	145	-	-	78	-	-	66
Grade									
9th	17.2	(11.6 - 24.6)	270	27.0	(18.3 - 37.8)	141	6.8	(2.6 - 16.5)	128
10th	16.1	(11.9 - 21.4)	346	22.4	(15.9 - 30.5)	171	9.7	(6.7 - 13.8)	174
11th	20.6	(13.3 - 30.3)	326	32.3	(21.1 - 45.9)	162	8.7	(5.1 - 14.6)	164
12th	24.2	(16.4 - 34.3)	179	-	-	91	-	-	88
Race/Ethnicity									
Black*	21.8	(14.4 - 31.7)	252	32.5	(20.9 - 46.7)	120	11.5	(5.8 - 21.3)	130
Hispanic/Latino	24.6	(14.8 - 38.0)	111	-	-	60	-	-	50
White*	17.7	(14.3 - 21.8)	638	26.8	(21.3 - 33.2)	319	8.5	(5.1 - 13.8)	318
All other races*	-	-	58	-	-	32	-	-	26
Multiple races*	-	-	53	-	-	31	-	-	22

Note: 125 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.