

Ohio TB Morbidity by County and Seven Major Cities, 2000 - 2005

Counties	Number of Cases							Case Rates						
	00	01	02	03	04	00-04 Avg	2005	00	01	02	03	04	00-04 Avg	2005
Adams	0	1	0	1	1	0.6	1	0.0	3.6	0.0	3.6	3.5	2.2	3.5
Allen	1	5	1	1	0	1.6	1	0.9	4.6	0.9	0.9	0.0	1.5	0.9
Ashland	0	0	1	2	0	0.6	0	0.0	0.0	1.9	3.7	0.0	1.1	0.0
Ashtabula	5	1	1	3	2	2.4	6	4.9	1.0	1.0	2.9	1.9	2.3	5.8
Athens	3	1	2	1	0	1.4	1	4.8	1.6	3.2	1.6	0.0	2.2	1.6
Auglaize	1	0	1	0	0	0.4	0	2.1	0.0	2.2	0.0	0.0	0.9	0.0
Belmont	0	0	0	2	1	0.6	1	0.0	0.0	0.0	2.9	1.4	0.9	1.4
Brown	0	0	0	1	0	0.2	0	0.0	0.0	0.0	2.3	0.0	0.5	0.0
Butler	5	13	4	2	6	6.0	4	1.5	3.9	1.2	0.6	1.7	1.8	1.1
Carroll	0	2	0	0	0	0.4	0	0.0	6.9	0.0	0.0	0.0	1.4	0.0
Champaign	0	0	0	0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Clark	1	3	3	3	4	2.8	0	0.7	2.1	2.1	2.1	2.8	1.9	0.0
Clermont	2	1	0	1	3	1.4	2	1.1	0.6	0.0	0.5	1.6	0.8	1.0
Clinton	1	2	1	0	0	0.8	1	2.5	4.9	2.4	0.0	0.0	1.9	2.3
Columbiana	0	2	3	0	0	1.0	4	0.0	1.8	2.7	0.0	0.0	0.9	3.6
Coshocton	2	0	0	0	0	0.4	0	5.5	0.0	0.0	0.0	0.0	1.1	0.0
Crawford	0	0	0	0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cuyahoga	86	67	71	67	44	67.0	60	6.2	4.8	5.1	4.9	3.3	4.9	4.5
Darke	3	0	0	0	1	0.8	0	5.6	0.0	0.0	0.0	1.9	1.5	0.0
Defiance	3	4	1	0	0	1.6	1	7.6	10.1	2.5	0.0	0.0	4.1	2.6
Delaware	0	4	1	0	0	1.0	0	0.0	3.4	0.8	0.0	0.0	0.8	0.0
Erie	1	3	2	1	2	1.8	1	1.3	3.8	2.5	1.3	2.5	2.3	1.3
Fairfield	1	0	0	3	2	1.2	1	0.8	0.0	0.0	2.3	1.5	0.9	0.7
Fayette	0	0	1	1	0	0.4	1	0.0	0.0	3.5	3.6	0.0	1.4	3.5
Franklin	79	75	59	61	55	65.8	77	7.4	6.9	5.4	5.6	5.1	6.1	7.1
Fulton	2	0	0	0	0	0.4	0	4.8	0.0	0.0	0.0	0.0	0.9	0.0
Gallia	0	1	1	0	0	0.4	0	0.0	3.2	3.2	0.0	0.0	1.3	0.0
Geauga	0	0	0	2	2	0.8	0	0.0	0.0	0.0	2.1	2.1	0.9	0.0
Greene	1	6	2	0	0	1.8	1	0.7	4.0	1.3	0.0	0.0	1.2	0.7
Guernsey	1	0	0	1	0	0.4	0	2.5	0.0	0.0	2.4	0.0	1.0	0.0
Hamilton	28	24	17	20	29	23.6	26	3.3	2.9	2.0	2.4	3.6	2.8	3.2
Hancock	0	0	1	0	1	0.4	1	0.0	0.0	1.4	0.0	1.4	0.6	1.4
Hardin	0	0	0	0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Harrison	1	0	0	0	0	0.2	0	6.3	0.0	0.0	0.0	0.0	1.3	0.0
Henry	0	1	0	0	0	0.2	0	0.0	3.4	0.0	0.0	0.0	0.7	0.0
Highland	0	0	0	0	0	0.0	2	0.0	0.0	0.0	0.0	0.0	0.0	4.7
Hocking	1	1	0	0	0	0.4	0	3.5	3.5	0.0	0.0	0.0	1.4	0.0

Ohio TB Morbidity by County and Seven Major Cities, 2000 - 2005

Counties	Number of Cases							Case Rates						
	00	01	02	03	04	00-04 Avg	2005	00	01	02	03	04	00-04 Avg	2005
Holmes	1	0	0	0	0	0.2	1	2.6	0.0	0.0	0.0	0.0	0.5	2.4
Huron	0	2	0	0	0	0.4	0	0.0	3.4	0.0	0.0	0.0	0.7	0.0
Jackson	0	0	0	0	0	0.0	2	0.0	0.0	0.0	0.0	0.0	0.0	6.0
Jefferson	0	1	3	0	0	0.8	0	0.0	1.4	4.1	0.0	0.0	1.1	0.0
Knox	2	1	1	0	2	1.2	0	3.7	1.8	1.8	0.0	3.5	2.1	0.0
Lake	3	3	1	1	3	2.2	3	1.3	1.3	0.4	0.4	1.3	1.0	1.3
Lawrence	3	1	1	1	4	2.0	2	4.8	1.6	1.6	1.6	6.4	3.2	3.2
Licking	1	3	2	3	1	2.0	2	0.7	2.0	1.3	2.0	0.7	1.3	1.3
Logan	3	0	1	1	0	1.0	0	6.5	0.0	2.2	2.2	0.0	2.2	0.0
Lorain	10	6	2	3	4	5.0	5	3.5	2.1	0.7	1.0	1.4	1.7	1.7
Lucas	7	10	4	7	4	6.4	11	1.5	2.2	0.9	1.5	0.9	1.4	2.5
Madison	0	0	0	0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mahoning	8	3	5	4	3	4.6	4	3.1	1.2	2.0	1.6	1.2	1.8	1.6
Marion	2	0	1	1	1	1.0	0	3.0	0.0	1.5	1.5	1.5	1.5	0.0
Medina	3	2	1	1	0	1.4	1	2.0	1.3	0.6	0.6	0.0	0.9	0.6
Meigs	0	1	0	0	0	0.2	0	0.0	4.3	0.0	0.0	0.0	0.9	0.0
Mercer	0	0	0	0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Miami	0	0	0	1	2	0.6	1	0.0	0.0	0.0	1.0	2.0	0.6	1.0
Monroe	0	0	0	0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Montgomery	14	14	13	7	9	11.4	5	2.5	2.5	2.3	1.3	1.6	2.1	0.9
Morgan	0	0	1	0	0	0.2	0	0.0	0.0	6.8	0.0	0.0	1.3	0.0
Morrow	2	0	0	0	0	0.4	1	6.3	0.0	0.0	0.0	0.0	1.2	2.9
Muskingum	1	0	0	0	1	0.4	1	1.2	0.0	0.0	0.0	1.2	0.5	1.2
Noble	0	0	0	0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ottawa	1	1	3	2	0	1.4	0	2.4	2.4	7.3	4.9	0.0	3.4	0.0
Paulding	0	0	0	0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Perry	0	0	0	1	0	0.2	0	0.0	0.0	0.0	2.9	0.0	0.6	0.0
Pickaway	3	2	2	1	0	1.6	1	5.7	3.8	3.7	1.9	0.0	3.0	1.9
Pike	0	1	0	0	0	0.2	1	0.0	3.6	0.0	0.0	0.0	0.7	3.6
Portage	1	2	6	1	0	2.0	2	0.7	1.3	3.9	0.6	0.0	1.3	1.3
Preble	0	0	0	1	0	0.2	0	0.0	0.0	0.0	2.4	0.0	0.5	0.0
Putnam	0	1	2	0	1	0.8	0	0.0	2.9	5.8	0.0	2.9	2.3	0.0
Richland	1	0	2	1	1	1.0	2	0.8	0.0	1.6	0.8	0.8	0.8	1.6
Ross	0	2	1	0	0	0.6	1	0.0	2.7	1.3	0.0	0.0	0.8	1.3
Sandusky	0	0	2	0	0	0.4	0	0.0	0.0	3.2	0.0	0.0	0.6	0.0
Scioto	3	1	3	0	1	1.6	1	3.8	1.3	3.8	0.0	1.3	2.1	1.3
Seneca	1	2	0	1	0	0.8	0	1.7	3.4	0.0	1.7	0.0	1.4	0.0
Shelby	2	1	0	0	0	0.6	0	4.2	2.1	0.0	0.0	0.0	1.2	0.0

Ohio TB Morbidity by County and Seven Major Cities, 2000 - 2005

Counties	Number of Cases							Case Rates						
	00	01	02	03	04	00-04 Avg	2005	00	01	02	03	04	00-04 Avg	2005
Stark	5	4	7	1	6	4.6	5	1.3	1.1	1.9	0.3	1.6	1.2	1.3
Summit	15	17	7	8	7	10.8	8	2.8	3.1	1.3	1.5	1.3	2.0	1.5
Trumbull	9	6	2	4	7	5.6	2	4.0	2.7	0.9	1.8	3.2	2.5	0.9
Tuscarawas	2	1	2	2	0	1.4	1	2.2	1.1	2.2	2.2	0.0	1.5	1.1
Union	1	0	1	0	2	0.8	0	2.4	0.0	2.3	0.0	4.5	1.9	0.0
Van Wert	0	0	2	1	0	0.6	0	0.0	0.0	6.8	3.4	0.0	2.0	0.0
Vinton	1	0	1	0	0	0.4	0	7.8	0.0	7.6	0.0	0.0	3.1	0.0
Warren	1	0	2	0	2	1.0	0	0.6	0.0	1.1	0.0	1.1	0.6	0.0
Washington	3	1	0	1	0	1.0	1	4.7	1.6	0.0	1.6	0.0	1.6	1.6
Wayne	1	0	0	0	0	0.2	0	0.9	0.0	0.0	0.0	0.0	0.2	0.0
Williams	0	0	0	0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wood	0	0	3	0	3	1.2	2	0.0	0.0	2.5	0.0	2.4	1.0	1.6
Wyandot	0	0	0	1	2	0.6	2	0.0	0.0	0.0	4.4	8.7	2.6	8.8
Total	338	306	257	229	219	269.8	260	3.0	2.7	2.3	2.0	1.9	2.4	2.3

Cities	Number of Cases							Case Rates						
	00	01	02	03	04	00-04 Avg	2005	00	01	02	03	04	00-04 Avg	2005
Akron	11	12	2	4	3	6.4	5	5.1	5.6	0.9	1.9	1.4	3.0	2.4
Cincinnati	22	16	10	15	22	17.0	20	6.6	4.9	3.1	4.7	7.0	5.3	6.5
Cleveland	67	49	47	35	28	45.2	46	14.0	10.4	10.1	7.6	6.1	9.7	10.2
Columbus	71	64	52	49	49	57.0	74	10.0	8.9	7.2	6.7	6.7	7.9	10.1
Dayton	10	8	9	4	6	7.4	4	6.0	4.9	5.5	2.5	3.7	4.5	2.5
Toledo	6	9	3	7	4	5.8	11	1.9	2.9	1.0	2.3	1.3	1.9	3.7
Youngstown	4	2	4	1	2	2.6	1	4.9	2.5	5.0	1.3	2.6	3.3	1.2
Total	191	160	127	115	114	141.4	161	8.3	7.0	5.6	5.1	5.0	6.2	7.2

Rates are shown per 100,00 population and were calculated using census estimates for that year. 2000-2004 average rates were calculated by using the average number of cases and the average population from 2000-2004. Caution should be used when interpreting small numbers and when interpreting rates for counties with small populations.