

# Ohio Department of Health Seasonal Influenza Activity Summary MMWR Week 42 October 17<sup>th</sup> – October 23<sup>rd</sup>, 2021

# **Current Influenza Activity:**

During MMWR Week 42, public health surveillance data sources indicate minimal intensity for influenza-like illness (ILI) in outpatient settings reported by Ohio's sentinel ILINet providers. The percentage of emergency department visits with patients exhibiting constitutional symptoms and Fever/ILI specified ED visits are above baseline levels statewide. Reported cases of influenza-associated hospitalizations are below the seasonal threshold\*. There was one influenza-associated hospitalizations reported during MMWR Week 42.

Ohio Weekly Influenza-associated	Hospitalizations					
by Ohio Public Health Region						
Central	1					
East Central	0					
Northeast	0					
Northwest	0					
Southeast	0					
Southwest	0					
West Central	0					
Total	1					

## **Ohio Influenza Activity Summary Dashboard:**

Data Source	Current week value	Percent Change from last week <sup>1</sup>	# of weeks <sup>2</sup>	Trend Chart <sup>3</sup>
Influenza-like Illness (ILI) Outpatient Data (ILINet Sentinel Provider Visits)	1.74%	17.57%	<b>1</b>	40 - 2020 Week Number 20-2021
Thermometer Sales (National Retail Data Monitor) <sup>4</sup>	0.68%	-8.11%	↓ 2	40 - 2020 Week Number 20 - 2021
Fever and ILI Specified ED Visits (EpiCenter)	2.09%	-7.52%	<b>↓ 2</b>	40 - 2020 Week Number 20 - 2021
Constitutional ED Visits (EpiCenter)	9.75%	-4.60%	<b>↓ 2</b>	40 - 2020 Week Number 20 - 2021
Confirmed Influenza-associated Hospitalizations (Ohio Disease Reporting System)	1	100.00%	<b>↑</b> 1	40 - 2020 Week Number 20-2021

<sup>1</sup>Interpret percent changes with caution. Large variability may be exhibited in data sources with low weekly values.

<sup>&</sup>lt;sup>2</sup>Number of weeks that the % change is increasing or decreasing.

<sup>&</sup>lt;sup>3</sup>Black lines represent current week's data; red lines represent baseline averages The 2020-2021 influenza season has been omitted from the five-year baseline averages due to abnormal counts reported during the COVID-19 pandemic. A five-year average, which includes data from the 2015-2016 season through the 2019-2020 season, is displayed.

<sup>&</sup>lt;sup>4</sup>Due to abnormally high thermometer sales during the COVID-19 pandemic, the 2019-2020 and 2020-2021 season data has been omitted. A 4-year average, which includes data from the 2015-2016 season through the 2018-2019 season, is shown

<sup>\*</sup>The seasonal threshold is 25 cases of influenza-associated hospitalizations; historical data demonstrate that once the weekly count exceeds 25 cases, the number of weekly cases thereafter will likely not decrease until after the peak of influenza activity for the season

## **State, Regional, and National Data:**

#### **Ohio Surveillance Data:**

- The Ohio Department of Health Laboratory has tested six specimens for influenza during the 2021-2022 influenza season; of these, 1 tested positive for influenza A(H1N1pdm09), 1 for influenza A(H3N2), 0 for influenza B, and 1 for swine variant influenza A(H3N2v) (through 10/23/2021).
- The National Respiratory and Enteric Virus Surveillance System (NREVSS) and U.S. World Health Organization (WHO)
   Collaborating Laboratories reported 1,899 tests for influenza performed at participating facilities; of these, 2 tested
   positive for influenza A(H1N1pdm09), 1 for influenza A(H3N2), 0 for influenza A (subtyping not performed), and 0 for
   influenza B (as of 10/23/2021).
- No **pediatric influenza-associated mortalities** have been reported so far during the 2021-2022 influenza season (through 10/23/2021).
- One **novel influenza A virus infections** has been reported so far during the 2021-2022 influenza season (through 10/23/2021).
- Incidence of confirmed influenza-associated hospitalizations in 2021-2022 season = 7 (through 10/23/2021).

<u>HHS Regional Surveillance Data</u>\*: During week 41 (October 10<sup>th</sup> – October 17<sup>th</sup>, 2021), the percentage of outpatient visits for influenza-like illness (ILI) in Region 5 (Ohio is in Region 5) was 1.3%, which is **below** the regional baseline of 2.0%.

National Surveillance Data\*: During week 41 (October 10<sup>th</sup> – October 17<sup>th</sup>, 2021), most U.S. states reported Minimal or Low influenza activity reported by sentinel ILINet providers. The percentage of outpatient visits for ILI was 1.8%, which is **below** the national baseline of 2.5%. All 10 HHS regions reported ILI levels below their region-specific baseline levels.

\*National-level and regional-level data are reported one week later than Ohio state-level data

National activity levels and more information can be found at the following CDC pages:

- http://www.cdc.gov/flu/weekly/usmap.htm
- http://www.cdc.gov/flu/

#### **2021-2022** Influenza Vaccine Components:

Egg-Based Vaccines							
A/B	Virus Quadrin						
Α	A/Victoria/2570/2019 (H1N1)pdm09-like virus (updated)	Х					
Α	A/Cambodia/e0826360/2020 (H3N2)-like virus (updated)	Х					
В	B/Washington/02/2019 (B/Victoria lineage)-like virus	Х					
В	Phuket/3073/2013-like (B/Yamagata lineage)	Х					
Cell- and Recombinant-Based Vaccines*							
Α	A/Wisconsin/588/2019 (H1N1)pdm09-like virus (updated)	Х					
Α	A/Cambodia/e0826360/2020 (H3N2)-like virus (updated)	Х					
В	B/Washington/02/2019 (B/Victoria lineage)-like virus	Х					
В	Phuket/3073/2013-like (B/Yamagata lineage)	Х					

<sup>\*</sup>No trivalent preparations are available for cell and recombinant-based vaccines or for egg-based vaccine for the 2021–22 season.

<u>Antigenic Characterization:</u> CDC virus characterization data will be updated later this season when a sufficient number of specimens have been tested.


Influenza-Associated Hospitalizations, Ohio									
2021-2022 Season*									
	Influenza-	Percent of All Influenza-	Rate per 100,000			Influenza-	Percent of All Influenza-	Rate per 100,000	
County	Associated	Associated	Population <sup>†</sup>		County	Associated	Associated	Population <sup>†</sup>	
	Hospitalizations	Hospitalizations	•			Hospitalizations	Hospitalizations	·	
ADAMS	0	0.0%	0.00		LOGAN	0	0.0%	0.00	
ALLEN	0	0.0%	0.00		LORAIN	0	0.0%	0.00	
ASHLAND	0	0.0%	0.00		LUCAS	0	0.0%	0.00	
ASHTABULA	0	0.0%	0.00		MADISON	0	0.0%	0.00	
ATHENS	0	0.0%	0.00		MAHONING	0	0.0%	0.00	
AUGLAIZE	0	0.0%	0.00		MARION	0	0.0%	0.00	
BELMONT	0	0.0%	0.00		MEDINA	0	0.0%	0.00	
BROWN	0	0.0%	0.00		MEIGS	0	0.0%	0.00	
BUTLER	0	0.0%	0.00		MERCER	0	0.0%	0.00	
CARROLL	0	0.0%	0.00		MIAMI	0	0.0%	0.00	
CHAMPAIGN	0	0.0%	0.00		MONROE	0	0.0%	0.00	
CLARK	0	0.0%	0.00		MONTGOMERY	0	0.0%	0.00	
CLERMONT	0	0.0%	0.00		MORGAN	0	0.0%	0.00	
CLINTON	0	0.0%	0.00		MORROW	0	0.0%	0.00	
COLUMBIANA	0	14.3%	0.00		MUSKINGUM	1	14.3%	1.16	
COSHOCTON	1	0.0%	2.73		NOBLE	0	0.0%	0.00	
CRAWFORD	0	0.0%	0.00		OTTAWA	0	0.0%	0.00	
CUYAHOGA	0	0.0%	0.00		PAULDING	0	0.0%	0.00	
DARKE	0	0.0%	0.00		PERRY	0	0.0%	0.00	
DEFIANCE	0	0.0%	0.00		PICKAWAY	0	0.0%	0.00	
DELAWARE	0	0.0%	0.00		PIKE	0	0.0%	0.00	
ERIE	0	42.9%	0.00		PORTAGE	0	0.0%	0.00	
FAIRFIELD	3	0.0%	1.89		PREBLE	0	0.0%	0.00	
FAYETTE	0	0.0%	0.00		PUTNAM	0	0.0%	0.00	
FRANKLIN	0	0.0%	0.00		RICHLAND	0	0.0%	0.00	
FULTON	0	0.0%	0.00		ROSS	0	0.0%	0.00	
GALLIA	0	0.0%	0.00		SANDUSKY	0	0.0%	0.00	
GEAUGA	0	0.0%	0.00		SCIOTO	0	0.0%	0.00	
GREENE	0	0.0%	0.00		SENECA	0	0.0%	0.00	
GUERNSEY	0	0.0%	0.00		SHELBY	0	0.0%	0.00	
HAMILTON	0	0.0%	0.00		STARK	0	0.0%	0.00	
HANCOCK	0	0.0%	0.00		SUMMIT	0	0.0%	0.00	
HARDIN	0	0.0%	0.00		TRUMBULL	0	0.0%	0.00	
HARRISON	0	0.0%	0.00		TUSCARAWAS	0	0.0%	0.00	
HENRY	0	0.0%	0.00		UNION	0	0.0%	0.00	
HIGHLAND	0	14.3%	0.00		VAN WERT	0	0.0%	0.00	
HOCKING	1	0.0%	3.57		VINTON	0	0.0%	0.00	
HOLMES	0	0.0%	0.00		WARREN	0	0.0%	0.00	
HURON	0	0.0%	0.00		WASHINGTON	0	0.0%	0.00	
JACKSON	0	0.0%	0.00		WAYNE	0	0.0%	0.00	
JEFFERSON	0	0.0%	0.00		WILLIAMS	0	0.0%	0.00	
KNOX	0	0.0%	0.00		WOOD	0	0.0%	0.00	
LAKE	0	0.0%	0.00		WYANDOT	0	0.0%	0.00	
LAWRENCE	0	14.3%	0.00		UNKNOWN	0	0.0%	*	
LICKING	1	0.0%	0.56		TOTAL	7	100%	0.06	

<sup>\*2021-2022</sup> Season began on 10/3/2021; data as of 10/24/2021


Source: Ohio Disease Reporting System

<sup>†</sup> Disease rates were calculated by number of cases per 100,000 residents using 2020 census data.







Note: NREVSS/Public Health Laboratory data are reported one week later than Ohio state-level data to ensure data completeness.




Note: NREVSS/Public Health Laboratory data are reported one week later than Ohio state-level data to ensure data completeness.









# Ohio Outpatient Influenza-like Illness Network (ILINet) with 5 Year Baseline Average; 2021-2022 Influenza Season



# Percent of Ohio Thermometer Sales with 4 Year Baseline Average; National Retail Data Monitor: 2021-2022 Influenza Season





### **Sources of Influenza Surveillance Data**

- National Retail Data Monitor (NRDM)-OTC Drug Purchases: The NRDM collects over-the-counter (OTC) drug sales information from approximately 1,420 Ohio chain drug stores and grocery stores. For influenza surveillance, thermometer and adult cold relief sales are monitored on a weekly basis. Due to abnormally high thermometer sales during the COVID-19 pandemic, the data from the 2019-2020 and 2020-2021 influenza seasons has been omitted from the baseline average in the figure above. A four-year average, which includes data from the 2015-2016 season through the 2018-2019 season, is displayed.
- Emergency Department Visits (EpiCenter): EpiCenter collects emergency department chief complaint data from 180 hospitals and urgent care facilities across Ohio in real time and classifies them into symptom and syndrome categories. Chief complaints from the constitutional syndrome category and the fever + ILI symptoms classifier are analyzed for influenza surveillance. EpiCenter data from the 2020-2021 influenza season has been omitted from the five-year baseline average due to data instability and effects of the COVID-19 pandemic. A five-year average, which includes data from the 2015-2016 season through the 2019-2020 season, is displayed in the figure above.
- Network (ILINet): Sentinel providers, through the US Influenza-like Illness Surveillance Network (ILINet), collect outpatient influenza-like illness (ILI) data. ILI is defined as a fever (≥ 100 F), and cough <u>and/or</u> sore throat. Providers report the total number of patients seen and the number of patients with ILI by age group on a weekly basis. Sentinel providers also submit specimens for influenza testing to the ODH laboratory throughout the influenza season. There are 56 sentinel providers enrolled in Ohio for the 2021-2022 influenza season. ILINet data from the 2020-2021 influenza season has been omitted from the five-year baseline average due to abnormally low percent ILI counts reported during the COVID-19 pandemic. A five-year average, which includes data from the 2015-2016 season through the 2019-2020 season, is displayed in the figure above.
- ODH Laboratory Surveillance: The Ohio Department of Health Laboratory reports the number of specimens that test positive for influenza each week. Generally, specimens are submitted by sentinel provider participants. A subset of the positive specimens is sent to CDC for further testing during the season.
- Influenza-associated Hospitalizations (ODRS): Influenza-associated hospitalizations are reported to ODH from local health departments and hospitals by direct entry into the Ohio Disease Reporting System (ODRS). Hospitalizations can be used as an indicator of the severity of illness during a particular influenza season. This condition became reportable in 2009. Influenza-associated hospitalization data from the 2020-2021 influenza season has been omitted from the five-year baseline average due to abnormally low counts reported during the COVID-19 pandemic. A five-year average, which includes data from the 2015-2016 season through the 2019-2020 season, is displayed in the figure above.
- Influenza-associated Pediatric Mortality (ODRS): Influenza-associated pediatric mortalities are reported into ODRS by local health department and hospital staff. Pediatric deaths can be an indicator of the severity of illness during the influenza season. This condition became reportable in

2005.

 National Respiratory and Enteric Virus Surveillance System (NREVSS): The National Respiratory and Enteric Virus Surveillance System (NREVSS) is a laboratory-based system that monitors temporal and geographic patterns associated with the detection of respiratory syncytial virus (RSV), human parainfluenza viruses (HPIV), respiratory and enteric adenoviruses and rotavirus. There are 10 facilities in Ohio that submit data to this system.

**Ohio Public Health Regions**: These counties comprise the Ohio Public Health Regions described in the figures shown on pages 1 and 5.

Cent	tral	East C	entral	Noth East	North	west .	South East		South West	West Central
CRAWFORD	LOGAN	ASHLAND	RICHLAND	ASHTABULA	ALLEN	MERCER	ATHENS	MONROE	ADAMS	CHAMPAIGN
DELAWARE	MADISON	CARROLL	STARK	CUYAHOGA	AUGLAIZE	OTTAWA	BELMONT	MORGAN	BROWN	CLARK
FAIRFIELD	MARION	COLUMBIANA	SUMMIT	GEAUGA	DEFIANCE	PAULDING	COSHOCTON	MUSKINGUM	BUTLER	DARKE
FAYETTE	MORROW	HOLMES	TRUMBULL	LAKE	ERIE	PUTNAM	GALLIA	NOBLE	CLERMONT	GREENE
FRANKLIN	<b>PICKAWAY</b>	MAHONING	TUSCARAWAS	LORAIN	FULTON	SANDUSKY	GUERNSEY	PERRY	CLINTON	MIAMI
HARDIN	UNION	MEDINA	WAYNE		HANCOCK	SENECA	HARRISON	PIKE	HAMILTON	MONTGOMERY
KNOX	WYANDOT	PORTAGE			HENRY	VAN WERT	HOCKING	ROSS	HIGHLAND	PREBLE
LICKING					HURON	WILLIAMS	JACKSON	SCIOTO	WARREN	SHELBY
					LUCAS	WOOD	JEFFERSON	VINTON		
							LAWRENCE	WASHINGTON		
							MEIGS			

If you have any further questions or comments about surveillance for seasonal influenza for the State of Ohio, please contact the Infectious Disease Informatics and Vaccine Preventable Disease Epidemiology Unit at <a href="mailto:vpdepi@odh.ohio.gov">vpdepi@odh.ohio.gov</a> or call (614) 995-5599.