

# New Diagnoses of HIV Infection Reported in Greene County

\*Please note a decrease in new reported diagnoses of HIV in 2020 may not represent a true decline, and may be a reporting artifact as a result of COVID-19.

As of June 30, 2024

## Reported new diagnoses of HIV infection in 2023 by disease status and selected characteristics, Greene County

Characteristic	2023 diagnosis of HIV infection			Disease Status					
	Rate <sup>a</sup>	No.	%	HIV (not AIDS)		HIV & later AIDS		AIDS	
				No.	%	No.	%	No.	%
Sex at birth									
Males	8.3	7	100%	4	100%	2	100%	1	100%
Females	*	-	-	-	-	-	-	-	-
Age at diagnosis (years)									
0-9	*	-	-	-	-	-	-	-	-
10-14	*	-	-	-	-	-	-	-	-
15-19	*	-	-	-	-	-	-	-	-
20-24	*	1	14%	1	25%	-	-	-	-
25-29	*	-	-	-	-	-	-	-	-
30-34	*	2	29%	-	-	1	50%	1	100%
35-39	*	2	29%	1	25%	1	50%	-	-
40-44	*	2	29%	2	50%	-	-	-	-
45-49	*	-	-	-	-	-	-	-	-
50-54	*	-	-	-	-	-	-	-	-
55-64	*	-	-	-	-	-	-	-	-
65+	*	-	-	-	-	-	-	-	-
Race/Ethnicity <sup>b</sup>									
American Indian/Alaska Native	*	-	-	-	-	-	-	-	-
Asian/Pacific Islander	*	-	-	-	-	-	-	-	-
Black/African American	*	-	-	-	-	-	-	-	-
Hispanic/Latino	*	-	-	-	-	-	-	-	-
White	5.0	7	100%	4	100%	2	100%	1	100%
Multi-Race	*	-	-	-	-	-	-	-	-
Race/Ethnicity <sup>b</sup> and Sex at birth									
American Indian/Alaska Native Males	*	-	-	-	-	-	-	-	-
American Indian/Alaska Native Females	*	-	-	-	-	-	-	-	-
Asian/Pacific Islander Males	*	-	-	-	-	-	-	-	-
Asian/Pacific Islander Females	*	-	-	-	-	-	-	-	-
Black/African American Males	*	-	-	-	-	-	-	-	-
Black/African American Females	*	-	-	-	-	-	-	-	-
Hispanic/Latino Males	*	-	-	-	-	-	-	-	-
Hispanic/Latina Females	*	-	-	-	-	-	-	-	-
White Males	10.0	7	100%	4	100%	2	100%	1	100%
White Females	*	-	-	-	-	-	-	-	-
Multi-Race Males	*	-	-	-	-	-	-	-	-
Multi-Race Females	*	-	-	-	-	-	-	-	-
Total	4.1	7		4		2		1	

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Asterisk (\*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

<sup>a</sup>The rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

<sup>b</sup> Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

### Reported new diagnoses of HIV infection in 2023 by disease status and transmission category, Greene County

Transmission Category <sup>a</sup>	2023 diagnosis of HIV infection		Disease Status					
			HIV (not AIDS)		HIV & later AIDS		AIDS	
	No.	%	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>								
Male-to-male sexual contact	5	71%	3	75%	1	50%	1	100%
Injection drug use (IDU)	-	-	-	-	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-	-	-
Other/unknown	2	29%	1	25%	1	50%	-	-
Subtotal	7	100%	4	100%	2	100%	1	100%
<b>Female adult or adolescent</b>								
Injection drug use	-	-	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-
<b>Child (&lt;13 years at diagnosis)</b>								
Perinatal	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-
<b>Total</b>	<b>7</b>		<b>4</b>		<b>2</b>		<b>1</b>	

### Reported new diagnoses of HIV infection in 2023 by disease status and exposure category, Greene County

Exposure Category <sup>b</sup>	2023 diagnosis of HIV infection		Disease Status					
			HIV (not AIDS)		HIV & later AIDS		AIDS	
	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	3	43%	2	50%	-	-	1	100%
Injection drug use (IDU) only	-	-	-	-	-	-	-	-
Heterosexual contact only	-	-	-	-	-	-	-	-
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-
IDU & Heterosexual contact	-	-	-	-	-	-	-	-
Male-to-male sexual contact & Heterosexual contact	2	29%	1	25%	1	50%	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-
Perinatal exposure	-	-	-	-	-	-	-	-
Other/unknown	2	29%	1	25%	1	50%	-	-
<b>Total</b>	<b>7</b>		<b>4</b>		<b>2</b>		<b>1</b>	

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

<sup>b</sup> Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and age at diagnosis, Greene County

2023 diagnosis of HIV infection																		
Age at diagnosis (years)	American Indian/Alaska Native			Asian/Pacific Islander			Black/African American			Hispanic/ Latino <sup>a</sup>			White			Multi-Race		
	Rate <sup>b</sup>	No.	%	Rate <sup>b</sup>	No.	%	Rate <sup>b</sup>	No.	%	Rate <sup>b</sup>	No.	%	Rate <sup>b</sup>	No.	%	Rate <sup>b</sup>	No.	%
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
20-24	*	-	-	*	-	-	*	-	-	*	-	-	*	1	14%	*	-	-
25-29	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
30-34	*	-	-	*	-	-	*	-	-	*	-	-	*	2	29%	*	-	-
35-39	*	-	-	*	-	-	*	-	-	*	-	-	*	2	29%	*	-	-
40-44	*	-	-	*	-	-	*	-	-	*	-	-	*	2	29%	*	-	-
45-49	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
50-54	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
55-64	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
65+	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	*	-	-	*	-	-	*	-	-	*	-	-	5.0	7	-	*	-	-

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and transmission category, Greene County

2023 diagnosis of HIV infection													
Transmission Category <sup>c</sup>	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino <sup>a</sup>		White		Multi-Race		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Male adult or adolescent													
Male-to-male sexual contact	-	-	-	-	-	-	-	-	5	71%	-	-	
Injection drug use (IDU)	-	-	-	-	-	-	-	-	-	-	-	-	
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-	-	-	-	-	
Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-	
Other/unknown	-	-	-	-	-	-	-	-	2	29%	-	-	
Subtotal	-	-	-	-	-	-	-	-	7	100%	-	-	
Female adult or adolescent													
Injection drug use	-	-	-	-	-	-	-	-	-	-	-	-	
Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-	
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-	
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	
Child (<13 years at diagnosis)													
Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-	
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	
Total	-	-	-	-	-	-	-	-	7	-	-	-	

Reported new diagnoses of HIV infection in 2023 by race/ethnicity and exposure category, Greene County

2023 diagnosis of HIV infection													
Exposure Category <sup>d</sup>	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino <sup>a</sup>		White		Multi-Race		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Male-to-male sexual contact only	-	-	-	-	-	-	-	-	3	43%	-	-	
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	-	-	-	-	
Heterosexual contact only	-	-	-	-	-	-	-	-	-	-	-	-	
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-	-	-	-	-	
IDU & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-	
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	-	-	-	-	2	29%	-	-	
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-	
Perinatal exposure	-	-	-	-	-	-	-	-	-	-	-	-	
Other/unknown	-	-	-	-	-	-	-	-	2	29%	-	-	
Total	-	-	-	-	-	-	-	-	7	-	-	-	

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Asterisk (\*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

<sup>b</sup> The rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

<sup>c</sup> Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

<sup>d</sup> Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

# Trends in reported new diagnoses of HIV infection by year of diagnosis (2019-2023) and cumulative diagnoses by selected characteristics, Greene County

Characteristic	Diagnoses of HIV Infection by Year															Cumulative Diagnoses	
	2019			2020			2021			2022			2023				
	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%	No.	%
Sex at birth																	
Males	14.4	12	100%	10.7	9	82%	8.4	7	78%	11.9	10	67%	8.3	7	100%	271	85%
Females	*	-	-	*	2	18%	*	2	22%	5.9	5	33%	*	-	-	46	15%
Age at diagnosis (years)																	
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	5	2%
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	1	<1%
15-19	*	1	8%	*	1	9%	*	-	-	*	2	13%	*	-	-	25	8%
20-24	36.9	5	42%	*	1	9%	*	2	22%	*	2	13%	*	1	14%	56	18%
25-29	*	2	17%	*	3	27%	*	3	33%	*	2	13%	*	-	-	53	17%
30-34	*	1	8%	*	1	9%	*	1	11%	*	2	13%	*	2	29%	50	16%
35-39	*	-	-	*	2	18%	*	-	-	*	1	7%	*	2	29%	34	11%
40-44	*	2	17%	*	-	-	*	1	11%	*	4	27%	*	2	29%	40	13%
45-49	*	-	-	*	2	18%	*	-	-	*	-	-	*	-	-	19	6%
50-54	*	-	-	*	-	-	*	-	-	*	1	7%	*	-	-	14	4%
55-64	*	-	-	*	1	9%	*	2	22%	*	1	7%	*	-	-	15	5%
65+	*	1	8%	*	-	-	*	-	-	*	-	-	*	-	-	5	2%
Race/Ethnicity <sup>b</sup>																	
American Indian/Alaska Native	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	1	<1%
Asian/Pacific Islander	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	3	1%
Black/African American	*	2	17%	*	2	18%	*	3	33%	*	2	13%	*	-	-	78	25%
Hispanic/Latino	*	-	-	*	-	-	*	-	-	*	1	7%	*	-	-	6	2%
White	6.4	9	75%	6.4	9	82%	4.3	6	67%	8.6	12	80%	5.0	7	100%	217	68%
Multi-Race	*	1	8%	*	-	-	*	-	-	*	-	-	*	-	-	12	4%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
Race/Ethnicity <sup>b</sup> and Sex at birth																	
American Indian/Alaska Native Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
American Indian/Alaska Native Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	1	<1%
Asian/Pacific Islander Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	3	1%
Asian/Pacific Islander Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
Black/African American Males	*	2	17%	*	2	18%	*	3	33%	*	2	13%	*	-	-	68	21%
Black/African American Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	10	3%
Hispanic/Latino Males	*	-	-	*	-	-	*	-	-	*	1	7%	*	-	-	6	2%
Hispanic/Latina Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
White Males	12.9	9	75%	10.0	7	64%	*	4	44%	10.0	7	47%	10.0	7	100%	182	57%
White Females	*	-	-	*	2	18%	*	2	22%	7.1	5	33%	*	-	-	35	11%
Multi-Race Males	*	1	8%	*	-	-	*	-	-	*	-	-	*	-	-	12	4%
Multi-Race Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
Total	7.1	12		6.5	11		5.3	9		8.9	15		4.1	7		317	

## Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis. Diagnoses of HIV infection by year (2019-2023) represent all reported cases diagnosed in each year; cumulative diagnoses represent all reported HIV and/or AIDS cases diagnosed since the beginning of the epidemic through 2023.

Asterisk (\*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> The rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

<sup>b</sup> Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

## Trends in reported new diagnoses of HIV infection by year of diagnosis (2019-2023) and cumulative diagnoses by transmission category, Greene County

Transmission Category <sup>a</sup>	Diagnoses of HIV Infection by Year										Cumulative Diagnoses	
	2019		2020		2021		2022		2023			
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>												
Male-to-male sexual contact	8	67%	2	22%	5	71%	5	50%	5	71%	196	73%
Injection drug use (IDU)	-	-	-	-	-	-	-	-	-	-	5	2%
Male-to-male sexual contact and IDU	-	-	1	11%	-	-	-	-	-	-	7	3%
Heterosexual contact	-	-	-	-	-	-	1	10%	-	-	9	3%
Other/unknown	4	33%	6	67%	2	29%	4	40%	2	29%	52	19%
Subtotal	12	100%	9	100%	7	100%	10	100%	7	100%	269	100%
<b>Female adult or adolescent</b>												
Injection drug use	-	-	-	-	1	50%	-	-	-	-	6	14%
Heterosexual contact	-	-	1	50%	-	-	4	80%	-	-	30	71%
Other/unknown	-	-	1	50%	1	50%	1	20%	-	-	6	14%
Subtotal	-	-	2	100%	2	100%	5	100%	-	-	42	100%
<b>Child (&lt;13 years at diagnosis)</b>												
Perinatal	-	-	-	-	-	-	-	-	-	-	6	100%
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-	-	-	6	100%
<b>Total</b>	<b>12</b>		<b>11</b>		<b>9</b>		<b>15</b>		<b>7</b>		<b>317</b>	

## Trends in reported diagnoses of HIV infection by year of diagnosis (2019-2023) and cumulative diagnoses by exposure category, Greene County

Exposure Category <sup>b</sup>	Diagnoses of HIV Infection by Year										Cumulative Diagnoses	
	2019		2020		2021		2022		2023			
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	6	50%	1	9%	5	56%	3	20%	3	43%	148	47%
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	-	-	1	<1%
Heterosexual contact only	-	-	1	9%	1	11%	5	33%	-	-	57	18%
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-	-	-	3	1%
IDU & Heterosexual contact	-	-	-	-	1	11%	-	-	-	-	10	3%
Male-to-male sexual contact & Heterosexual contact	2	17%	1	9%	-	-	2	13%	2	29%	48	15%
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	1	9%	-	-	-	-	-	-	4	1%
Perinatal exposure	-	-	-	-	-	-	-	-	-	-	6	2%
Other/unknown	4	33%	7	64%	2	22%	5	33%	2	29%	40	13%
Total	12		11		9		15		7		317	

### Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis. Diagnoses of HIV infection by year (2019-2023) represent all reported cases diagnosed in each year; cumulative diagnoses represent all reported HIV and/or AIDS cases diagnosed since the beginning of the epidemic through 2023.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

<sup>b</sup> Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

# Persons Living with Diagnosed HIV Infection Reported in Greene County

As of June 30, 2024

## Reported persons living with diagnosed HIV infection in 2023 by current disease status and selected characteristics, Greene County

Characteristic	Living with diagnosed HIV infection in			Current Disease Status			
	2023			HIV (not AIDS)		AIDS	
	Rate <sup>a</sup>	No.	%	No.	%	No.	%
<b>Sex at birth</b>							
Males	213.8	180	81%	97	78%	83	85%
Females	50.3	43	19%	28	22%	15	15%
<b>Age at end of year (years)</b>							
0-9	*	-	-	-	-	-	-
10-14	*	-	-	-	-	-	-
15-19	*	1	<1%	1	1%	-	-
20-24	69.3	9	4%	9	7%	-	-
25-29	169.0	19	9%	18	14%	1	1%
30-34	300.0	33	15%	20	16%	13	13%
35-39	158.6	17	8%	11	9%	6	6%
40-44	264.9	28	13%	15	12%	13	13%
45-49	215.4	19	9%	13	10%	6	6%
50-54	196.0	19	9%	7	6%	12	12%
55-64	193.9	42	19%	14	11%	28	29%
65+	111.0	36	16%	17	14%	19	19%
<b>Race/Ethnicity<sup>b</sup></b>							
American Indian/Alaska Native	*	1	<1%	1	1%	-	-
Asian/Pacific Islander	*	1	<1%	1	1%	-	-
Black/African American	415.6	50	22%	28	22%	22	22%
Hispanic/Latino	156.1	9	4%	3	2%	6	6%
White	108.1	152	68%	86	69%	66	67%
Multi-Race	186.8	10	4%	6	5%	4	4%
Unknown	*	-	-	-	-	-	-
<b>Race/Ethnicity<sup>b</sup> and Sex at birth</b>							
American Indian/Alaska Native Males	*	-	-	-	-	-	-
American Indian/Alaska Native Females	*	1	<1%	1	1%	-	-
Asian/Pacific Islander Males	*	1	<1%	1	1%	-	-
Asian/Pacific Islander Females	*	-	-	-	-	-	-
Black/African American Males	734.3	43	19%	23	18%	20	20%
Black/African American Females	113.3	7	3%	5	4%	2	2%
Hispanic/Latino Males	304.6	9	4%	3	2%	6	6%
Hispanic/Latina Females	*	-	-	-	-	-	-
White Males	168.8	118	53%	64	51%	54	55%
White Females	48.0	34	15%	22	18%	12	12%
Multi-Race Males	327.6	9	4%	6	5%	3	3%
Multi-Race Females	*	1	<1%	-	-	1	1%
Unknown	*	-	-	-	-	-	-
<b>Total</b>	<b>131.4</b>	<b>223</b>		<b>125</b>		<b>98</b>	

### Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (\*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

<sup>a</sup>The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using 2023 U.S. Census estimates.

<sup>b</sup> Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.



## Reported persons living with diagnosed HIV infection in 2023 by current disease status and transmission category, Greene County

Transmission Category <sup>a</sup>	Living with diagnosed HIV infection in		Current Disease Status			
	2023		HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	124	70%	64	67%	60	73%
Injection drug use (IDU)	5	3%	5	5%	-	-
Male-to-male sexual contact and IDU	6	3%	4	4%	2	2%
Heterosexual contact	7	4%	2	2%	5	6%
Other/unknown	36	20%	21	22%	15	18%
Subtotal	178	100%	96	100%	82	100%
<b>Female adult or adolescent</b>						
Injection drug use	11	27%	7	27%	4	27%
Heterosexual contact	26	63%	16	62%	10	67%
Other/unknown	4	10%	3	12%	1	7%
Subtotal	41	100%	26	100%	15	100%
<b>Child (&lt;13 years at diagnosis)</b>						
Perinatal	3	75%	3	100%	-	-
Other/unknown	1	25%	-	-	1	100%
Subtotal	4	100%	3	100%	1	100%
<b>Total</b>	<b>223</b>		<b>125</b>		<b>98</b>	

## Reported persons living with diagnosed HIV infection in 2023 by current disease status and exposure category, Greene County

Exposure Category <sup>b</sup>	Living with diagnosed HIV infection in		Current Disease Status			
	2023		HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male-to-male sexual contact only	94	42%	49	39%	45	46%
Injection drug use (IDU) only	2	1%	2	2%	-	-
Heterosexual contact only	45	20%	22	18%	23	23%
Male-to-male sexual contact & IDU	3	1%	3	2%	-	-
IDU & Heterosexual contact	14	6%	10	8%	4	4%
Male-to-male sexual contact & Heterosexual contact	30	13%	15	12%	15	15%
Male-to-male sexual contact & IDU & Heterosexual contact	3	1%	1	1%	2	2%
Perinatal exposure	3	1%	3	2%	-	-
Other/unknown	29	13%	20	16%	9	9%
<b>Total</b>	<b>223</b>		<b>125</b>		<b>98</b>	

### Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

<sup>b</sup> Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and age, Greene County

Living with diagnosed HIV infection in 2023																		
Age at end of year (years)	American Indian/Alaska Native			Asian/Pacific Islander			Black/African American			Hispanic/ Latino <sup>a</sup>			White			Multi-Race		
	Rate <sup>b</sup>	No.	%	Rate <sup>b</sup>	No.	%	Rate <sup>b</sup>	No.	%	Rate <sup>b</sup>	No.	%	Rate <sup>b</sup>	No.	%	Rate <sup>b</sup>	No.	%
0-9	*	<5	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	<5	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	<5	-	*	-	-	*	1	2%	*	-	-	*	-	-	*	-	-
20-24	*	<5	-	*	1	100%	*	4	8%	*	1	11%	*	3	2%	*	-	-
25-29	*	<5	-	*	-	-	*	3	6%	*	-	-	170.1	15	10%	*	1	10%
30-34	*	<5	-	*	-	-	1,121.1	10	20%	*	1	11%	214.1	19	13%	*	3	30%
35-39	*	<5	-	*	-	-	*	2	4%	*	2	22%	134.2	12	8%	*	1	10%
40-44	*	<5	-	*	-	-	1,282.1	8	16%	*	-	-	215.6	19	13%	*	1	10%
45-49	*	<5	-	*	-	-	980.4	5	10%	*	-	-	148.1	11	7%	*	3	30%
50-54	*	<5	-	*	-	-	990.1	5	10%	*	-	-	154.4	13	9%	*	1	10%
55-64	*	<5	-	*	-	-	680.3	8	16%	1,096.5	5	56%	146.8	28	18%	*	-	-
65+	*	<5	-	*	-	-	*	4	8%	*	-	-	109.2	32	21%	*	-	-
Total	*	1	-	*	1	-	415.6	50	-	156.1	9	-	108.1	152	-	186.8	10	-

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and transmission category, Greene County

Living with diagnosed HIV infection in 2023												
Transmission Category <sup>c</sup>	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino <sup>a</sup>		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent												
Male-to-male sexual contact	-	-	1	100%	27	64%	8	89%	82	70%	6	67%
Injection drug use (IDU)	-	-	-	-	-	-	-	-	5	4%	-	-
Male-to-male sexual contact and IDU	-	-	-	-	1	2%	-	-	5	4%	-	-
Heterosexual contact	-	-	-	-	3	7%	-	-	4	3%	-	-
Other/unknown	-	-	-	-	11	26%	1	11%	21	18%	3	33%
Subtotal	-	-	1	100%	42	100%	9	100%	117	100%	9	100%
Female adult or adolescent												
Injection drug use	-	-	-	-	1	17%	-	-	9	27%	1	100%
Heterosexual contact	1	100%	-	-	4	67%	-	-	21	64%	-	-
Other/unknown	-	-	-	-	1	17%	-	-	3	9%	-	-
Subtotal	1	100%	-	-	6	100%	-	-	33	100%	1	100%
Child (<13 years at diagnosis)												
Perinatal	-	-	-	-	2	100%	-	-	1	50%	-	-
Other/unknown	-	-	-	-	-	-	-	-	1	50%	-	-
Subtotal	-	-	-	-	2	100%	-	-	2	100%	-	-
Total	1	-	1	-	50	-	9	-	152	-	10	-

Reported persons living with diagnosed HIV infection in 2023 by race/ethnicity and exposure category, Greene County

Living with diagnosed HIV infection in 2023												
Exposure Category <sup>d</sup>	American Indian/Alaska Native		Asian/Pacific Islander		Black/African American		Hispanic/ Latino <sup>a</sup>		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	-	-	1	100%	21	42%	5	56%	62	41%	5	50%
Injection drug use (IDU) only	-	-	-	-	1	2%	-	-	1	1%	-	-
Heterosexual contact only	1	100%	-	-	13	26%	-	-	31	20%	-	-
Male-to-male sexual contact & IDU	-	-	-	-	1	2%	-	-	2	1%	-	-
IDU & Heterosexual contact	-	-	-	-	-	-	-	-	13	9%	1	10%
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	6	12%	3	33%	20	13%	1	10%
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	3	2%	-	-
Perinatal exposure	-	-	-	-	2	4%	-	-	1	1%	-	-
Other/unknown	-	-	-	-	6	12%	1	11%	19	13%	3	30%
Total	1	-	1	-	50	-	9	-	152	-	10	-

Notes:  
Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2023. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2023, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.  
Asterisk (\*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.  
<sup>a</sup> Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.  
<sup>b</sup> The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.  
<sup>c</sup> Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.  
<sup>d</sup> Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.  
Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

# Trends in reported persons living with diagnosed HIV infection by year of diagnosis and selected characteristics, Greene County, 2019-2023

Characteristic	Living with Diagnosed HIV Infection														
	2019			2020			2021			2022			2023		
	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%
<b>Sex at birth</b>															
Males	206.8	172	85%	210.7	177	84%	214.9	180	85%	217.1	182	82%	213.8	180	81%
Females	35.0	30	15%	38.3	33	16%	37.8	32	15%	46.1	39	18%	50.3	43	19%
<b>Age at end of year (years)</b>															
0-9	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
10-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	1	<1%	*	2	1%	*	2	1%	*	-	-	*	1	<1%
20-24	36.9	5	2%	44.0	6	3%	52.6	7	3%	68.1	9	4%	69.3	9	4%
25-29	323.0	38	19%	283.4	33	16%	223.5	25	12%	178.3	20	9%	169.0	19	9%
30-34	110.6	12	6%	144.4	16	8%	219.4	24	11%	208.4	23	10%	300.0	33	15%
35-39	201.7	21	10%	169.2	18	9%	157.9	17	8%	149.1	16	7%	158.6	17	8%
40-44	198.5	18	9%	247.5	23	11%	224.8	22	10%	255.9	26	12%	264.9	28	13%
45-49	234.1	22	11%	174.6	16	8%	216.5	19	9%	241.0	21	10%	215.4	19	9%
50-54	205.5	21	10%	250.4	25	12%	180.4	18	8%	235.8	23	10%	196.0	19	9%
55-64	190.6	44	22%	214.2	49	23%	223.5	50	24%	232.3	51	23%	193.9	42	19%
65+	67.5	20	10%	71.7	22	10%	92.6	28	13%	101.5	32	14%	111.0	36	16%
<b>Race/Ethnicity<sup>b</sup></b>															
American Indian/Alaska Native	*	1	<1%	*	1	<1%	*	1	<1%	*	1	<1%	*	1	<1%
Asian/Pacific Islander	*	1	<1%	*	1	<1%	*	2	1%	*	2	1%	*	1	<1%
Black/African American	468.2	56	28%	481.1	58	28%	484.1	58	27%	471.3	55	25%	415.6	50	22%
Hispanic/Latino	159.9	8	4%	204.3	11	5%	128.9	7	3%	197.5	11	5%	156.1	9	4%
White	87.0	123	61%	88.9	126	60%	93.6	131	62%	99.1	139	63%	108.1	152	68%
Multi-Race	267.1	13	6%	252.3	13	6%	247.1	13	6%	247.9	13	6%	186.8	10	4%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
<b>Race/Ethnicity<sup>b</sup> and Sex at birth</b>															
American Indian/Alaska Native Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
American Indian/Alaska Native Females	*	1	<1%	*	1	<1%	*	1	<1%	*	1	<1%	*	1	<1%
Asian/Pacific Islander Males	*	1	<1%	*	1	<1%	*	2	1%	*	2	1%	*	1	<1%
Asian/Pacific Islander Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Black/African American Males	824.0	48	24%	846.9	50	24%	850.8	50	24%	819.7	47	21%	734.3	43	19%
Black/African American Females	130.4	8	4%	130.0	8	4%	131.1	8	4%	134.8	8	4%	113.3	7	3%
Hispanic/Latino Males	319.4	8	4%	370.4	10	5%	252.6	7	3%	390.2	11	5%	304.6	9	4%
Hispanic/Latina Females	*	-	-	*	1	<1%	*	-	-	*	-	-	*	-	-
White Males	147.6	103	51%	148.2	104	50%	156.0	109	51%	157.2	110	50%	168.8	118	53%
White Females	27.9	20	10%	30.8	22	10%	31.4	22	10%	41.3	29	13%	48.0	34	15%
Multi-Race Males	490.8	12	6%	466.2	12	6%	460.3	12	6%	452.0	12	5%	327.6	9	4%
Multi-Race Females	*	1	<1%	*	1	<1%	*	1	<1%	*	1	<1%	*	1	<1%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
<b>Total</b>	<b>119.6</b>	<b>202</b>		<b>123.4</b>	<b>210</b>		<b>125.9</b>	<b>212</b>		<b>131.2</b>	<b>221</b>		<b>131.4</b>	<b>223</b>	

Notes:

Living with diagnosed HIV infection by year (2019-2023) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (\*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

<sup>b</sup> Hispanics/Latinos may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.

## Trends in reported persons living with diagnosed HIV infection by year of diagnosis and transmission category, Greene County, 2019-2023

Living with Diagnosed HIV Infection										
Transmission Category <sup>a</sup>	2019		2020		2021		2022		2023	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>										
Male-to-male sexual contact	130	76%	132	75%	136	76%	132	73%	124	70%
Injection drug use (IDU)	2	1%	1	1%	2	1%	2	1%	5	3%
Male-to-male sexual contact and IDU	7	4%	5	3%	4	2%	5	3%	6	3%
Heterosexual contact	9	5%	7	4%	8	4%	8	4%	7	4%
Other/unknown	22	13%	30	17%	28	16%	34	19%	36	20%
Subtotal	170	100%	175	100%	178	100%	181	100%	178	100%
<b>Female adult or adolescent</b>										
Injection drug use	7	24%	7	22%	7	23%	8	22%	11	27%
Heterosexual contact	21	72%	23	72%	21	70%	25	68%	26	63%
Other/unknown	1	3%	2	6%	2	7%	4	11%	4	10%
Subtotal	29	100%	32	100%	30	100%	37	100%	41	100%
<b>Child (&lt;13 years at diagnosis)</b>										
Perinatal	2	67%	2	67%	3	75%	2	67%	3	75%
Other/unknown	1	33%	1	33%	1	25%	1	33%	1	25%
Subtotal	3	100%	3	100%	4	100%	3	100%	4	100%
<b>Total</b>	<b>202</b>		<b>210</b>		<b>212</b>		<b>221</b>		<b>223</b>	

## Trends in reported persons living with diagnosed HIV infection by year of diagnosis and exposure category, Greene County, 2019-2023

Living with Diagnosed HIV Infection										
Exposure Category <sup>b</sup>	2019		2020		2021		2022		2023	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	102	50%	109	52%	108	51%	101	46%	94	42%
Injection drug use (IDU) only	1	<1%	1	<1%	2	1%	2	1%	2	1%
Heterosexual contact only	39	19%	42	20%	40	19%	44	20%	45	20%
Male-to-male sexual contact & IDU	3	1%	3	1%	1	<1%	2	1%	3	1%
IDU & Heterosexual contact	8	4%	7	3%	7	3%	8	4%	14	6%
Male-to-male sexual contact & Heterosexual contact	28	14%	23	11%	28	13%	31	14%	30	13%
Male-to-male sexual contact & IDU & Heterosexual contact	4	2%	2	1%	3	1%	3	1%	3	1%
Perinatal exposure	2	1%	2	1%	3	1%	2	1%	3	1%
Other/unknown	15	7%	21	10%	20	9%	28	13%	29	13%
Total	202		210		212		221		223	

Notes:

Living with diagnosed HIV infection by year (2019-2023) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

<sup>b</sup> Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV Surveillance Program. Data reported through June 30, 2024.