

Induced Abortions in Ohio 2024 Report

September 2025



**Department of
Health**

Bureau of Vital Statistics

Table of Contents

Induced Abortion Summary	1
---------------------------------	----------

Figures

Figure 1	Resident Induced Abortions, Ohio, 1976-2024	2
Figure 2	Selected Characteristics of Resident Induced Abortions in Ohio, 2024	3
Figure 3	Induced Abortions Reported in Ohio, by County of Occurrence, 2024	4
Figure 4	Abortion Ratios and Abortion Rates, by Year, Ohio Residents, 1996-2024	5
Figure 5	Induced Abortion Rates per 1,000 Women, by Age Group and Year, Ohio Residents, 2005–2024	6
Figure 6	Induced Abortion Ratios, by Age Group and Year, Ohio Residents, 2005-2024	7
Figure 7	Total Induced Abortions, by Weeks of Gestation and by Year, 2005-2024	8

Tables

Table 1	Induced Abortions Summary Table, Ohio, 2024	9
Table 2	Selected Characteristics of Induced Abortions Reported in Ohio, 2015-2024	10
Table 3	Resident Induced Abortions Reported in Ohio, by County of Residence, 2015-2024	12
Table 4	Resident Induced Abortions Reported in Ohio, by County of Residence and Age, 2024	15
Table 5a	Resident Induced Abortions Reported in Ohio, by Selected Counties, Race, and Broad Age Groups, 2024	18
Table 5b	Resident Induced Abortions Reported in Ohio, by Selected Counties, Race, and Age Group, 2024	23
Table 6	Induced Abortions Reported in Ohio, by County of Occurrence, 2015-2024	25
Table 7	Induced Abortions Reported in Ohio, by Method of Termination and County of Occurrence, 2024	26
Table 8a	Total Induced Abortions Reported in Ohio, by Gestational Age, 2024	27
Table 8b	Method Used to Determine Gestational Age of Fetus, Ohio, 2024	27
Table 9	Resident Induced Abortions Reported in Ohio, by Age of Women Obtaining Abortion and by Number of Prior Induced Abortions, 2024	28

Table 10a	Total Induced Abortions in Ohio with Post-Abortion Complications, by Type of Complication, 2024. Data Source: Confidential Abortion Reporting Form, Box 23	29
Table 10b	Total Induced Abortions in Ohio with Post-Abortion Complications, by Type of Complication, 2024. Data Source: Post-Abortion Care Report for Complications	30
Table 11	Total Induced Abortions in Ohio with Post-Abortion Complications, by Type of Complication and Gestation Period, 2024. Data Source: Post-Abortion Care Report for Complications	31
Table 12	Resident Induced Abortions by ZIP Code of Patient, Ohio, 2024	32
Table 13	Contraceptive History at Time of Conception and Contraception Recommendations Provided at Discharge, Ohio, 2024	37
Table 14	Pregnancy History of Women who Obtained Induced Terminations in Ohio, 2024	38
Table 15	Selected Medical Information from Confidential Abortion Reports, Ohio, 2024	39
Table 16	Type of Counseling Provided to Women Obtaining Terminations, Ohio, 2024	39
Table 17	Timing of Medical Exam for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2024	39
Table 18	Viability Determination and Type of Testing Used to Determine Viability for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2024	40
Table 19	Probable Post-Fertilization Age (PPFA) Determination and Type of Method Used to Determine PPFA for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2024	40
Table 20	Induced Abortions Reported in Ohio, Examination and Assessment, 2024	41

Appendix

Appendix I	Confidential Abortion Report Form	42
Appendix II	Post-Abortion Care Report for Complications Form	45

Induced Abortion Summary

Background

The 2024 Induced Abortions in Ohio Report presents information derived from both the “Confidential Abortion Report” and “Post Abortion Care Report for Complications” in Ohio (see Appendices I and II). Readers should note that abortion statistics in this report are limited to terminations occurring in Ohio; they do not include Ohio residents who obtained abortions outside the state.

Characteristics of Induced Abortions Reported in Ohio, 2024

Induced abortion statistics have been prepared in Ohio since 1976. Several trend comparisons in the 2024 Induced Abortions in Ohio Report date back to 2004. A total of 21,829 induced pregnancy terminations were reported in Ohio for 2024, a slight drop (171) from 2023. This includes 18,696 obtained by Ohio resident women (86%).

Approximately 8.5% of women who obtained abortions in 2024 were under 20 years of age, with another 28.3% aged 20-24 (Table 1). Approximately 82% of women who obtained abortions in Ohio were never married, divorced, or widowed (Table 1). Approximately 12.3% of women who obtained abortions in Ohio were married or separated (Table 1). Of all resident women who obtained abortions and for whom race was reported, approximately 48.9% were Black; 42.4% were White; 3.3% were Asian/Pacific Islander; and 5.1% reported more than one race (Figure 2). Of women with known ethnicity who obtained abortions, 8.9% were of Hispanic origin (Table 1).

The 2024 Ohio abortion rate was 8.4 per 1,000 resident women ages 15-44 years old, a decrease from the 8.7 rate in 2023 (Figure 4). The 2024 Ohio resident abortion ratio was 147 abortions per 1,000 live births, a decrease from the 151 ratio in 2023 (Figure 4).

More than half of all induced abortions in 2024 involved pregnancies of less than nine weeks (64.6%), with approximately 23.2% involving pregnancies of nine to 12 weeks (Table 1). There were 477 abortions in 2024 involving pregnancies of 19 or more completed weeks of gestation (Table 2). That represents a slight increase from the 476 reported in 2023. The abortion reporting form requests methods used to determine gestational age: ultrasound was used in 94.3% of cases (Table 8b). The vast majority of reported abortions were obtained in six major metropolitan areas of Ohio (Table 6).

Curettage was the method used in 45.1% of terminations in 2024 (Table 7). That method has decreased since 2001 when 87% of terminations were by curettage. Mifepristone was reported as the medication for nonsurgical termination for 10,107 abortions (46.3%), followed by 3,630 terminations using Misoprostol, and five terminations using Methotrexate (Table 7).

The “Confidential Abortion Report” form (Appendix I) and the “Post-Abortion Care Report for Complications” (Appendix II) were modified in August of 2024 to update the Ohio Department of Health brand logo.

Figure 1. Resident Induced Abortions, Ohio, 1976–2024






Figure 1 shows the trend line in the number of resident induced abortions in Ohio from 1976-2024. Specific counts from the last decade can be found on Table 2 in this report. Past annual reports can be found on the [Ohio Department of Health website](https://odh.ohio.gov) (<https://odh.ohio.gov>).

Figure 2. Selected Characteristics of Resident Induced Abortions in Ohio, 2024




Excludes unknown unless otherwise stated.

Figure 3. Induced Abortions Reported in Ohio, by County of Occurrence, 2024



In the reports received, 12 counties were listed for an occurrence of an abortion. The counties not included in this chart had an occurrence of <0.0%. See Table 6 for more information.


Figure 4. Abortion Ratios and Abortion Rates, by Year, Ohio Residents, 1996-2024



Abortion ratio is number of abortions per 1,000 live births.

Abortion rate is number of abortions per 1,000 women ages 15-44.

Figure 5. Induced Abortion Rates per 1,000 Women, by Age Group and Year, Ohio Residents, 2005-2024



Abortion rate is number of abortions per 1,000 female population in a specified age group.

Figure 6. Induced Abortion Ratios, by Age Group and Year, Ohio Residents, 2005-2024




Figure 7. Total Induced Abortions, by Weeks of Gestation and by Year, 2005-2024




Table 1. Induced Abortions Summary Table, Ohio, 2024

CHARACTERISTICS	2024	PERCENT
TOTAL INDUCED ABORTIONS	21,829	100.0
RESIDENCE		
Ohio Resident	18,696	85.6
Out-of-State Resident	3,133	14.4
Not Reported	0	0.0
AGE		
Under 18 Years	543	2.5
18-19 Years	1,316	6.0
20-24 Years	6,181	28.3
25-55 Years	13,789	63.2
Age is outside of fertility range	0	0.0
Not Reported	0	0.0
RACE GROUP		
White	8,934	40.9
Black	9,228	42.3
American Indian	65	0.3
Asian/Pacific Islander	661	3.0
More than one race	1,018	4.7
Unknown	1,279	5.9
Not Reported	644	3.0
HISPANIC		
Non-Hispanic	17,370	79.6
Hispanic	1,951	8.9
Unknown	2,508	11.5
Not Reported	0	0.0
LEVEL OF EDUCATION		
8 th grade or less	277	1.3
9 to 12 th grade, no diploma	2,236	10.2
High School graduate or GED	9,195	42.1
Some college credit, no degree	4,130	18.9
Associate Degree	1,526	7.0
Bachelor's Degree	2,332	10.7
Master's Degree	656	3.0
Doctorate or Professional Degree	90	0.4
Unknown	1,387	6.4
Not Reported	0	0.0

CHARACTERISTICS	2024	PERCENT
TOTAL INDUCED ABORTIONS	21,829	100.0
MARITAL STATUS		
Never Married	17,038	78.1
Married	2,234	10.2
Separated	457	2.1
Divorced	815	3.7
Widowed	53	0.2
Unknown	1,232	5.6
Not Reported	0	0.0
NUMBER OF LIVING CHILDREN		
None	7,974	36.5
One	5,520	25.3
Two or More	8,084	37.0
Not Reported	251	1.2
COMPLETED WEEKS OF GESTATION		
Less than 9 Weeks	14,106	64.6
9-12 Weeks	5,070	23.2
13-18 Weeks	2,176	10.0
19-20 Weeks	331	1.5
21 Weeks and Over	146	0.7
Not Reported	0	0.0

Table 2. Selected Characteristics of Induced Abortions Reported in Ohio, 2015-2024

Characteristic		2024	2023	2022	2021	2020	2019	2018	2017	2016	2015
NUMBER OF ABORTIONS											
TOTAL INDUCED ABORTIONS		21,829	22,000	18,488	21,813	20,605	20,102	20,425	20,893	20,672	20,976
RESIDENCE	Ohio Resident	18,696	19,229	17,201	20,716	19,438	18,913	19,213	19,615	19,543	19,765
	Out-of-State Resident	3,133	2,771	1,287	1,097	1,167	1,189	1,212	1,278	1,129	1,211
AGE	Under 15 Years	65	71	42	57	52	63	54	61	76	73
	15-17 Years	478	530	413	481	469	475	571	576	622	615
	18-19 Years	1,316	1,331	1,080	1,352	1,233	1,262	1,313	1,448	1,373	1,499
	20-24 Years	6,181	6,355	5,452	6,431	5,915	5,887	6,128	6,323	6,651	6,809
	25-29 Years	6,043	6,256	5,322	6,510	6,285	6,057	6,206	6,216	5,921	5,975
	30-34 Years	4,725	4,567	3,788	4,383	3,945	3,720	3,639	3,646	3,457	3,441
	35-39 Years	2,322	2,235	1,824	1,998	1,993	1,983	1,912	2,013	1,968	1,909
	40-44 Years	653	625	526	568	680	617	553	575	558	602
	45 Years and Older	46	29	41	33	33	38	49	35	46	53
	Age is Outside of Fertility Range	0	1	0	0	0	0	0	0	0	0
	Not Reported	0	0	0	0	0	0	0	0	0	0
EDUCATION	Less than Grade 9	277	243	136	148	150	190	175	190	179	194
	Grade 9-12	11,431	11,341	9,405	10,398	10,057	9,736	9,654	9,894	9,995	9,738
	One Or More College Years	8,734	8,643	7,944	9,397	8,650	8,846	9,041	9,538	9,425	9,403
	None/Unknown	1,387	1,773	1,003	1,870	1,748	1,330	1,555	1,271	1,073	1,641
RACE	White	8,934	8,954	7,685	8,784	8,667	9,015	9,578	9,988	9,975	10,338
	Black	9,228	9,655	8,001	9,446	8,909	8,374	8,204	8,340	8,387	8,421
	Asian/Pacific Islander	661	595	534	617	618	680	692	732	636	615
	Other/Unknown/ Not Reported	3,006	2,796	2,268	2,966	2,411	2,033	1,951	1,833	1,674	1,602
MARITAL STATUS	Never Married	17,038	17,108	14,348	16,596	15,609	15,080	14,755	15,079	13,115	12,512
	Married	2,234	2,154	1,747	2,055	2,140	2,120	2,140	2,274	1,978	1,855
	Separated	457	498	369	524	518	483	530	486	480	503
	Divorced	815	800	678	879	817	889	906	1,055	1,008	984
	Widowed	53	56	43	57	40	58	42	54	49	48
	Unknown	1,232	1,384	1,303	1,702	1,481	1,472	2,052	1,945	4,042	5,074
NUMBER OF LIVING CHILDREN	No Children	7,974	7,592	6,345	6,937	6,485	7,074	7,294	7,620	7,417	7,694
	One Child	5,520	5,590	4,678	5,371	5,010	4,963	5,288	5,307	5,403	5,532
	Two or More Children	8,084	8,107	6,935	7,948	7,913	7,585	7,665	7,748	7,584	7,600
	Not Reported	251	711	530	1,557	1,197	480	178	218	268	150
COMPLETED WEEKS OF GESTATION	Less than 9 Weeks	14,106	13,367	12,293	13,183	12,739	12,257	11,374	11,784	11,230	10,910
	9-12 Weeks	5,070	5,687	4,171	5,762	5,207	5,321	6,047	6,084	6,250	6,632
	13-18 Weeks	2,176	2,470	1,682	2,382	2,218	2,168	2,516	2,571	2,684	2,956
	19-20 Weeks	331	330	235	330	328	261	382	364	368	333
	21 Weeks and Over	146	146	107	156	113	95	106	90	140	145
	Not Reported	0	0	0	0	0	0	0	0	0	0

Table 2. Selected Characteristics of Induced Abortions Reported in Ohio, 2015-2024 (Part 2)

Characteristic		2024	2023	2022	2021	2020	2019	2018	2017	2016	2015
Percentage Distribution											
Total Induced Abortions		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Residence	Ohio Resident	85.7	87.4	93.0	95.0	94.3	94.1	94.1	93.9	94.5	94.2
	Out-of-State Resident	14.3	12.6	7.0	5.0	5.7	5.9	5.9	6.1	5.5	5.8
Age	Under 15 Years	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.3	0.4	0.3
	15-17 Years	2.2	2.4	2.2	2.2	2.3	2.4	2.8	2.8	3.0	2.9
	18-19 Years	6.0	6.1	5.8	6.2	6.0	6.3	6.4	6.9	6.6	7.1
	20-24 Years	28.3	28.9	29.5	29.5	28.7	29.3	30.0	30.3	32.2	32.5
	25-29 Years	27.7	28.4	28.8	29.8	30.5	30.1	30.4	29.8	28.6	28.5
	30-34 Years	21.7	20.8	20.5	20.1	19.2	18.5	17.8	17.5	16.7	16.4
	35-39 Years	10.6	10.2	9.9	9.2	9.7	9.9	9.4	9.6	9.5	9.1
	40-44 Years	3.0	2.8	2.8	2.6	3.3	3.1	2.7	2.8	2.7	2.9
	45 Years and Older	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3
	Age is Outside of Fertility Range	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Not Reported	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Education	Less than Grade 9	1.3	1.1	0.7	0.7	0.7	1.0	0.9	0.9	0.9	0.9
	Grade 9-12	52.4	51.5	50.9	47.7	48.8	48.4	47.3	47.4	48.4	46.4
	One or More College Years	40.0	39.3	43.0	43.1	42.0	44.0	44.3	45.7	45.6	44.8
	None/Unknown	6.3	8.1	5.4	8.6	8.5	6.6	7.6	6.1	5.2	7.8
Race	White	40.9	40.7	41.6	40.3	42.1	44.9	46.9	47.8	48.3	49.3
	Black	42.3	43.9	43.3	43.3	43.2	41.7	40.2	39.9	40.6	40.1
	Asian/Pacific Islander	3.0	2.7	2.9	2.8	3.0	3.4	3.4	3.5	3.1	2.9
	Other/Unknown/Not Reported	13.8	12.7	12.3	13.6	11.7	10.1	9.6	8.8	8.1	7.6
Marital Status	Never Married	78.1	77.8	77.6	76.1	75.8	75.0	72.2	72.2	63.4	59.6
	Married	10.2	9.8	9.5	9.4	10.4	10.6	10.5	10.9	9.6	8.8
	Separated	2.1	2.3	2.0	2.4	2.5	2.4	2.6	2.3	2.3	2.4
	Divorced	3.7	3.6	3.7	4.0	4.0	4.4	4.4	5.1	4.9	4.7
	Widowed	0.2	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.2
	Unknown	5.7	6.3	7.1	7.8	7.2	7.3	10.0	9.3	19.6	24.2
Number of Living Children	No Children	36.5	34.5	34.3	31.8	31.5	35.2	35.7	36.5	35.9	36.7
	One Child	25.3	25.4	25.3	24.6	24.3	24.7	25.9	25.4	26.1	26.4
	Two or More Children	37.0	36.9	37.5	36.4	38.4	37.7	37.5	37.1	36.7	36.2
	Not Reported	1.2	3.2	2.9	7.1	5.8	2.4	0.9	1.0	1.3	0.7
Completed Weeks of Gestation	Less than 9 Weeks	64.6	60.8	66.5	60.4	61.8	61.0	55.7	56.4	54.3	52.0
	9-12 Weeks	23.2	25.8	22.5	26.4	25.3	26.5	29.6	29.1	30.2	31.6
	13-18 Weeks	10.0	11.2	9.1	10.9	10.8	10.8	12.3	12.3	13.0	14.1
	19-20 Weeks	1.5	1.5	1.3	1.5	1.6	1.3	1.9	1.7	1.8	1.6
	21 Weeks and Over	0.7	0.7	0.6	0.7	0.5	0.5	0.5	0.4	0.7	0.7
	Not Reported	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 3. Resident Induced Abortions Reported in Ohio, by County of Residence, 2015-2024

Table Restricted to Abortions Obtained by Ohio Residents

RESIDENCE	2024	2023	2022	2021	2020	2019	2018	2017	2016	2015
OHIO	18,696	19,229	17,201	20,716	19,438	18,913	19,213	19,615	19,543	19,765
Adams	12	16	10	19	19	15	13	17	11	10
Allen	123	89	103	122	107	95	98	105	93	98
Ashland	30	34	24	24	31	39	33	31	42	44
Ashtabula	109	108	93	123	95	109	121	116	110	108
Athens	37	37	38	51	54	64	44	77	74	82
Auglaize	26	18	18	24	26	26	24	19	25	24
Belmont	5	5	2	9	9	5	11	6	13	14
Brown	38	22	20	24	23	27	15	27	22	33
Butler	528	520	469	530	545	488	504	515	454	528
Carroll	16	17	21	22	18	20	25	15	20	24
Champaign	20	27	28	37	30	30	30	19	30	38
Clark	250	203	200	214	198	159	167	143	149	166
Clermont	196	180	166	186	178	158	176	201	202	195
Clinton	37	41	37	43	32	27	32	32	36	34
Columbiana	39	69	49	49	42	44	46	60	44	67
Coshocton	21	26	24	12	16	17	16	20	23	16
Crawford	28	24	32	51	32	38	37	47	34	35
Cuyahoga	4,202	4,624	3,904	4,839	4,523	4,381	4,518	4,721	4,921	4,895
Darke	29	41	17	19	29	25	25	24	25	25
Defiance	14	13	19	11	10	26	18	19	14	11
Delaware	178	177	152	166	131	149	118	149	132	149
Erie	102	120	113	116	110	114	121	131	123	111
Fairfield	178	159	144	152	151	123	136	118	149	141
Fayette	29	29	28	29	20	20	22	23	20	19
Franklin	3,117	3,055	2,739	3,399	3,115	3,166	3,056	3,258	3,158	3,333
Fulton	21	15	18	16	19	22	21	28	27	18
Gallia	12	10	7	8	6	7	9	6	9	7
Geauga	51	78	53	56	69	77	75	78	69	63
Greene	226	192	172	190	173	201	173	207	150	208
Guernsey	19	21	13	27	19	25	20	32	33	31
Hamilton	1,930	1,958	1,816	2,278	2,345	2,124	2,055	2,114	2,067	2,225
Hancock	50	29	45	28	37	39	51	52	45	49
Hardin	11	17	16	24	14	21	17	14	24	16
Harrison	3	5	4	10	5	4	3	3	3	9
Henry	16	10	7	7	10	11	14	13	7	15
Highland	19	23	26	29	20	16	29	24	18	36
Hocking	10	9	12	15	13	9	10	17	18	13
Holmes	10	6	4	9	5	14	8	5	6	7

Table 3. Resident Induced Abortions Reported in Ohio, by County of Residence, 2015-2024 (Part 2)

Table Restricted to Abortions Obtained by Ohio Residents

RESIDENCE	2024	2023	2022	2021	2020	2019	2018	2017	2016	2015
Huron	46	41	40	49	39	55	53	44	52	51
Jackson	14	18	9	20	17	15	23	16	25	18
Jefferson	12	9	8	7	8	7	6	8	8	12
Knox	29	31	35	39	41	49	35	43	46	39
Lake	349	352	294	348	355	346	315	339	361	336
Lawrence	23	26	13	5	8	4	11	10	4	7
Licking	182	131	145	185	151	167	139	161	156	162
Logan	35	25	36	33	23	35	32	33	26	29
Lorain	496	532	505	538	483	562	514	524	545	508
Lucas	624	508	700	733	676	695	879	866	774	705
Madison	24	37	43	30	35	41	32	42	44	43
Mahoning	279	342	303	455	404	372	397	378	403	383
Marion	49	44	54	72	58	41	45	56	48	50
Medina	150	185	179	159	181	181	219	209	200	169
Meigs	9	9	3	5	1	8	3	3	9	6
Mercer	17	12	12	14	18	20	18	17	19	17
Miami	92	89	81	99	94	70	88	82	86	74
Monroe	6	2	6	7	5	6	7	3	8	3
Montgomery	1,275	1,337	1,111	1,318	1,292	1,176	1,202	1,054	1,035	1,038
Morgan	3	5	5	4	1	5	3	9	1	6
Morrow	17	20	12	18	9	17	15	20	24	17
Muskingum	65	69	65	72	69	61	62	80	66	83
Noble	2	2	5	2	2	0	6	9	5	7
Ottawa	18	12	23	23	19	31	20	28	26	21
Paulding	6	4	5	3	4	6	6	8	5	1
Perry	19	30	20	23	12	16	21	19	20	23
Pickaway	47	40	36	50	39	47	32	34	42	39
Pike	18	10	10	12	11	19	5	16	7	15
Portage	230	204	208	215	200	193	232	202	230	208
Preble	19	28	19	37	15	28	21	21	38	38
Putnam	8	4	9	9	11	10	14	9	6	14
Richland	126	101	125	146	124	108	112	131	107	100
Ross	56	69	35	62	44	44	57	54	41	57
Sandusky	33	52	31	30	45	43	45	50	35	28
Scioto	42	47	28	34	33	26	27	34	27	38
Seneca	31	25	49	36	34	27	36	43	32	19

Table 3. Resident Induced Abortions Reported in Ohio, by County of Residence, 2015-2024 (Part 3)

Table Restricted to Abortions Obtained by Ohio Residents

RESIDENCE	2024	2023	2022	2021	2020	2019	2018	2017	2016	2015
Shelby	25	30	21	25	28	24	32	33	43	56
Stark	535	613	491	613	579	501	559	506	569	556
Summit	1,188	1,310	1,105	1,416	1,217	1,187	1,133	1,135	1,156	1,048
Trumbull	242	254	232	274	278	224	280	272	267	248
Tuscarawas	74	89	56	80	74	82	70	60	75	108
Union	50	48	35	29	37	40	41	44	38	53
Van Wert	13	13	5	8	7	10	13	15	8	10
Vinton	5	7	7	6	4	8	4	4	7	6
Warren	172	195	161	215	174	180	188	173	182	198
Washington	23	28	14	12	13	15	16	18	20	21
Wayne	78	75	60	70	59	63	82	84	92	88
Williams	13	9	10	14	18	13	23	13	13	12
Wood	71	69	87	81	92	89	131	104	101	85
Wyandot	14	10	12	13	17	11	18	13	11	15
Not Reported	0	0	0	0	1	0	0	0	0	0

Table 4. Resident Induced Abortions Reported in Ohio, by County of Residence and Age, 2024

Table Restricted to Abortions Obtained by Ohio Residents

RESIDENCE	AGE GROUP													Not Reported/ Unclassifiable
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45+	
OHIO TOTAL	18,696	55	82	138	213	470	633	5,239	5,184	4,090	1,998	553	41	0
Adams	12	0	0	0	0	1	0	4	5	2	0	0	0	0
Allen	123	0	0	0	0	5	6	37	39	25	6	5	0	0
Ashland	30	0	0	0	0	0	1	11	7	5	5	1	0	0
Ashtabula	109	0	0	3	3	3	4	37	26	18	10	5	0	0
Athens	37	0	0	0	1	3	3	12	9	3	4	2	0	0
Auglaize	26	0	0	0	0	3	0	8	8	5	1	1	0	0
Belmont	5	0	0	1	0	0	0	2	1	1	0	0	0	0
Brown	38	0	0	0	1	1	3	11	8	10	4	0	0	0
Butler	528	1	4	5	6	25	19	162	121	118	52	14	1	0
Carroll	16	1	0	0	0	0	3	4	6	0	1	0	1	0
Champaign	20	2	1	2	0	1	1	5	3	2	3	0	0	0
Clark	250	1	1	3	3	8	10	66	74	44	32	8	0	0
Clermont	196	1	0	2	3	3	12	55	48	38	26	5	3	0
Clinton	37	0	0	1	0	3	0	10	5	10	4	4	0	0
Columbiana	39	0	0	0	0	2	1	11	8	12	5	0	0	0
Coshocton	21	0	0	1	0	0	1	6	6	4	3	0	0	0
Crawford	28	1	1	0	0	2	2	10	8	4	0	0	0	0
Cuyahoga	4,202	8	20	21	55	91	122	1,088	1,226	1,028	430	109	4	0
Darke	29	0	1	1	0	3	1	10	8	3	1	1	0	0
Defiance	14	0	0	0	1	0	1	5	3	3	1	0	0	0
Delaware	178	0	1	2	0	4	6	34	35	46	31	19	0	0
Erie	102	0	1	1	1	3	4	33	27	17	13	2	0	0
Fairfield	178	0	0	1	3	3	10	46	45	33	29	8	0	0
Fayette	29	0	0	0	0	0	3	10	10	2	4	0	0	0
Franklin	3,117	8	7	20	24	63	106	852	867	705	360	96	9	0
Fulton	21	0	0	0	1	0	2	6	7	2	1	2	0	0
Gallia	12	0	0	0	1	1	0	2	1	5	1	1	0	0
Geauga	51	1	0	0	0	0	2	10	14	13	9	2	0	0
Greene	226	0	0	0	2	7	10	78	63	37	19	10	0	0
Guernsey	19	0	0	0	2	0	0	9	5	2	1	0	0	0
Hamilton	1,930	5	8	17	23	52	70	567	505	414	199	64	6	0
Hancock	50	0	0	1	1	3	3	13	12	9	7	1	0	0
Hardin	11	0	0	1	0	0	0	7	2	0	0	0	1	0
Harrison	3	0	0	0	0	0	0	2	1	0	0	0	0	0
Henry	16	0	0	0	0	2	1	6	1	5	1	0	0	0
Highland	19	0	0	1	0	0	0	3	7	3	4	1	0	0

Table 4. Resident Induced Abortions Reported in Ohio, by County of Residence and Age, 2024 (Part 2)

Table Restricted to Abortions Obtained by Ohio Residents

RESIDENCE	AGE GROUP													Not Reported/ Unclassifiable
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45+	
Hocking	10	2	0	0	0	0	0	5	1	1	1	0	0	0
Holmes	10	0	0	0	0	0	0	4	3	2	0	1	0	0
Huron	46	0	0	1	1	3	0	15	16	8	1	1	0	0
Jackson	14	0	0	0	0	0	1	7	4	2	0	0	0	0
Jefferson	12	0	0	0	0	0	2	4	2	2	1	1	0	0
Knox	29	0	1	2	2	0	0	12	5	6	1	0	0	0
Lake	349	3	2	1	3	8	9	87	95	79	48	12	2	0
Lawrence	23	0	0	1	0	0	3	3	8	6	0	2	0	0
Licking	182	1	0	2	3	7	7	51	46	28	33	4	0	0
Logan	35	0	0	1	0	2	3	10	10	5	3	1	0	0
Lorain	496	0	3	3	3	5	10	149	135	110	59	18	1	0
Lucas	624	0	2	5	5	13	19	162	172	145	80	19	2	0
Madison	24	0	0	0	0	1	0	6	7	6	4	0	0	0
Mahoning	279	0	1	3	2	9	13	77	83	58	23	9	1	0
Marion	49	0	0	0	0	1	1	20	14	9	1	3	0	0
Medina	150	0	0	1	3	2	3	31	47	33	17	13	0	0
Meigs	9	0	0	0	0	2	0	2	2	2	1	0	0	0
Mercer	17	0	0	1	0	0	0	6	3	3	4	0	0	0
Miami	92	0	0	0	1	4	3	26	23	16	14	5	0	0
Monroe	6	0	0	0	0	0	0	2	3	0	1	0	0	0
Montgomery	1,275	7	13	9	14	40	40	354	378	278	114	27	1	0
Morgan	3	0	0	0	0	1	0	0	0	2	0	0	0	0
Morrow	17	0	0	0	0	0	2	7	4	0	4	0	0	0
Muskingum	65	1	1	0	2	4	1	19	18	12	5	2	0	0
Noble	2	0	0	0	0	0	0	1	0	0	1	0	0	0
Ottawa	18	0	0	2	0	1	0	6	2	4	2	0	1	0
Paulding	6	0	0	0	0	0	0	3	1	1	1	0	0	0
Perry	19	0	1	0	1	0	3	4	1	8	1	0	0	0
Pickaway	47	0	0	0	1	0	3	14	14	8	4	3	0	0
Pike	18	0	0	1	1	0	0	5	7	4	0	0	0	0
Portage	230	0	0	1	2	5	15	66	61	46	28	5	1	0
Preble	19	0	0	0	2	0	1	6	3	6	1	0	0	0
Putnam	8	0	0	0	0	0	0	3	3	1	1	0	0	0
Richland	126	0	0	0	2	3	2	45	44	19	10	1	0	0
Ross	56	0	0	0	0	5	1	14	18	7	9	1	1	0
Sandusky	33	0	0	3	0	0	0	10	9	7	4	0	0	0

Table 4. Resident Induced Abortions Reported in Ohio, by County of Residence and Age, 2024 (Part 3)

Table Restricted to Abortions Obtained by Ohio Residents

RESIDENCE	AGE GROUP													Not Reported/ Unclassifiable
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45+	
Scioto	42	0	0	0	1	1	1	16	12	6	5	0	0	0
Seneca	31	0	0	0	0	0	2	15	6	6	2	0	0	0
Shelby	25	0	1	0	1	0	1	8	8	5	1	0	0	0
Stark	535	5	4	5	7	16	23	168	132	102	58	13	2	0
Summit	1,188	2	4	6	11	25	40	356	353	268	100	21	2	0
Trumbull	242	3	3	2	5	7	6	64	75	41	32	2	2	0
Tuscarawas	74	0	0	1	1	0	1	23	22	17	6	3	0	0
Union	50	0	0	1	1	1	2	13	13	8	9	2	0	0
Van Wert	13	0	0	1	0	2	0	1	4	3	2	0	0	0
Vinton	5	0	0	0	0	0	0	3	2	0	0	0	0	0
Warren	172	1	1	1	2	4	3	38	41	40	25	16	0	0
Washington	23	0	0	0	1	3	0	12	5	2	0	0	0	0
Wayne	78	0	0	0	2	1	2	22	29	16	4	2	0	0
Williams	13	1	0	0	1	0	1	3	4	1	2	0	0	0
Wood	71	0	0	0	1	2	2	24	13	18	7	4	0	0
Wyandot	14	0	0	0	0	0	0	5	2	5	1	1	0	0
Not Reported	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5a. Resident Induced Abortions Reported in Ohio, by Selected Counties, Race, and Broad Age Groups, 2024

Table Restricted to Abortions Obtained by Ohio Residents

County of Residence	Race*	Age Group							Not Reported/ Unclassifiable
		Total	Under 18	18-19	20-29	30-39	40-49	50 +	
OHIO	TOTAL	18,696	488	1,103	10,423	6,088	592	2	0
	White	7,269	202	456	4,036	2,303	272	0	0
	Black	8,399	217	461	4,708	2,826	185	2	0
	Other/Unknown	3,028	69	186	1,679	959	135	0	0
Allen	TOTAL	123	0	11	76	31	5	0	0
	White	59	0	5	36	17	1	0	0
	Black	38	0	4	26	6	2	0	0
	Other/Unknown	26	0	2	14	8	2	0	0
Ashtabula	TOTAL	109	6	7	63	28	5	0	0
	White	93	6	7	48	27	5	0	0
	Black	9	0	0	8	1	0	0	0
	Other/Unknown	7	0	0	7	0	0	0	0
Athens	TOTAL	37	1	6	21	7	2	0	0
	White	28	1	6	16	3	2	0	0
	Black	6	0	0	3	3	0	0	0
	Other/Unknown	3	0	0	2	1	0	0	0
Butler	TOTAL	528	16	44	283	170	15	0	0
	White	237	4	21	137	68	7	0	0
	Black	158	7	12	78	58	3	0	0
	Other/Unknown	133	5	11	68	44	5	0	0
Clark	TOTAL	250	8	18	140	76	8	0	0
	White	109	6	7	73	21	2	0	0
	Black	110	2	9	50	45	4	0	0
	Other/Unknown	31	0	2	17	10	2	0	0
Clermont	TOTAL	196	6	15	103	64	8	0	0
	White	152	4	12	81	49	6	0	0
	Black	13	2	1	6	4	0	0	0
	Other/Unknown	31	0	2	16	11	2	0	0
Columbiana	TOTAL	39	0	3	19	17	0	0	0
	White	33	0	3	14	16	0	0	0
	Black	4	0	0	4	0	0	0	0
	Other/Unknown	2	0	0	1	1	0	0	0
Cuyahoga	TOTAL	4,202	104	213	2,314	1,458	113	0	0
	White	850	11	34	468	308	29	0	0
	Black	2,846	82	146	1,574	982	62	0	0
	Other/Unknown	506	11	33	272	168	22	0	0

Table 5a. Resident Induced Abortions Reported in Ohio, by Selected Counties, Race, and Broad Age Groups, 2024 (Part 2)

Table Restricted to Abortions Obtained by Ohio Residents

County of Residence	Race*	Total	Age Group						Not Reported/ Unclassifiable
			Under 18	18-19	20-29	30-39	40-49	50 +	
Delaware	TOTAL	178	3	10	69	77	19	0	0
	White	87	1	8	37	35	6	0	0
	Black	21	1	1	11	6	2	0	0
	Other/Unknown	70	1	1	21	36	11	0	0
Erie	TOTAL	102	3	7	60	30	2	0	0
	White	53	2	1	30	20	0	0	0
	Black	31	0	5	19	6	1	0	0
	Other/Unknown	18	1	1	11	4	1	0	0
Fairfield	TOTAL	178	4	13	91	62	8	0	0
	White	76	1	6	45	21	3	0	0
	Black	75	3	4	35	31	2	0	0
	Other/Unknown	27	0	3	11	10	3	0	0
Franklin	TOTAL	3,117	59	169	1,719	1,065	104	1	0
	White	877	19	54	488	280	36	0	0
	Black	1,529	30	64	850	541	43	1	0
	Other/Unknown	711	10	51	381	244	25	0	0
Greene	TOTAL	226	2	17	141	56	10	0	0
	White	130	2	10	76	35	7	0	0
	Black	49	0	6	33	9	1	0	0
	Other/Unknown	47	0	1	32	12	2	0	0
Hamilton	TOTAL	1,930	53	122	1,072	613	69	1	0
	White	527	9	35	292	167	24	0	0
	Black	1,147	40	72	633	368	33	1	0
	Other/Unknown	256	4	15	147	78	12	0	0
Hancock	TOTAL	50	2	6	25	16	1	0	0
	White	35	2	4	19	9	1	0	0
	Black	7	0	1	3	3	0	0	0
	Other/Unknown	8	0	1	3	4	0	0	0
Jefferson	TOTAL	12	0	2	6	3	1	0	0
	White	7	0	2	4	1	0	0	0
	Black	3	0	0	1	2	0	0	0
	Other/Unknown	2	0	0	1	0	1	0	0
Knox	TOTAL	29	5	0	17	7	0	0	0
	White	25	5	0	13	7	0	0	0
	Black	1	0	0	1	0	0	0	0
	Other/Unknown	3	0	0	3	0	0	0	0

Table 5a. Resident Induced Abortions Reported in Ohio, by Selected Counties, Race, and Broad Age Groups, 2024 (Part 3)

Table Restricted to Abortions Obtained by Ohio Residents

County of Residence	Race*	Total	Age Group						Not Reported/ Unclassifiable
			Under 18	18-19	20-29	30-39	40-49	50 +	
Lake	TOTAL	349	9	17	182	127	14	0	0
	White	200	6	6	96	80	12	0	0
	Black	96	1	6	56	32	1	0	0
	Other/Unknown	53	2	5	30	15	1	0	0
Licking	TOTAL	182	6	14	97	61	4	0	0
	White	119	3	11	65	38	2	0	0
	Black	25	1	1	13	9	1	0	0
	Other/Unknown	38	2	2	19	14	1	0	0
Lorain	TOTAL	496	9	15	284	169	19	0	0
	White	273	3	5	142	106	17	0	0
	Black	117	4	5	71	37	0	0	0
	Other/Unknown	106	2	5	71	26	2	0	0
Lucas	TOTAL	624	12	32	334	225	21	0	0
	White	271	5	14	139	104	9	0	0
	Black	257	3	15	143	93	3	0	0
	Other/Unknown	96	4	3	52	28	9	0	0
Mahoning	TOTAL	279	6	22	160	81	10	0	0
	White	90	4	11	49	22	4	0	0
	Black	143	0	10	80	48	5	0	0
	Other/Unknown	46	2	1	31	11	1	0	0
Marion	TOTAL	49	0	2	34	10	3	0	0
	White	36	0	1	25	8	2	0	0
	Black	8	0	1	4	2	1	0	0
	Other/Unknown	5	0	0	5	0	0	0	0
Medina	TOTAL	150	4	5	78	50	13	0	0
	White	115	4	5	61	36	9	0	0
	Black	14	0	0	10	4	0	0	0
	Other/Unknown	21	0	0	7	10	4	0	0
Miami	TOTAL	92	1	7	49	30	5	0	0
	White	69	1	6	39	20	3	0	0
	Black	7	0	0	2	5	0	0	0
	Other/Unknown	16	0	1	8	5	2	0	0
Montgomery	TOTAL	1,275	43	80	732	392	28	0	0
	White	383	15	26	218	109	15	0	0
	Black	726	22	48	406	241	9	0	0
	Other/Unknown	166	6	6	108	42	4	0	0

Table 5a. Resident Induced Abortions Reported in Ohio, by Selected Counties, Race, and Broad Age Groups, 2024 (Part 4)

Table Restricted to Abortions Obtained by Ohio Residents

County of Residence	Race*	Age Group							Not Reported/ Unclassifiable
		Total	Under 18	18-19	20-29	30-39	40-49	50 +	
Portage	TOTAL	230	3	20	127	74	6	0	0
	White	137	1	12	70	50	4	0	0
	Black	50	0	4	28	17	1	0	0
	Other/Unknown	43	2	4	29	7	1	0	0
Richland	TOTAL	126	2	5	89	29	1	0	0
	White	72	2	3	50	17	0	0	0
	Black	38	0	2	27	8	1	0	0
	Other/Unknown	16	0	0	12	4	0	0	0
Sandusky	TOTAL	33	3	0	19	11	0	0	0
	White	23	1	0	12	10	0	0	0
	Black	4	1	0	2	1	0	0	0
	Other/Unknown	6	1	0	5	0	0	0	0
Scioto	TOTAL	42	1	2	28	11	0	0	0
	White	32	1	2	20	9	0	0	0
	Black	1	0	0	1	0	0	0	0
	Other/Unknown	9	0	0	7	2	0	0	0
Seneca	TOTAL	31	0	2	21	8	0	0	0
	White	22	0	1	15	6	0	0	0
	Black	4	0	1	3	0	0	0	0
	Other/Unknown	5	0	0	3	2	0	0	0
Stark	TOTAL	535	21	39	300	160	15	0	0
	White	304	11	22	162	98	11	0	0
	Black	141	3	11	85	39	3	0	0
	Other/Unknown	90	7	6	53	23	1	0	0
Summit	TOTAL	1,188	23	65	709	368	23	0	0
	White	412	10	20	238	132	12	0	0
	Black	570	10	26	342	187	5	0	0
	Other/Unknown	206	3	19	129	49	6	0	0
Trumbull	TOTAL	242	13	13	139	73	4	0	0
	White	141	9	9	79	41	3	0	0
	Black	72	2	4	42	23	1	0	0
	Other/Unknown	29	2	0	18	9	0	0	0
Warren	TOTAL	172	5	7	79	65	16	0	0
	White	109	4	6	56	36	7	0	0
	Black	18	1	1	10	5	1	0	0
	Other/Unknown	45	0	0	13	24	8	0	0

Table 5a. Resident Induced Abortions Reported in Ohio, by Selected Counties, Race, and Broad Age Groups, 2024 (Part 5)

Table Restricted to Abortions Obtained by Ohio Residents

Age Group									
County of Residence	Race*	Total	Under 18	18-19	20-29	30-39	40-49	50 +	Not Reported/ Unclassifiable
Wayne	TOTAL	78	2	3	51	20	2	0	0
	White	64	1	2	43	16	2	0	0
	Black	6	1	1	4	0	0	0	0
	Other/Unknown	8	0	0	4	4	0	0	0
Wood	TOTAL	71	1	4	37	25	4	0	0
	White	54	1	3	28	21	1	0	0
	Black	3	0	0	3	0	0	0	0
	Other/Unknown	14	0	1	6	4	3	0	0

* “Other/Unknown” includes “Not Reported.”
Not all counties are displayed in this table in order to prevent disclosure of confidential information.

**Table 5b. Resident Induced Abortions Reported in Ohio,
by Selected Counties, Race, and Age Group, 2024 (Part 1)**

Table Restricted to Abortions Obtained by Ohio Residents

County	Race*	Total	Age Group																Not Reported/ Unclassi- fiable
			<15	15	16	17	15-17	18	19	18-19	20	21	20-24	25-29	30-34	35-39	40-44	45+	
OHIO	TOTAL	18,696	55	82	138	213	433	470	633	1,103	796	967	5,239	5,184	4,090	1,998	553	41	0
	White	7,269	20	33	65	84	182	198	258	456	334	415	2,112	1,924	1,451	852	257	15	0
	Black	8,399	27	37	55	98	190	199	262	461	318	406	2,262	2,446	1,994	832	179	8	0
	Other/ Unknown	3,028	8	12	18	31	61	73	113	186	144	146	865	814	645	314	117	18	0
Butler	TOTAL	528	1	4	5	6	15	25	19	44	22	31	162	121	118	52	14	1	0
	White	237	0	0	3	1	4	12	9	21	13	15	84	53	45	23	6	1	0
	Black	158	0	2	1	4	7	7	5	12	6	10	43	35	42	16	3	0	0
	Other/ Unknown	133	1	2	1	1	4	6	5	11	3	6	35	33	31	13	5	0	0
Cuyahoga	TOTAL	4,202	8	20	21	55	96	91	122	213	151	212	1,088	1,226	1,028	430	109	4	0
	White	850	2	3	1	5	9	16	18	34	31	39	223	245	186	122	28	1	0
	Black	2,846	4	15	18	45	78	63	83	146	99	149	737	837	722	260	61	1	0
	Other/ Unknown	506	2	2	2	5	9	12	21	33	21	24	128	144	120	48	20	2	0
Franklin	TOTAL	3,117	8	7	20	24	51	63	106	169	106	158	852	867	705	360	96	9	0
	White	877	0	3	8	8	19	23	31	54	33	50	249	239	179	101	36	0	0
	Black	1,529	8	2	8	12	22	26	38	64	44	69	410	440	355	186	42	2	0
	Other/ Unknown	711	0	2	4	4	10	14	37	51	29	39	193	188	171	73	18	7	0
Greene	TOTAL	226	0	0	0	2	2	7	10	17	12	13	78	63	37	19	10	0	0
	White	130	0	0	0	2	2	5	5	10	8	6	38	38	23	12	7	0	0
	Black	49	0	0	0	0	0	2	4	6	2	3	18	15	7	2	1	0	0
	Other/ Unknown	47	0	0	0	0	0	0	1	1	2	4	22	10	7	5	2	0	0

**Table 5b. Resident Induced Abortions Reported in Ohio,
by Selected Counties, Race, and Age Group, 2024 (Part 2)**

Table Restricted to Abortions Obtained by Ohio Residents

County	Race*	Total	Age Group																Not Reported/ Unclassi- fiable
			<15	15	16	17	15-17	18	19	18-19	20	21	20-24	25-29	30-34	35-39	40-44	45+	
Hamilton	TOTAL	1,930	5	8	17	23	48	52	70	122	102	98	567	505	414	199	64	6	0
	White	527	0	2	3	4	9	12	23	35	25	34	147	145	102	65	23	1	0
	Black	1,147	5	6	12	17	35	34	38	72	64	55	332	301	258	110	31	3	0
	Other/ Unknown	256	0	0	2	2	4	6	9	15	13	9	88	59	54	24	10	2	0
Lorain	TOTAL	496	0	3	3	3	9	5	10	15	20	29	149	135	110	59	18	1	0
	White	273	0	1	1	1	3	1	4	5	10	19	76	66	62	44	16	1	0
	Black	117	0	2	1	1	4	1	4	5	7	5	39	32	31	6	0	0	0
	Other/ Unknown	106	0	0	1	1	2	3	2	5	3	5	34	37	17	9	2	0	0
Lucas	TOTAL	624	0	2	5	5	12	13	19	32	28	24	162	172	145	80	19	2	0
	White	271	0	0	2	3	5	4	10	14	10	9	72	67	66	38	8	1	0
	Black	257	0	1	1	1	3	7	8	15	12	10	66	77	60	33	3	0	0
	Other/ Unknown	96	0	1	2	1	4	2	1	3	6	5	24	28	19	9	8	1	0
Montgomery	TOTAL	1,275	7	13	9	14	36	40	40	80	53	65	354	378	278	114	27	1	0
	White	383	2	5	4	4	13	15	11	26	20	19	98	120	78	31	15	0	0
	Black	726	5	6	5	6	17	22	26	48	20	38	192	214	169	72	9	0	0
	Other/ Unknown	166	0	2	0	4	6	3	3	6	13	8	64	44	31	11	3	1	0
Summit	TOTAL	1,188	2	4	6	11	21	25	40	65	62	55	356	353	268	100	21	2	0
	White	412	0	3	2	5	10	4	16	20	22	24	132	106	85	47	11	1	0
	Black	570	2	1	4	3	8	12	14	26	22	22	159	183	153	34	5	0	0
	Other/ Unknown	206	0	0	0	3	3	9	10	19	18	9	65	64	30	19	5	1	0

* “Other/Unknown” includes “Not Reported.”

Not all counties are displayed in this table in order to prevent disclosure of confidential information.

Table 6. Induced Abortions Reported in Ohio, by County of Occurrence, 2015-2024

County of Occurrence	2024	2023	2022	2021	2020	2019	2018	2017	2016	2015
TOTAL	21,829	22,000	18,488	21,813	20,605	20,102	20,425	20,893	20,672	20,976
Allen County	0	0	0	0	0	0	0	0	0	0
Athens County	10	0	0	0	0	0	0	0	0	0
Brown County	0	0	0	0	0	0	0	0	0	0
Butler County	0	1	0	0	1	0	0	0	0	0
Cuyahoga County	6,173	6,111	5,533	6,778	6,498	7,006	7,575	7,662	7,745	7,505
Delaware County	3	1	0	1	0	0	0	1	0	0
Erie County	0	0	0	0	0	0	0	0	0	0
Fairfield County	0	1	0	0	0	0	0	0	0	0
Franklin County	4,260	3,600	2,746	3,480	3,501	3,933	3,706	4,844	4,476	4,715
Greene County	0	0	0	1	0	0	0	1	1	0
Hamilton County	4,161	3,611	3,129	3,508	3,797	3,306	3,060	3,225	3,057	3,303
Henry County	0	0	0	0	0	0	0	0	1	0
Lake County	1	0	0	0	0	0	0	2	0	0
Lucas County	953	787	1,063	1,012	988	1,105	1,488	1,320	1,144	986
Mahoning County	0	0	4	4	90	62	0	0	0	0
Marion County	0	1	0	0	0	0	0	0	0	0
Miami County	0	0	0	1	0	0	0	0	0	0
Montgomery County	3,464	4,283	3,191	3,458	2,770	2,740	2,871	2,339	2,358	2,599
Pickaway County	1	1	0	0	0	0	0	0	0	0
Richland County	1	0	0	15	45	50	0	0	0	0
Shelby County	3	0	3	0	0	0	0	0	2	0
Stark County	0	0	0	0	0	0	0	0	0	0
Summit County	2,694	3,603	2,817	3,551	2,915	1,899	1,725	1,501	1,886	1,864
Trumbull County	0	0	1	0	0	0	0	0	0	2
Warren County	0	0	1	4	0	0	0	0	0	0
Wayne County	0	0	0	0	0	0	0	0	0	2
Wood County	0	0	0	0	0	1	0	0	0	0
Ohio County Unknown	105	0	0	0	0	0	0	0	0	0

Total 2024 Abortions Reported in Ohio by Source:

Ambulatory Surgical Facility	18,541
Hospital	202
Non-Surgical Clinic	3,086

Table 7. Induced Abortions Reported in Ohio, by Method of Termination and County of Occurrence, 2024

County of Occurrence	Total	Surgical						Non-surgical					Not Reported
		Curettage Suction	D & Ext	D & Evac	Hyster-otomy	Hyster-ectomy	Other Surgical	Total Non-Surgical	Mife-pristone	Metho-trexate	Miso-prostol	Other Non-Surgical	
OHIO TOTAL	21,829	9,835	11	1,830	3	4	17	10,155	10,107	5	3,630	14	0
Athens	10	0	0	0	0	0	0	10	10	0	0	0	0
Cuyahoga	6,173	3,326	3	930	0	2	12	1,909	1,906	0	1	2	0
Delaware	3	0	0	0	0	0	1	2	2	0	0	0	0
Franklin	4,260	894	2	291	1	0	2	3,073	3,066	1	1,988	1	0
Hamilton	4,161	2,724	5	310	1	1	0	1,125	1,124	0	1	0	0
Lake	1	1	0	0	0	0	0	0	0	0	0	0	0
Lucas	953	1	0	0	0	0	0	952	945	0	5	2	0
Montgomery	3,464	2,128	0	186	0	1	1	1,152	1,141	3	8	2	0
Pickaway	1	0	0	0	0	0	1	0	0	0	0	0	0
Richland	1	0	0	0	0	0	0	1	0	0	0	1	0
Shelby	3	1	0	0	0	0	0	2	2	0	0	0	0
Summit	2,694	760	1	113	1	0	0	1,824	1,806	1	1,627	6	0
Unknown	105	0	0	0	0	0	0	105	105	0	0	0	0

Note: More than one method can be reported for a procedure.

In the reports received, 12 counties were listed as the occurrence of an abortion (see Table 6).

Table 8a. Total Induced Abortions Reported in Ohio, by Gestational Age, 2024

Gestational Age	Number	Percent
Total Abortions Reported	21,829	100.0
Less than 9 Weeks	14,106	64.6
9-12 Weeks	5,070	23.2
13-18 Weeks	2,176	10.0
19-20 Weeks	331	1.5
21-24 Weeks	146	0.7
25-36 Weeks	0	0.0
Not Reported	0	0.0

Table 8b. Method Used to Determine Gestational Age of Fetus, Ohio, 2024

Method	Number	Percent
Clinical Exam	3,454	15.8
Last Menstrual Period	4,725	21.7
Ultrasound	20,585	94.3
Other Reported Method	8	0.0
Not Reported	0	0.0

Note: More than one method of estimation can be reported.

Table 9. Resident Induced Abortions Reported in Ohio, by Age of Women Obtaining Abortion and by Number of Prior Induced Abortions, 2024

Table Restricted to Abortions Obtained by Ohio Residents

Age Group	Total	Prior Induced Abortion						
		0	1	2	3	4	5+	Not Reported
Total Abortions	18,696	10,486	4,281	2,018	891	381	338	301
Under 18	488	455	26	2	0	0	0	5
18-19	1,103	932	121	22	2	0	1	25
20-24	5,239	3,498	1,142	351	117	37	21	73
25-29	5,184	2,679	1,344	621	284	104	69	83
30-34	4,090	1,766	1,002	631	316	140	164	71
35-39	1,998	868	490	309	143	84	69	35
40-44	553	260	149	78	28	15	14	9
45-59	41	28	7	4	1	1	0	0
Age is Outside of Fertility Range	0	0	0	0	0	0	0	0
Not Reported	0	0	0	0	0	0	0	0

**Table 10a. Total Induced Abortions in Ohio with Post-Abortion Complications,
by Type of Complication, 2024**

Data Source: Confidential Abortion Reporting Form, Box 23

Complication Type	Number of Complications	Percent of Abortions with Complications
Perforation of Uterus	0	0.0%
Cervical Laceration	3	5.2%
Hemorrhage	10	17.2%
Incomplete Abortion	7	12.1%
Hematometra	0	0.0%
Anesthetic	0	0.0%
Failed Abortion	4	6.9%
Infection	1	1.7%
Death	0	0.0%
Other Unknown Complication	36	62.1%
Total Number of Complications*	61	Not Applicable
Total Abortions with One or More Complications	58	100.0%

Note: One termination may have more than one reported complication.

Table 10b. Total Induced Abortions in Ohio with Post-Abortion Complications, by Type of Complication, 2024

Data Source: Post-Abortion Care Report for Complications

Complication Type	Number of Complications	Percent of Abortions with Complications
Perforation of Uterus	1	0.5%
Cervical Laceration	1	0.5%
Hemorrhage	15	8.1%
Incomplete Abortion	80	43.0%
Hematometra	22	11.8%
Anesthetic	0	0.0%
Failed Abortion	54	29.0%
Infection	7	3.8%
Death	0	0.0%
Failure of Amniotic Fluid Ex	0	0.0%
RH Incompatibility	0	0.0%
Other	16	8.6%
Total Number of Complications*	196	Not Applicable
Total Abortions with One or More Complications	186	100.0%

* An abortion may have more than one reported complication.

**Table 11. Total Induced Abortions in Ohio with Post-Abortion Complications,
by Type of Complication and Gestation Period, 2024**

Data Source: Post-Abortion Care Report for Complications

Complication Type	Total	Gestation Period				
		< 9 Wks	9-12 Wks	13-19 Wks	20+ Wks	Not Reported
		(Number of Complications)				
Perforation of Uterus	1	0	0	1	0	0
Cervical Laceration	1	0	0	0	1	0
Hemorrhage	15	4	5	5	1	0
Incomplete Abortion	80	49	19	4	0	8
Hematometra	22	9	12	1	0	0
Anesthetic	0	0	0	0	0	0
Failed Abortion	54	35	14	1	0	4
Infection	7	1	3	2	0	1
Death	0	0	0	0	0	0
Failure of Amniotic Fluid Ex	0	0	0	0	0	0
RH Incompatibility	0	0	0	0	0	0
Other/Unreported	16	7	2	5	1	1
Total Number of Complications*	196	105	55	19	3	14
Total Abortions with One or More Complications	186	100	53	17	2	14

* An abortion may have more than one reported complication.

Table 12. Resident Induced Abortions, by ZIP Code of Patient, Ohio, 2024

ZIP Code	Total	ZIP Code	Total	ZIP Code	Total	ZIP Code	Total
43001	3	43085	39	43210	5	43348	2
43003	3	43087	3	43211	100	43351	4
43004	75	43102	1	43212	36	43357	3
43006	1	43103	18	43213	119	43358	3
43008	3	43105	1	43214	37	43401	1
43011	1	43106	2	43215	67	43402	21
43014	1	43107	1	43216	1	43403	2
43015	45	43110	133	43217	12	43406	2
43016	62	43111	1	43219	118	43410	3
43017	34	43112	1	43220	38	43416	1
43018	1	43113	14	43221	19	43420	20
43019	4	43114	1	43222	17	43430	1
43020	2	43116	5	43223	69	43431	2
43021	7	43117	1	43224	124	43432	1
43022	1	43118	1	43227	115	43433	1
43023	10	43119	63	43228	138	43435	1
43024	1	43123	76	43229	179	43439	1
43025	6	43124	1	43230	117	43440	2
43026	76	43125	28	43231	44	43442	1
43028	3	43128	3	43232	210	43443	1
43031	9	43130	47	43235	72	43447	2
43033	1	43135	2	43237	2	43448	1
43035	49	43136	1	43240	32	43449	2
43036	1	43137	3	43243	1	43452	10
43040	29	43138	9	43251	1	43456	1
43044	2	43140	14	43255	1	43457	1
43045	1	43143	1	43266	1	43460	5
43046	2	43145	1	43277	2	43464	1
43050	18	43146	6	43302	38	43465	4
43051	1	43147	62	43311	17	43466	1
43054	32	43149	1	43314	1	43502	1
43055	71	43150	1	43315	5	43504	1
43056	7	43152	1	43316	7	43506	6
43060	2	43154	1	43318	1	43512	11
43062	44	43155	1	43320	2	43515	4
43064	12	43156	1	43322	1	43516	2
43065	37	43160	19	43324	1	43518	1
43067	1	43162	2	43326	5	43524	3
43068	200	43164	3	43328	1	43526	1
43072	2	43197	1	43331	4	43527	1
43074	10	43201	73	43332	2	43528	11
43076	6	43202	39	43333	1	43532	2
43077	1	43203	55	43334	3	43533	1
43078	11	43204	93	43338	7	43537	18
43080	7	43205	52	43340	1	43542	3
43081	97	43206	80	43342	5	43543	3
43082	16	43207	115	43343	1	43545	8
43084	1	43209	58	43344	5	43549	1

Table 12. Resident Induced Abortions by ZIP Code of Patient, Ohio, 2024 (Part 2)

ZIP Code	Total	ZIP Code	Total	ZIP Code	Total	ZIP Code	Total
43551	26	43771	1	44030	8	44104	138
43553	1	43773	1	44032	4	44105	206
43556	1	43777	2	44033	1	44106	98
43557	3	43778	1	44034	1	44107	97
43558	7	43779	1	44035	147	44108	127
43560	17	43783	1	44039	40	44109	164
43566	6	43787	1	44040	1	44110	132
43567	8	43793	2	44041	14	44111	116
43571	1	43802	1	44042	3	44112	114
43575	1	43804	1	44044	14	44113	70
43577	1	43812	14	44047	5	44114	29
43601	2	43815	1	44048	2	44115	70
43604	17	43821	3	44050	2	44116	25
43605	52	43822	1	44052	88	44117	55
43606	34	43830	8	44053	38	44118	123
43607	50	43832	1	44054	19	44119	74
43608	25	43836	1	44055	68	44120	198
43609	34	43840	1	44056	15	44121	186
43610	6	43845	5	44057	21	44122	84
43611	29	43881	1	44059	1	44123	118
43612	81	43907	1	44060	48	44124	94
43613	50	43915	2	44062	5	44125	152
43614	54	43920	6	44065	3	44126	25
43615	72	43935	1	44067	27	44127	20
43616	21	43945	1	44070	34	44128	214
43617	7	43952	2	44072	2	44129	72
43619	5	43953	1	44073	1	44130	94
43620	9	43964	2	44074	9	44131	17
43623	19	43968	2	44076	3	44132	84
43668	1	43977	1	44077	99	44133	32
43678	1	43988	1	44080	1	44134	65
43701	39	44001	14	44081	5	44135	89
43703	1	44003	10	44082	1	44136	16
43710	1	44004	53	44084	6	44137	184
43723	2	44007	1	44085	1	44138	22
43724	2	44009	1	44086	1	44139	50
43725	12	44010	2	44087	44	44140	13
43727	1	44011	26	44089	18	44141	7
43731	7	44012	16	44090	11	44142	30
43732	2	44014	2	44092	41	44143	65
43735	2	44017	23	44093	2	44144	64
43739	1	44021	4	44094	74	44145	25
43756	1	44022	7	44095	62	44146	144
43760	3	44023	14	44096	1	44147	19
43762	4	44024	16	44097	1	44149	13
43764	4	44026	2	44101	2	44152	1
43766	1	44028	5	44102	161	44164	1
43770	1	44029	1	44103	92	44165	1

Table 12. Resident Induced Abortions by ZIP Code of Patient, Ohio, 2024 (Part 3)

ZIP Code	Total	ZIP Code	Total	ZIP Code	Total	ZIP Code	Total
44178	1	44305	77	44480	1	44641	18
44181	1	44306	126	44481	7	44643	1
44188	1	44307	37	44483	42	44644	2
44194	2	44308	1	44484	31	44645	1
44201	3	44310	87	44485	45	44646	68
44202	19	44311	36	44491	1	44647	18
44203	63	44312	54	44502	26	44651	1
44204	1	44313	75	44503	1	44653	1
44210	1	44314	56	44504	12	44654	5
44212	40	44319	29	44505	44	44656	5
44215	6	44320	95	44506	3	44657	4
44216	10	44321	24	44507	11	44662	6
44217	2	44325	1	44509	24	44663	23
44219	1	44329	1	44510	3	44666	2
44221	55	44333	15	44511	32	44667	13
44223	27	44380	1	44512	27	44671	2
44224	44	44394	1	44514	10	44672	2
44225	1	44402	2	44515	48	44676	1
44230	7	44403	2	44517	1	44677	1
44231	4	44405	10	44518	1	44680	2
44233	3	44406	7	44520	1	44681	1
44234	4	44408	3	44525	1	44682	1
44235	2	44409	1	44551	1	44683	6
44236	10	44410	11	44555	1	44685	28
44240	96	44411	2	44567	1	44688	3
44241	34	44412	4	44581	1	44691	38
44242	1	44413	2	44601	47	44701	2
44250	4	44420	14	44602	1	44702	1
44253	3	44423	1	44604	1	44703	26
44254	8	44425	9	44605	1	44704	10
44255	8	44427	1	44606	1	44705	49
44256	56	44429	3	44607	1	44706	25
44260	11	44430	4	44608	3	44707	20
44262	7	44431	2	44611	2	44708	44
44264	1	44432	4	44612	7	44709	57
44266	52	44437	5	44613	1	44710	13
44270	7	44438	3	44614	14	44711	1
44272	1	44440	7	44615	7	44714	18
44273	3	44444	8	44618	1	44718	13
44275	2	44446	34	44621	4	44720	33
44278	19	44450	2	44622	18	44721	16
44280	2	44451	1	44625	1	44730	4
44281	28	44452	1	44626	4	44745	1
44286	3	44453	1	44628	1	44805	18
44287	6	44455	2	44629	2	44807	1
44288	3	44460	15	44632	6	44810	2
44301	67	44462	1	44633	1	44811	8
44302	22	44470	5	44634	2	44813	3
44303	10	44471	10	44636	1	44814	3

Table 12. Resident Induced Abortions by ZIP Code of Patient, Ohio, 2024 (Part 4)

ZIP Code	Total	ZIP Code	Total	ZIP Code	Total	ZIP Code	Total
44304	24	44473	3	44639	1	44818	1
44820	14	45035	1	45160	1	45244	18
44822	1	45036	23	45167	3	45245	31
44824	2	45039	23	45168	3	45246	46
44826	3	45040	55	45169	6	45247	28
44827	5	45042	32	45171	3	45248	30
44830	10	45043	1	45176	5	45249	16
44833	9	45044	78	45177	23	45250	1
44836	2	45045	1	45201	3	45251	50
44837	2	45046	1	45202	58	45252	5
44838	1	45050	14	45203	8	45254	1
44839	12	45052	2	45204	23	45255	22
44840	3	45054	1	45205	88	45270	1
44842	1	45056	19	45206	35	45283	1
44843	1	45059	1	45207	26	45304	2
44844	1	45062	2	45208	16	45305	15
44849	1	45064	3	45209	13	45306	1
44851	4	45065	7	45210	1	45309	5
44855	2	45066	18	45211	123	45310	1
44857	15	45067	16	45212	51	45311	4
44864	1	45068	3	45213	34	45312	1
44865	1	45069	65	45214	40	45315	6
44870	71	45070	1	45215	88	45316	1
44875	10	45101	1	45216	32	45318	2
44878	1	45102	25	45217	21	45320	8
44880	4	45103	36	45218	7	45322	27
44882	1	45106	12	45219	50	45323	3
44883	16	45107	10	45220	37	45324	88
44885	1	45111	1	45223	49	45325	4
44889	3	45112	1	45224	72	45326	1
44890	8	45113	4	45225	56	45327	14
44902	11	45118	2	45226	4	45328	2
44903	28	45120	3	45227	41	45330	1
44904	12	45121	7	45228	1	45331	16
44905	17	45122	14	45229	52	45333	1
44906	21	45123	7	45230	39	45334	1
44907	14	45130	2	45231	127	45335	1
44909	1	45133	10	45232	37	45337	2
45001	3	45135	3	45233	11	45338	1
45002	16	45140	49	45234	3	45340	1
45003	1	45142	5	45235	1	45341	4
45004	1	45144	2	45236	35	45342	54
45005	25	45146	2	45237	83	45344	24
45011	113	45150	24	45238	102	45345	4
45013	71	45152	5	45239	79	45346	2
45014	91	45153	1	45240	84	45347	3
45015	21	45154	5	45241	25	45348	1
45030	14	45155	1	45242	15	45349	1
45034	1	45157	11	45243	7	45350	1

Table 12. Resident Induced Abortions by ZIP Code of Patient, Ohio, 2024 (Part 5)

ZIP Code	Total	ZIP Code	Total	ZIP Code	Total	ZIP Code	Total
45356	28	45476	1	45692	4	45850	1
45362	1	45484	1	45693	5	45856	3
45365	23	45489	2	45694	4	45857	1
45369	3	45499	1	45696	1	45858	2
45371	25	45502	12	45701	21	45861	1
45373	27	45503	55	45705	1	45862	1
45377	16	45504	33	45710	2	45866	1
45380	1	45505	59	45711	1	45867	1
45383	8	45506	47	45714	4	45869	1
45384	4	45508	1	45715	2	45871	2
45385	59	45514	1	45716	2	45872	2
45387	5	45531	1	45723	1	45873	2
45390	2	45551	1	45724	1	45875	2
45401	1	45601	46	45732	2	45879	1
45402	50	45612	4	45734	1	45882	1
45403	52	45613	3	45735	1	45883	1
45404	31	45614	2	45741	1	45885	9
45405	98	45619	2	45742	1	45886	1
45406	108	45621	1	45744	1	45887	8
45407	2	45623	1	45745	1	45889	1
45409	12	45628	3	45750	12	45891	7
45410	49	45629	2	45760	1	45895	5
45414	56	45631	7	45764	4	45898	1
45415	26	45634	2	45769	1	45903	1
45416	38	45638	8	45770	3	99999	75
45417	147	45640	5	45771	1		
45418	1	45644	1	45773	1		
45419	12	45647	2	45780	2		
45420	34	45648	9	45784	1		
45424	107	45651	2	45786	1		
45426	68	45652	1	45801	40		
45427	1	45653	2	45804	17		
45429	30	45656	1	45805	38		
45430	9	45657	2	45806	5		
45431	54	45660	4	45807	4		
45432	16	45661	8	45810	1		
45433	2	45662	18	45817	1		
45434	6	45663	3	45820	1		
45439	32	45669	4	45822	11		
45440	35	45673	2	45828	1		
45445	1	45679	1	45830	1		
45449	32	45680	5	45833	12		
45450	1	45682	1	45839	1		
45451	1	45683	1	45840	36		
45455	1	45686	1	45843	3		
45458	42	45688	2	45845	1		
45459	32	45690	5	45849	2		

Table 13. Contraceptive History at Time of Conception and Contraception Recommendations Provided at Discharge, Ohio, 2024

Type of Contraception	History (at conception)	Recommended (after procedure)
Yes, Any Type	2,771	21,829
Cervical Cap	3	13
Hormone Implant	37	362
IUD	98	529
Condom, Male	948	12,108
Oral Contraceptive	1,040	1,967
Vaginal Ring	99	178
Contraceptive Injection	149	0
Condom, Female	34	21
Foam	3	0
Diaphragm	2	2
Hormone Patch	127	407
Rhythm	70	280
DepoProvera	12	580
Plan B	84	0
Abstinence	0	51
Withdrawal	29	1
Vasectomy	11	32
Tubal Ligation	9	160
Emergency Contraceptive	31	0
Essure	0	0
Own MD	0	407
Own Plans	0	0
Other	166	4,877
None	11,813	0
Unknown	7,245	0

Note: One termination may have more than one contraception type recommended.

Table 14. Pregnancy History of Women who Obtained Induced Terminations in Ohio, 2024

Number of specified pregnancies	Number of women with specified number of previous pregnancies	Number of women with specified number of prior spontaneous abortions	Number of women with specified number of prior induced abortions
0	5,617	16,812	12,541
1	3,987	3,406	4,993
2	3,599	896	2,263
3	2,813	258	959
4	2,096	80	404
5	1,387	33	180
6	853	15	97
7	479	10	33
8	300	5	22
9	179	1	9
10	122	1	6
11	49	0	2
12	36	0	2
13	20	3	1
14	9	0	2
15	4	0	0
16	2	0	0
17	2	0	0
18	1	0	0
19	2	0	0
20	1	0	0
Not Reported	271	309	315
Total Number of Previous Pregnancies of Specified Type	50,204	6,715	16,129

Table 15. Selected Medical Information from Confidential Abortion Reports, Ohio, 2024

Discharge instruction given as per O.A.C. 3701-47-02 (Restricted to women obtaining procedure at 14+ weeks gestation)	
Yes	2,078
No	11
Not Reported	0
Medical condition of the woman at time of abortion	
Good	21,782
Other	47
Type of procedure done immediately after the abortion	
None	21,800
Other	29

Table 16. Type of Counseling Provided to Women Obtaining Terminations, Ohio, 2024

Type of Counseling	Number
Psychological	11
Social Services	3,456
Pastoral	16
Medical	14,676
Other	26
None	7,118

Note: A single patient could receive one or more counseling types.

Table 17. Timing of Medical Exam for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2024

Medical Exam Performed Within 48 Hours	
Yes	472
No	5
Not Reported	0

Table 18. Viability Determination and Type of Testing Used to Determine Viability for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2024

Viability Judgment	
Viable	2
Not Viable	475
Not Reported	0
Type of Viability Testing	
Ultrasound	472
Lung Maturity Testing	0
Genetic Testing	0
Amniocentesis	1
Chorionic Villus Sampling	0
Cordocentesis	0
Weight (Ultrasound Estimate)	11
Maternal Serum Alpha-Fetoprotein	0
Actual Fetal Biometrics	0
Other	0

Note: More than one type of test to determine viability may be reported.

Table 19. Probable Post-Fertilization Age (PPFA) Determination and Type of Method Used to Determine PPFA for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2024

PPFA Judged to be 20 Weeks or Greater	
Yes	15
No	462
Method Used to Determine (PPFA)	
Composite Ultrasound (Fourteen days after LMP)	453
LMP (Fourteen days after LMP)	125
Clinical Exam	3
Other	3
No Reported Method	6

More than one method to determine PPFA may be reported.
LMP = last menstrual period.

Table 20. Induced Abortions Reported in Ohio, Examination and Assessment, 2024

Effective June 24, 2022, and pursuant to O.R.C. 2919.192 and O.A.C. 3701-47-07, the examination and assessment portion of the confidential abortion report must be completed. The detection of a fetal heartbeat combined with the clinical estimate of gestational age will determine the number of fields that will need to be completed on the Confidential Abortion Report.

CHARACTERISTICS	2024	Percent
Total Induced Abortions	21,829	100.0
Was a fetal heartbeat detected?		
Yes	9,100	41.7
No	12,729	58.3
Not Reported	0	0.0

Was this procedure induced, performed, or attempted because of a medical necessity or medical emergency (i.e. to prevent the death of the pregnant woman or to prevent a serious risk of the substantial and irreversible impairment of a major bodily function of the pregnant woman)?

	Number	Percent
Yes	97	0.4
No	21,732	99.6
Not Reported	0	0.0

Medical condition of the pregnant woman that constituted medical necessity or medical emergency:

	Number	Percent
Diabetes	2	0.0
Multiple Sclerosis	1	0.0
Hemorrhage	3	0.0
Respiratory failure	2	0.0
Preeclampsia (Toxemia)	4	0.0
Eclampsia	0	0.0
Inevitable abortion	9	0.0
Acute fatty liver of pregnancy	1	0.0
Infection	2	0.0
Premature rupture of the membrane	19	0.1
Cardiac disease	9	0.0
Other	52	0.2

Confidential Abortion Report

Ohio Department of Health
(Required pursuant to O.R.C. 3701-47-07)

1. Facility Name:	2. Address:	3. ZIP code of facility:
4. Patient's identification number:	For state use only	

Effective June 24, 2022, and pursuant to O.R.C. 2919.192 and O.A.C. 3701-47-07, the examination and assessment portion of the confidential abortion report must be completed. The detection of a fetal heartbeat combined with the clinical estimate of gestational age will determine the number of fields that will need to be completed on the Confidential Abortion Report.

Examination and Assessment

EA1. Clinical estimate of gestational age: <input type="text"/> <input type="text"/> Weeks <input type="text"/> <input type="text"/> Days	EA2. Method used to determine gestational age of the fetus: <input type="checkbox"/> Clinical Exam <input type="checkbox"/> L.M.P. <input type="checkbox"/> Ultrasound <input type="checkbox"/> Other (specify) _____	EA3. If gestational age is 14 weeks or greater, were discharge instructions given as per O.A.C. 3701-47-02? <input type="checkbox"/> Yes <input type="checkbox"/> No
EA4. Was a fetal heartbeat detected? <input type="checkbox"/> Yes <input type="checkbox"/> No	EA5. Method used to detect presence of a fetal heartbeat: <input type="checkbox"/> Ultrasound <input type="checkbox"/> Other (specify) _____	EA6. Date and time of heartbeat assessment: M M D D Y Y H M ____/____/____ :____

If the answer to Question EA4 "Was a fetal heartbeat detected?" is "Yes", the "Medical Emergency Statement" below must be completed.

Medical Emergency Statement

EA7. Was this procedure induced, performed, or attempted because of a medical necessity or medical emergency (i.e. to prevent the death of the pregnant woman or to prevent a serious risk of the substantial and irreversible impairment of a major bodily function of the pregnant woman)? <input type="checkbox"/> Yes <input type="checkbox"/> No	
EA8. Medical condition of the pregnant woman that constituted medical necessity or medical emergency: <input type="checkbox"/> Diabetes <input type="checkbox"/> Multiple Sclerosis <input type="checkbox"/> Hemorrhage <input type="checkbox"/> Respiratory failure <input type="checkbox"/> Preeclampsia (Toxemia) <input type="checkbox"/> Eclampsia <input type="checkbox"/> Inevitable abortion <input type="checkbox"/> Acute fatty liver of pregnancy <input type="checkbox"/> Infection <input type="checkbox"/> Premature rupture of the membrane <input type="checkbox"/> Cardiac disease <input type="checkbox"/> Other _____	EA9. Medical rationale for the conclusion that the procedure is necessary:

EA10. Physician's name (type or print)	EA11. Physician's signature:	Date:
----------------------------------------	------------------------------	-------

Send completed forms to:

Ohio Department of Health Confidential Reports A
P.O. Box 15098
Columbus, OH 43215
FAX: 614-564-2514
Email: VSReporting@odh.ohio.gov

Confidential Abortion Report

Ohio Department of Health

(Required pursuant to O.R.C. 3701.79)

1. Facility Name:	2. Address:	ZIP code of facility:
-------------------	-------------	-----------------------

General Information

3. ZIP code of address of the patient:		County of residence (specify):	State of residence:
4. Patient's identification number:	5. Age of patient:	6. Specify highest degree or level of school completed: <input type="checkbox"/> 8 th grade or less <input type="checkbox"/> Some college/no degree <input type="checkbox"/> Master's degree <input type="checkbox"/> 9 th -12 th grade <input type="checkbox"/> Associate's degree <input type="checkbox"/> Doctorate degree <input type="checkbox"/> High school grad/GED <input type="checkbox"/> Bachelor's degree <input type="checkbox"/> Unknown	
7. Marital status, please select one: <input type="checkbox"/> Never Married <input type="checkbox"/> Married <input type="checkbox"/> Separated <input type="checkbox"/> Divorced <input type="checkbox"/> Widowed <input type="checkbox"/> Unknown		8a. Race or ethnic group, please select all that apply: <input type="checkbox"/> White <input type="checkbox"/> Black <input type="checkbox"/> American Indian <input type="checkbox"/> Other (specify) _____ <input type="checkbox"/> Asian <input type="checkbox"/> Pacific Islander <input type="checkbox"/> Unknown	8b. Is the woman of Hispanic origin? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown

Medical History, Physical, and Assessment

9. Number of living children: <input type="text"/> <input type="text"/>		10. Date of last live birth: M M D D Y Y <input type="checkbox"/> Unknown ____/____/____
11a. Number of prior spontaneous abortions: <input type="text"/> <input type="text"/>	11b. Number of prior induced abortions: <input type="text"/> <input type="text"/>	12. Date of last induced abortion: M M D D Y Y <input type="checkbox"/> Unknown ____/____/____
13. Number of previous pregnancies: <input type="text"/> <input type="text"/>		14. Contraceptive history: Was the woman practicing contraception at the time of conception? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown
15. Method. If answer to number 14 is "yes", what was the method used? <input type="checkbox"/> Cervical Cap <input type="checkbox"/> Condom (male) <input type="checkbox"/> Contraceptive injection <input type="checkbox"/> Diaphragm <input type="checkbox"/> Other (specify) _____ <input type="checkbox"/> Hormone implant <input type="checkbox"/> Oral contraceptive <input type="checkbox"/> Condom (female) <input type="checkbox"/> Hormone patch <input type="checkbox"/> IUD <input type="checkbox"/> Vaginal ring <input type="checkbox"/> Foam <input type="checkbox"/> Rhythm		16. First day of last menstrual period: M M D D Y Y ____/____/____ <input type="checkbox"/> Unknown
<input type="checkbox"/> 17. I attest that I do not have knowledge that the pregnant woman is seeking an abortion, in whole or in part, because of a test result indicating Down syndrome, a prenatal diagnosis of Down syndrome, or any other reason to believe that the unborn child has Down syndrome.		

Medical Procedure

18. Date of termination: M M D D Y Y ____/____/____	20. Method of termination: <input type="checkbox"/> Suction Dilation & Curettage <input type="checkbox"/> Hysterectomy <input type="checkbox"/> Dilation & Evacuation (D&E) <input type="checkbox"/> Other (specify) _____ <input type="checkbox"/> Hysterotomy <input type="checkbox"/> Dilation extraction <input type="checkbox"/> Medical (non-surgical) (specify) <input type="checkbox"/> Mifepristone (RU 486) <input type="checkbox"/> Methotrexate <input type="checkbox"/> Other (specify) _____	
21. Medical condition of the patient at the time of abortion: <input type="checkbox"/> Good <input type="checkbox"/> Other (specify) _____	22. Type of procedure done immediately after the abortion: <input type="checkbox"/> None <input type="checkbox"/> Other (specify) _____	
23. Post abortion complications (Indicate all): <input type="checkbox"/> None <input type="checkbox"/> Hemorrhage <input type="checkbox"/> Infection <input type="checkbox"/> Incomplete Abortion <input type="checkbox"/> Other (specify) _____ <input type="checkbox"/> Perforation of uterus <input type="checkbox"/> Anesthetic <input type="checkbox"/> Hematometra <input type="checkbox"/> Cervical laceration <input type="checkbox"/> Failed abortion <input type="checkbox"/> Death		24. Type of family planning recommended: <input type="checkbox"/> Cervical cap <input type="checkbox"/> Oral contraceptive <input type="checkbox"/> Diaphragm <input type="checkbox"/> Vaginal ring <input type="checkbox"/> Hormone Implant <input type="checkbox"/> Depo Provera <input type="checkbox"/> Hormone Patch <input type="checkbox"/> Other (specify) _____ <input type="checkbox"/> Condom (male) <input type="checkbox"/> Condom (female) <input type="checkbox"/> IUD
25. Type of counseling given: <input type="checkbox"/> None <input type="checkbox"/> Psychological <input type="checkbox"/> Social service <input type="checkbox"/> Pastoral <input type="checkbox"/> Medical <input type="checkbox"/> Other (specify) _____		
26. Physician's name (type or print)		27. Physician's signature: _____ Date: _____

If the answer to Question EA1 on page 1 is greater than 19 weeks, please complete page 3.

Page 2

HEA 1802 (Rev. 08/2024)

Medical Information for Abortions Performed, Induced or Attempted after 19 Completed Weeks of Gestation

(Required pursuant to O.R.C. 2919.171, 2919.201-2919.203, and O.A.C. 3701-47-03)

Patient's Identification number:

For state use only

Please respond to questions 30b-d and 31a-b and initial the document ONLY if you responded "YES" to question 29a, 29c or 30a.

28a. Did you perform a medical examination of the pregnant woman within 48 hours before the performance of the abortion or the attempt to perform or induce the abortion?

☐ Yes ☐ No

28b. Date of medical examination:

M M D D Y Y

____/____/____

29a. In your good faith judgment, was the unborn child viable as defined in ORC 2919.16, paragraph M?

☐ Yes ☐ No

29b. Type of testing performed to determine viability:

- | | |
|------------------------------------------------|-------------------------------------------------------------------|
| <input type="checkbox"/> Ultrasound | <input type="checkbox"/> Chorionic Villus sampling |
| <input type="checkbox"/> Lung maturity testing | <input type="checkbox"/> Cordocentesis |
| <input type="checkbox"/> Genetic testing | <input type="checkbox"/> Weight (ultrasound estimate) |
| <input type="checkbox"/> Amniocentesis | <input type="checkbox"/> Maternal Serum Alpha-Fetoprotein (MSAFP) |
| <input type="checkbox"/> Other (specify) _____ | |

29c. Based on inquiries of the patient and performance of medical examinations or tests, is the Probable Post-Fertilization Age (PPFA), as defined in O.R.C. 2919.20, twenty (20) weeks or greater, in the physician's reasonable medical judgment?

☐ Yes ☐ No

29d. Method used to determine PPFA:

- ☐ Composite ultrasound (fourteen (14) days after LMP)
- ☐ LMP (fourteen (14) days after LMP)
- ☐ Clinical exam
- ☐ Other (specify) _____

30a. The abortion was induced, performed or attempted because of a medical necessity or medical emergency (i.e. to prevent the death of the pregnant woman or a serious risk of the substantial and irreversible impairment of a major bodily function of the pregnant woman):

☐ Yes ☐ No

30b. Please have the physician, who is not professionally related to the attending physician, certify the information in Question #30a. by printing and signing their name. By signing below, I certify that I am not professionally related to the attending physician and that the abortion was induced, performed, or attempted because of a medical necessity or medical emergency (i.e. to prevent the death of the pregnant woman or a serious risk of the substantial and irreversible impairment of a major bodily function of the pregnant woman).

Print name _____

Signature _____ M.D./ D.O.

30c. Medical condition of the pregnant woman that constitutes medical necessity or medical emergency:

- | | |
|-------------------------------------------------|------------------------------------------------------------|
| <input type="checkbox"/> Diabetes | <input type="checkbox"/> Acute fatty liver of pregnancy |
| <input type="checkbox"/> Multiple sclerosis | <input type="checkbox"/> Infection |
| <input type="checkbox"/> Hemorrhage | <input type="checkbox"/> Premature rupture of the membrane |
| <input type="checkbox"/> Respiratory failure | <input type="checkbox"/> Cardiac disease |
| <input type="checkbox"/> Preeclampsia (Toxemia) | <input type="checkbox"/> Other _____ |
| <input type="checkbox"/> Eclampsia | |
| <input type="checkbox"/> Inevitable abortion | |

30d. Method or techniques considered when inducing or performing the abortion (check all that apply):

- | | |
|-------------------------------------------------------|------------------------------------------------------|
| <input type="checkbox"/> Suction dilation & curettage | <input type="checkbox"/> Dilation & evacuation (D&E) |
| <input type="checkbox"/> Dilation extraction | <input type="checkbox"/> Hysterotomy |
| <input type="checkbox"/> Hysterectomy | <input type="checkbox"/> Medical (nonsurgical) |
| <input type="checkbox"/> Other (specify) _____ | <input type="checkbox"/> Mifepristone (R.U. 486) |
| | <input type="checkbox"/> Methotrexate |
| | <input type="checkbox"/> Other (specify) _____ |

31a. Method or technique employed when inducing or performing the abortion:

- | | |
|--------------------------------------------------------|------------------------------------------------------|
| <input type="checkbox"/> Suction dilation & curettage | <input type="checkbox"/> Dilation & evacuation (D&E) |
| <input type="checkbox"/> Dilation extraction (specify) | <input type="checkbox"/> Hysterectomy |
| <input type="checkbox"/> Hysterectomy | <input type="checkbox"/> Medical (nonsurgical) |
| <input type="checkbox"/> Other (specify) _____ | <input type="checkbox"/> Mifepristone (R.U. 486) |
| | <input type="checkbox"/> Methotrexate |
| | <input type="checkbox"/> Other (specify) _____ |

31b. Reason for choice of method or technique:

- | | |
|------------------------------------------|---------------------------------------------------|
| <input type="checkbox"/> Gestational age | <input type="checkbox"/> Availability of services |
| <input type="checkbox"/> Patient safety | <input type="checkbox"/> Other (specify) |
| <input type="checkbox"/> Patient choice | |

_____ By initialing I certify that the abortion was not based on a claim or diagnosis that the pregnant woman will engage in conduct that would result in the pregnant woman's death or a substantial and irreversible impairment of a major bodily function of the pregnant woman or on any reason related to the woman's mental health.

A physician who fails to submit the report described in Paragraph (A) of O.A.C. 3701-47-03 more than thirty days after the fifteen-day deadline, shall be subject to a late fee of five hundred dollars for each additional thirty-day period or portion of a thirty-day period the report is overdue.

Post-Abortion Care Report For Complications

Ohio Department of Health

(Required Pursuant to O.A.C. 3701-47-03)

To be completed by the physician providing post-abortion care

			State Use Only													
Facility Where Post-Abortion Care was Provided:																
Street or post number		City		State ZIP												
Date of Abortion: Month Date Year			Weeks of Gestation													
Facility Where Abortion was Performed:																
Address of Facility: Street or Post Number		City		State ZIP												
Date Post Abortion Care Began: Month Day Year			Patient Number:													
Complication(s) (Please check all that apply): <table border="0"><tr><td><input type="checkbox"/> Hemorrhage</td><td><input type="checkbox"/> Anesthetic</td><td><input type="checkbox"/> Hematometra</td><td><input type="checkbox"/> Perforation of uterus</td></tr><tr><td><input type="checkbox"/> Failure of amniotic fluid ex</td><td><input type="checkbox"/> RH incompatibility</td><td><input type="checkbox"/> Cervical laceration</td><td><input type="checkbox"/> Failed abortion</td></tr><tr><td><input type="checkbox"/> Infection</td><td><input type="checkbox"/> Incomplete abortion</td><td><input type="checkbox"/> Death</td><td><input type="checkbox"/> Other (specify) _____</td></tr></table>					<input type="checkbox"/> Hemorrhage	<input type="checkbox"/> Anesthetic	<input type="checkbox"/> Hematometra	<input type="checkbox"/> Perforation of uterus	<input type="checkbox"/> Failure of amniotic fluid ex	<input type="checkbox"/> RH incompatibility	<input type="checkbox"/> Cervical laceration	<input type="checkbox"/> Failed abortion	<input type="checkbox"/> Infection	<input type="checkbox"/> Incomplete abortion	<input type="checkbox"/> Death	<input type="checkbox"/> Other (specify) _____
<input type="checkbox"/> Hemorrhage	<input type="checkbox"/> Anesthetic	<input type="checkbox"/> Hematometra	<input type="checkbox"/> Perforation of uterus													
<input type="checkbox"/> Failure of amniotic fluid ex	<input type="checkbox"/> RH incompatibility	<input type="checkbox"/> Cervical laceration	<input type="checkbox"/> Failed abortion													
<input type="checkbox"/> Infection	<input type="checkbox"/> Incomplete abortion	<input type="checkbox"/> Death	<input type="checkbox"/> Other (specify) _____													
Duration of Treatment: (Indicate Number of Hours or Days) _____ Hours _____ Days																
Remarks _____ _____ _____ _____ _____ _____																
Physician's name providing care (type or print)		Physicians signature <input type="checkbox"/> M.D. <input type="checkbox"/> D.O.		Date												

Send Completed Form to: Ohio Department of Health
Confidential Reports A
PO Box 118
Columbus, Ohio 43216
Email: VSReporting@odh.ohio.gov

HEA 1806 Rev. 08/2024



Mike DeWine, Governor
Bruce Vanderhoff, MD, MBA, Director



**Department of
Health**

Bureau of Vital Statistics

An equal opportunity employer/provider